

Lampiran 3

HASIL SPSS  
UJI NORMALITAS

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pretest1	6	100.0%	0	.0%	6	100.0%
posttest1	6	100.0%	0	.0%	6	100.0%
selisih1	6	100.0%	0	.0%	6	100.0%
pretest2	6	100.0%	0	.0%	6	100.0%
posttest2	6	100.0%	0	.0%	6	100.0%
selsisih2	6	100.0%	0	.0%	6	100.0%

Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
pretest1	.192	6	.200*	.957	6	.796
posttest1	.240	6	.200*	.915	6	.468
selisih1	.319	6	.056	.699	6	.006
pretest2	.166	6	.200*	.950	6	.738
posttest2	.233	6	.200*	.853	6	.168
selsisih2	.284	6	.140	.832	6	.111

## UJI HOMOGEN

### Test of Homogeneity of Variances

perlakuan

Levene Statistic	df1	df2	Sig.
.082	1	9	.782

## UJI HIPOTESIS 1

### Paired Samples Statistics

	Mean	N	Std. Deviation	Std. Error Mean
Pair 1 pretest1	43.1000	6	6.35453	2.59422
posttest1	46.9333	6	6.63315	2.70797

## HIPO 1

### Paired Samples Statistics

	Mean	N	Std. Deviation	Std. Error Mean
Pair 1 pretest1	43.1000	6	6.35453	2.59422
posttest1	46.9333	6	6.63315	2.70797

### Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	pretest1	43.1000	6	6.35453	2.59422
	posttest1	46.9333	6	6.63315	2.70797

### Paired Samples Test

		Pair 1	
		pretest1 - posttest1	
Paired Differences	Mean	-3.83333	
	Std. Deviation	1.38804	
	Std. Error Mean	.56667	
	95% Confidence Interval of the Difference	Lower	-5.29000
		Upper	-2.37667
T		-6.765	
Df		5	
Sig. (2-tailed)		.001	

### HIPO 2

### Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	pretest2	46.1000	6	6.06828	2.47736
	posttest2	52.9333	6	5.99355	2.44686

### Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	pretest2 & posttest2	6	.941	.005