

**STUDY PROGRAM OF NURSING
FACULTY OF HEALTH SCIENCE
UNIVERSITY OF ESA UNGGUL**

Thesis, August 2018

Mutiara Anjarwati

2014-33-046

**“THE EFFECT OF THERAPY PSYCHORELIGIOUS: DZIKIR ON THE
CONTROL OF BLOOD IN PATIENT RISK OF VIOLENCE BEHAVIOR
IN RSJ DR. SOEHARTO HEERDJAN JAKARTA BARAT IN 2018”**

7 CHAPTER + 122 Pages + 10 Table+ 1 Images + 2 Schemes + 17 Attachment

ABSTRACT

One of the causes of patients with mental disorders who are taken to hospital is violent behavior. Violent behavior is an act that can endanger yourself or others characterized by an angry and emotional face. The purpose of this study was to determine the effect of psychoreligious therapy: dhikr on anger control in patients at risk of violent behavior in Dr. Soeharto Heerdjan. The number of samples in this study amounted to 43, the design of this study using the Pre Experimental method with the One Group Pre-Post Test design. The statistical test used was the Wilcoxon Signed Rank Test, based on the results of the analysis before (pre-test) and after (post-test) giving therapy psychoreligious: dhikr on anger control in patients at risk of violent behavior in Dr. Soeharto Heerdjan West Jakarta, 2018 (n = 43). The statistical test used was Wilcoxon signed ranks test showing a significant value of p -value 0.000 (<0.05). This means that there is a therapeutic effect psikoreligius: dhikr to control angry at risk of violent behavior in patients Dr. Soeharto Heerdjan RSJ West Jakarta Year 2018. It is recommended for mental health services as inputs on improving knowledge for nurses in implementing form of therapy psychoreligious: dzikir as therapy modalitias for anger control in patients at risk of violent behavior.

Keywords: Psychoreligious Therapy, Anger Control

Literature: 36 (2008-2017)

**PROGRAM STUDI ILMU KEPERAWATAN
FAKULTAS ILMU-ILMU KESEHATAN
UNIVERSITAS ESA UNGGUL**

Skripsi, Agustus 2018

Mutiara Anjarwati

201433-046

**“PENGARUH TERAPI PSIKORELIGIUS: DZIKIR TERHADAP
PENGENDALIAN MARAH PADA PASIEN RESIKO PERILAKU
KEKERASAN DI RSJ DR. SOEHARTO HEERDJAN JAKARTA BARAT
TAHUN 2018”**

7 BAB + 122 Halaman + 10 Tabel + 1 Gambar + 2 Skema + 17 Lampiran

ABSTRAK

Salah satu penyebab penderita dari gangguan jiwa yang dibawa ke rumah sakit adalah perilaku kekerasan. Perilaku kekerasan adalah tindakan yang dapat membahayakan diri sendiri maupun orang lain ditandai dengan adanya muka marah dan emosi. Tujuan Penelitian ini adalah untuk mengetahui pengaruh terapi psikoreligius: dzikir terhadap pengendalian marah pada pasien resiko perilaku kekerasan di RSJ Dr. Soeharto Heerdjan. Jumlah sampel pada penelitian ini berjumlah 43, Perancangan penelitian ini menggunakan metode Pre Experimental dengan rancangan One Group Pre-Post Test. Uji statistik yang digunakan adalah uji *Wilcoxon Signed Rank Test*, Berdasarkan hasil analisis sebelum (*pre-test*) dan sesudah (*post-test*) pemberian terapi psikoreligius: dzikir terhadap pengendalian marah pada pasien resiko perilaku kekerasan di RSJ Dr. Soeharto Heerdjan Jakarta Barat, tahun 2018 (n=43). uji statistic yang digunakan adalah *wilcoxon signed ranks test* menunjukkan nilai signifikan p -value 0.000 (<0.05). Artinya bahwa ada pengaruh terapi psikoreligius: dzikir terhadap pengendalian marah pada pasien resiko perilaku kekerasan di RSJ Dr. Soeharto Heerdjan Jakarta Barat Tahun 2018. Disarankan bagi pelayanan kesehatan jiwa sebagai bahan masukan tentang meningkatkan pengetahuan bagi perawat dalam menerapkan berupa terapi pikoreligius: dzikir sebagai terapi modalitias untuk pengendalian marah pada pasien resiko perilaku kekerasan.

Kata Kunci : Terapi Psikoreligius, Pengendalian Marah

Kepustakaan : 36 (2008-2017)