

UNIVARIAT

1. KEJADIAN ANEMIA

Anemia2					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	anemia	55	64.0	64.0	64.0
	tidak anemia	31	36.0	36.0	100.0
	Total	86	100.0	100.0	

2. PENDIDIKAN ORANG TUA

PENDOT_NEW					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	SD	27	31.4	31.4	31.4
	SMP	15	17.4	17.4	48.8
	SMA	43	50.0	50.0	98.8
	PT	1	1.2	1.2	100.0
	Total	86	100.0	100.0	

PendOT					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Rendah	42	48.8	48.8	48.8
	Tinggi	44	51.2	51.2	100.0
	Total	86	100.0	100.0	

3. POLA MENSTRUASI

Kat_mens_manual					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak normal	1	1.2	1.2	1.2
	normal	85	98.8	98.8	100.0
	Total	86	100.0	100.0	

Statistics		
Lama_MENS		
N	Valid	86
	Missing	0
Mean		6.28
Range		6
Minimum		2
Maximum		8

Statistics		
Pembalut		
N	Valid	86
	Missing	0
Mean		3.01
Range		4
Minimum		2
Maximum		6

4. STATUS GIZI

status gizi					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurang	45	52.3	52.3	52.3
	baik	41	47.7	47.7	100.0
	Total	86	100.0	100.0	

BIVARIAT

Pendidikan VS Anemia

Case Processing Summary						
	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
PddOT * Anemia2	86	100.0%	0	0.0%	86	100.0%

CROSSTAB

PddOT * Anemia2 Crosstabulation					
			Anemia2		Total
			anemia	tidak anemia	
PddOT	Rendah	Count	23	19	42
		% within PddOT	54.8%	45.2%	100.0%
	Tinggi	Count	32	12	44
		% within PddOT	72.7%	27.3%	100.0%
Total		Count	55	31	86
		% within PddOT	64.0%	36.0%	100.0%

Chi-Square Tests					
	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	3.008 ^a	1	.083		
Continuity Correction ^b	2.280	1	.131		
Likelihood Ratio	3.027	1	.082		
Fisher's Exact Test				.116	.065
Linear-by-Linear Association	2.974	1	.085		
N of Valid Cases	86				
a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 15.14.					
b. Computed only for a 2x2 table					

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PddOT (Rendah / Tinggi)	.454	.185	1.116
For cohort Anemia2 = anemia	.753	.542	1.046
For cohort Anemia2 = tidak anemia	1.659	.923	2.981
N of Valid Cases	86		

Menstruasi VS Anemia

Case Processing Summary						
	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kat_mens_manual * Anemia2	86	100.0%	0	0.0%	86	100.0%

CROSSTAB

Kat_mens_manual * Anemia2 Crosstabulation					
		Anemia2			Total
		anemia	tidak anemia		
Kat_mens_manual	tidak normal	Count	1	0	1
		% within Kat_mens_manual	100.0%	0.0%	100.0%
	normal	Count	54	31	85
		% within Kat_mens_manual	63.5%	36.5%	100.0%
Total		Count	55	31	86
		% within Kat_mens_manual	64.0%	36.0%	100.0%

Chi-Square Tests					
	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.570 ^a	1	.450		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.901	1	.343		
Fisher's Exact Test				1.000	.640
Linear-by-Linear Association	.564	1	.453		
N of Valid Cases	86				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .36.

b. Computed only for a 2x2 table

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
For cohort Anemia2 = anemia	1.574	1.340	1.849
N of Valid Cases	86		

Status Gizi VS Anemia

Case Processing Summary						
	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
status gizi * Anemia2	86	100.0%	0	0.0%	86	100.0%

CROSSTAB

status gizi * Anemia2 Crosstabulation					
			Anemia2		Total
			anemia	tidak anemia	
status gizi	kurang	Count	31	14	45
		% within status gizi	68.9%	31.1%	100.0%
	baik	Count	24	17	41
		% within status gizi	58.5%	41.5%	100.0%
Total		Count	55	31	86
		% within status gizi	64.0%	36.0%	100.0%

Chi-Square Tests					
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.997 ^a	1	.318		
Continuity Correction ^b	.599	1	.439		
Likelihood Ratio	.998	1	.318		
Fisher's Exact Test				.372	.220
Linear-by-Linear Association	.986	1	.321		
N of Valid Cases	86				
a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 14.78.					
b. Computed only for a 2x2 table					

Risk Estimate			
	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for status gizi (kurang / baik)	1.568	.647	3.803
For cohort Anemia2 = anemia	1.177	.851	1.627
For cohort Anemia2 = tidak anemia	.750	.426	1.323
N of Valid Cases	86		