

**UNIVERSITY OF ESA UNGGUL
FACULTY OF HEALTH SCIENCE
NURSING SCIENCE STUDY PROGRAM
Thesis, July 2019**

FIDA ROFIDATUL AS
2015-33-061

**" EFFECTIVENESS OF THE DELIVERY PLUS ORALIT MILK WITH
FORMULA PLUS ORALIT TO THE FREQUENCY OF DIARRHEA IN
PUSKESMAS MAJASARI 2019"**

CHAPTER 6 + 64 pages + 12 tables + 3 scheme + 11 Appendix

ABSTRACT

Diarrhea is defined as part of three or more stools that are loose or liquid per day (or more often than normal for individuals). This is usually a symptom of gastrointestinal infections, which can be caused by various bacterial, viral, and parasitic organisms. This research aims to identify whether there is a difference in the influence of BREAST feeding plus Oralit with Formula milk Plus Oralit on the frequency of diarrhea in the health center Majasari 2019. The design of this research uses design or quantitative research design with research designs using Quasi Exsperimental method with design two group pre and post test experiment. The samples used in this studies were 34 respondents plus ORS and 34 respondents formula milk plus ORS Research was done within 2 weeks and the instrument of this study uses an observation sheet of diarrhea frequency and test statistic Which is used in this research using Man Whitney test obtained a P value of 0.00 (< 0.05) so H_0 in the decline and H_A is received which means there is a meaningful influence between the provision of BREAST milk Plus with the formula Frequency diarrhea in Majasari Puskesmas 2019. Conclusion of feeding plus ors with milk formula plus ors can reduce the frequency of diarrhea. The results are expected to be one of the silvery intervention to lower the frequency of diarrhea.and run.

Keywords : Diarrhea, breast milk, Oralit, Susus formula
Bibliography :(2013-2018)