

A. UNIVARIAT KARAKTERISTIK RESPONDEN

Asi Plus Oralit

Umur (bulan)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 6-12bln	15	44.1	44.1	44.1
13-18bln	13	38.2	38.2	82.4
19-24bln	6	17.6	17.6	100.0
Total	34	100.0	100.0	

Jenis kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Laki-laki	18	52.9	52.9	52.9
Perempuan	16	47.1	47.1	100.0
Total	34	100.0	100.0	

Sufor Plus Oralit

Umur Responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 6-12bln	17	50.0	50.0	50.0
13-18bln	5	14.7	14.7	64.7
19-24bln	12	35.3	35.3	100.0
Total	34	100.0	100.0	

Jenis Kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Laki-laki	22	64.7	64.7	64.7
Perempuan	12	35.3	35.3	100.0
Total	34	100.0	100.0	

B. UNIVARIAT FREKUENSI ASI DAN SUFOR
Frekuensi ASI plus Oralit

pretest

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Diare	34	100.0	100.0	100.0

posttest

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak diare	27	79.4	79.4	79.4
Valid Diare	7	20.6	20.6	100.0
Total	34	100.0	100.0	

Frekuensi Sufor plus Oralit

Pre

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Diare	34	100.0	100.0	100.0

post

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak diare	18	52.9	52.9	52.9
Valid Diare	16	47.1	47.1	100.0
Total	34	100.0	100.0	

C. UJI NORMALITAS SHAPIRO WILK

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
PreASI	.227	34	.000	.804	34	.000
PostASI	.486	34	.000	.498	34	.000
PreFormula	.410	34	.000	.658	34	.000
PostFormula	.403	34	.000	.689	34	.000

a. Lilliefors Significance Correction

D. UJI HOMOGENITAS

Uji homogenitas Asi Plus Oralit dan Susu Formula Plus Oralit

Jenis Kelamin

Crosstab

		Kelompok		Total
		ASI plus Oralit	Susu Formula plus Oralit	
1	Count	18	22	40
	% within Kelompok	52.9%	64.7%	58.8%
2	Count	16	12	28
	% within Kelompok	47.1%	35.3%	41.2%
Total	Count	34	34	68
	% within Kelompok	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.971 ^a	1	.324		
Continuity Correction ^b	.546	1	.460		
Likelihood Ratio	.974	1	.324		
Fisher's Exact Test				.460	.230
Linear-by-Linear Association	.957	1	.328		
N of Valid Cases	68				

Umur

Crosstab

		Kelompok		Total	
		ASI plus Oralit	Susu Formula plus Oralit		
Umur (Bulan)	1	Count	15	17	32
		% within Kelompok	44.1%	50.0%	47.1%
	2	Count	13	5	18
		% within Kelompok	38.2%	14.7%	26.5%
	3	Count	6	12	18
		% within Kelompok	17.6%	35.3%	26.5%
Total		Count	34	34	68
		% within Kelompok	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.681 ^a	2	.058
Likelihood Ratio	5.847	2	.054
Linear-by-Linear Association	.335	1	.563
N of Valid Cases	68		

E. BIVARIAT

UJI WILCOXON SIGNED RANKS TEST ASI PLUS ORALIT

Ranks			
	N	Mean Rank	Sum of Ranks
Negative Ranks	0 ^a	.00	.00
Positive Ranks	34 ^b	17.50	595.00
Ties	0 ^c		
Total	34		

a. PreASI < PostASI

b. PreASI > PostASI

c. PreASI = PostASI

Test Statistics^a

	PreASI - PostASI
Z	-5.226 ^b
Asymp. Sig. (2-tailed)	.000

a. Wilcoxon Signed Ranks Test

b. Based on negative ranks.

SUSU FORMULA PLUS ORALIT

Ranks			
	N	Mean Rank	Sum of Ranks
Negative Ranks	0 ^a	.00	.00
Positive Ranks	10 ^b	5.50	55.00
Ties	24 ^c		
Total	34		

a. PreFormula < PostFormula

b. PreFormula > PostFormula

c. PreFormula = PostFormula

Test Statistics^a

	PreFormula - PostFormula
Z	-2.836 ^b
Asymp. Sig. (2-tailed)	.005

- a. Wilcoxon Signed Ranks Test
- b. Based on negative ranks.

