

HASIL UJI NORMALITAS SPSS

Descriptives

		Statistic	Std. Error	
PTA_dibagi_3	Mean	3,6667	,10674	
	95% Confidence Interval for Mean	Lower Bound	3,4514	
		Upper Bound	3,8819	
	5% Trimmed Mean	3,6566		
	Median	3,6667		
	Variance	,501		
	Std. Deviation	,70802		
	Minimum	2,33		
	Maximum	5,00		
	Range	2,67		
	Interquartile Range	,67		
	Skewness	,656	,357	
	Kurtosis	-,082	,702	
	Total Score Umur	Mean	34,68	1,313
95% Confidence Interval for Mean		Lower Bound	32,03	
		Upper Bound	37,33	
5% Trimmed Mean		34,47		
Median		33,50		
Variance		75,803		
Std. Deviation		8,707		
Minimum		19		
Maximum		56		
Range		37		
Interquartile Range		12		
Skewness		,248	,357	
Kurtosis		-,228	,702	
Total_Sikap		Mean	18,23	,401
	95% Confidence Interval for Mean	Lower Bound	17,42	
		Upper Bound	19,04	
	5% Trimmed Mean	18,22		
	Median	18,00		
	Variance	7,063		
	Std. Deviation	2,658		
	Minimum	12		
	Maximum	24		
	Range	12		
	Interquartile Range	2		

	Skewness	,304	,357
	Kurtosis	-,148	,702
Total_Pengetahuan	Mean	6,18	,297
	95% Confidence Interval for Mean	Lower Bound	5,58
		Upper Bound	6,78
	5% Trimmed Mean	6,25	
	Median	6,00	
	Variance	3,873	
	Std. Deviation	1,968	
	Minimum	1	
	Maximum	9	
	Range	8	
	Interquartile Range	3	
	Skewness	-,457	,357
	Kurtosis	-,228	,702

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
PTA_dibagi_3	,182	44	,001	,895	44	,001
Total Score Umur	,122	44	,098	,974	44	,418
Total_Sikap	,158	44	,007	,945	44	,037
Total_Pengetahuan	,145	44	,021	,946	44	,039

a. Lilliefors Significance Correction

HASIL UJI UNIVARIAT SPSS

Frequency Table

Perilaku Tidak Aman

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Perilaku Tidak Aman	21	47,7	47,7	47,7
	Perilaku Aman	23	52,3	52,3	100,0
	Total	44	100,0	100,0	

Umur

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Beresiko	26	59,1	59,1	59,1
	Tidak Beresiko	18	40,9	40,9	100,0
	Total	44	100,0	100,0	

Koding Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Rendah	25	56,8	56,8	56,8
	Tinggi	19	43,2	43,2	100,0
	Total	44	100,0	100,0	

Sikap

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Buruk	21	47,7	47,7	47,7
	Baik	23	52,3	52,3	100,0
	Total	44	100,0	100,0	

Pengetahuan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Buruk	14	31,8	31,8	31,8
	Baik	30	68,2	68,2	100,0
	Total	44	100,0	100,0	

HASIL UJI BIVARIAT SPSS

Umur * Perilaku Tidak Aman

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	7,943 ^a	1	,005		
Continuity Correction ^b	6,307	1	,012		
Likelihood Ratio	8,295	1	,004		
Fisher's Exact Test				,007	,005
Linear-by-Linear Association	7,762	1	,005		
N of Valid Cases	44				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 8,59.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Umur (Beresiko / Tidak Beresiko)	6,611	1,673	26,118
For cohort Perilaku Tidak Aman = Perilaku Tidak Aman	2,942	1,186	7,298
For cohort Perilaku Tidak Aman = Perilaku Aman	,445	,248	,797
N of Valid Cases	44		

Koding Pendidikan * Perilaku Tidak Aman

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	,322 ^a	1	,570		
Continuity Correction ^b	,069	1	,792		
Likelihood Ratio	,323	1	,570		
Fisher's Exact Test				,761	,396
Linear-by-Linear Association	,315	1	,575		
N of Valid Cases	44				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 9,07.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Koding Pendidikan (Rendah / Tinggi)	,707	,213	2,343
For cohort Perilaku Tidak Aman = Perilaku Tidak Aman	,836	,452	1,545
For cohort Perilaku Tidak Aman = Perilaku Aman	1,182	,657	2,128
N of Valid Cases	44		

Sikap * Perilaku Tidak Aman

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9,046 ^a	1	,003		
Continuity Correction ^b	7,320	1	,007		
Likelihood Ratio	9,376	1	,002		
Fisher's Exact Test				,006	,003
Linear-by-Linear Association	8,840	1	,003		
N of Valid Cases	44				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 10,02.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Sikap (Buruk / Baik)	7,083	1,878	26,718
For cohort Perilaku Tidak Aman = Perilaku Tidak Aman	2,738	1,307	5,734
For cohort Perilaku Tidak Aman = Perilaku Aman	,387	,188	,793
N of Valid Cases	44		

Pengetahuan * Perilaku Tidak Aman

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	7,830 ^a	1	,005		
Continuity Correction ^b	6,122	1	,013		
Likelihood Ratio	8,167	1	,004		
Fisher's Exact Test				,009	,006
Linear-by-Linear Association	7,652	1	,006		
N of Valid Cases	44				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 6,68.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pengetahuan (Buruk / Baik)	7,333	1,661	32,384
For cohort Perilaku Tidak Aman = Perilaku Tidak Aman	2,357	1,326	4,190
For cohort Perilaku Tidak Aman = Perilaku Aman	,321	,114	,904
N of Valid Cases	44		