

LAMPIRAN 5

OUTPUT

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Jenis Kelamin * Kejadian Pneumonia	104	100,0%	0	0,0%	104	100,0%

Jenis Kelamin * Kejadian Pneumonia Crosstabulation

		Kejadian Pneumonia			
		Pneumonia	Tidak Pneumonia	Total	
Jenis Kelamin	Laki-Laki	Count	33	30	63
		% within Jenis Kelamin	52,4%	47,6%	100,0%
	Perempuan	Count	18	23	41
		% within Jenis Kelamin	43,9%	56,1%	100,0%
Total		Count	51	53	104
		% within Jenis Kelamin	49,0%	51,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,714 ^a	1	,398		
Continuity Correction ^b	,415	1	,519		
Likelihood Ratio	,716	1	,398		
Fisher's Exact Test				,428	,260
Linear-by-Linear Association	,708	1	,400		
N of Valid Cases	104				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 20,11.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Contingency Coefficient	,083	,398
N of Valid Cases		104	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jenis Kelamin (Laki-Laki / Perempuan)	1,406	,638	3,099
For cohort Kejadian Pneumonia = Pneumonia	1,193	,785	1,813
For cohort Kejadian Pneumonia = Tidak Pneumonia	,849	,584	1,235
N of Valid Cases		104	

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
	Status Imunisasi * Kejadian Pneumonia	104	100,0%	0	0,0%	104

Status Imunisasi * Kejadian Pneumonia Crosstabulation

		Kejadian Pneumonia		
		Pneumonia	Tidak Pneumonia	
Status Imunisasi	Tidak Lengkap	Count	24	19
		% within Status Imunisasi	55,8%	44,2%
	Lengkap	Count	27	34
		% within Status Imunisasi	44,3%	55,7%
Total		Count	51	53
		% within Status Imunisasi	49,0%	51,0%

Status Imunisasi * Kejadian Pneumonia Crosstabulation

			Total
Status Imunisasi	Tidak Lengkap	Count	43
		% within Status Imunisasi	100,0%
	Lengkap	Count	61
		% within Status Imunisasi	100,0%
Total	Count		104
	% within Status Imunisasi		100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	1,347 ^a	1	,246		
Continuity Correction ^b	,924	1	,336		
Likelihood Ratio	1,349	1	,245		
Fisher's Exact Test				,320	,168
Linear-by-Linear Association	1,334	1	,248		
N of Valid Cases	104				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 21,09.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Contingency Coefficient	,113	,246
N of Valid Cases		104	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Status Imunisasi (Tidak Lengkap / Lengkap)	1,591	,725	3,490
For cohort Kejadian Pneumonia = Pneumonia	1,261	,856	1,857
For cohort Kejadian Pneumonia = Tidak Pneumonia	,793	,530	1,187
N of Valid Cases		104	

Crosstabs

Case Processing Summary

	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
	Pemberian Asi Eksklusif * Kejadian Pneumnia	104	100,0%	0	0,0%	104

Pemberian Asi Eksklusif * Kejadian Pneumnia Crosstabulation

		Kejadian Pneumnia Pneumonia	
Pemberian Asi Eksklusif	Tidak Asi Eksklusif	Count	33
		% within Pemberian Asi Eksklusif	56,9%
	Asi Eksklusif	Count	18
		% within Pemberian Asi Eksklusif	39,1%
Total		Count	51
		% within Pemberian Asi Eksklusif	49,0%

Pemberian Asi Eksklusif * Kejadian Pneumnia Crosstabulation

		Kejadian Pneumnia Tidak Pneumonia	
Pemberian Asi Eksklusif	Tidak Asi Eksklusif	Count	25
		% within Pemberian Asi Eksklusif	43,1%
	Asi Eksklusif	Count	28
		% within Pemberian Asi Eksklusif	60,9%
Total		Count	53
		% within Pemberian Asi Eksklusif	51,0%

Pemberian Asi Eksklusif * Kejadian Pneumonia Crosstabulation

			Total
Pemberian Asi Eksklusif	Tidak Asi Eksklusif	Count	58
		% within Pemberian Asi Eksklusif	100,0%
	Asi Eksklusif	Count	46
		% within Pemberian Asi Eksklusif	100,0%
Total	Count		104
	% within Pemberian Asi Eksklusif		100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	3,240 ^a	1	,072		
Continuity Correction ^b	2,568	1	,109		
Likelihood Ratio	3,260	1	,071		
Fisher's Exact Test				,079	,054
Linear-by-Linear Association	3,209	1	,073		
N of Valid Cases	104				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 22,56.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Contingency Coefficient	,174	,072
N of Valid Cases		104	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pemberian Asi Eksklusif (Tidak Asi Eksklusif / Asi Eksklusif)	2,053	,934	4,514
For cohort Kejadian Pneumonia = Pneumonia	1,454	,951	2,223
For cohort Kejadian Pneumonia = Tidak Pneumonia	,708	,486	1,031
N of Valid Cases	104		

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Status Gizi * Kejadian Pneumnia	104	100,0%	0	0,0%	104	100,0%

Status Gizi * Kejadian Pneumnia Crosstabulation

Status Gizi		Kejadian Pneumnia		Total
		Pneumonia	Tidak Pneumonia	
Gizi Kurang	Count	7	4	11
	% within Status Gizi	63,6%	36,4%	100,0%
Gizi Baik	Count	44	49	93
	% within Status Gizi	47,3%	52,7%	100,0%
Total	Count	51	53	104
	% within Status Gizi	49,0%	51,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,049 ^a	1	,306		
Continuity Correction ^b	,497	1	,481		
Likelihood Ratio	1,059	1	,303		
Fisher's Exact Test				,354	,241
Linear-by-Linear Association	1,039	1	,308		
N of Valid Cases	104				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 5,39.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Contingency Coefficient	,100	,306
N of Valid Cases		104	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Status Gizi (Gizi Kurang / Gizi Baik)	1,949	,534	7,109
For cohort Kejadian Pneumnia = Pneumonia	1,345	,819	2,208
For cohort Kejadian Pneumnia = Tidak Pneumonia	,690	,309	1,544
N of Valid Cases		104	

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Paparan Asap Rokok * Kejadian Pneumnia	104	100,0%	0	0,0%	104	100,0%

Paparan Asap Rokok * Kejadian Pneumnia Crosstabulation

		Kejadian Pneumnia		
		Pneumonia	Tidak Pneumonia	
Paparan Asap Rokok	Terpapar	Count	36	26
		% within Paparan Asap Rokok	58,1%	41,9%
	Tidak Terpapar	Count	15	27
		% within Paparan Asap Rokok	35,7%	64,3%
Total	Count	51	53	
	% within Paparan Asap Rokok	49,0%	51,0%	

Paparan Asap Rokok * Kejadian Pneumonia Crosstabulation

		Total	
Paparan Asap Rokok	Terpapar	Count	62
		% within Paparan Asap Rokok	100,0%
	Tidak Terpapar	Count	42
		% within Paparan Asap Rokok	100,0%
Total	Count	104	
	% within Paparan Asap Rokok	100,0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	5,005 ^a	1	,025		
Continuity Correction ^b	4,150	1	,042		
Likelihood Ratio	5,058	1	,025		
Fisher's Exact Test				,029	,020
Linear-by-Linear Association	4,957	1	,026		
N of Valid Cases	104				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 20,60.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Contingency Coefficient	,214	,025
N of Valid Cases		104	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Paparan Asap Rokok (Terpapar / Tidak Terpapar)	2,492	1,111	5,591
For cohort Kejadian Pneumonia = Pneumonia	1,626	1,029	2,569
For cohort Kejadian Pneumonia = Tidak Pneumonia	,652	,451	,944
N of Valid Case	104		

REKAP HASIL KUISIONER 104 RESPONDEN

NO	JK	STATUS IMUNISASI	ASI EKSLUSIF	STATUS GIZI	PAPARAN ASAP ROKOK	KEJADIAN PNEUMONIA
1	0	0	0	0	0	0
2	1	1	1	1	1	1
3	0	1	0	1	0	1
4	0	0	0	1	0	1
5	0	0	0	1	0	1
6	1	1	0	1	0	0
7	0	1	0	1	0	0
8	1	1	1	1	1	1
9	1	0	0	1	0	1
10	0	0	0	1	0	0
11	0	0	0	0	0	0
12	0	1	1	1	1	1
13	0	0	0	0	0	0
14	1	1	0	1	0	1
15	0	0	0	1	0	1
16	1	0	0	0	0	0
17	0	1	0	1	0	0
18	1	1	1	1	1	1
19	0	0	0	0	0	0
20	0	1	1	1	1	0
21	1	1	1	1	1	1
22	0	1	1	1	1	0
23	1	1	1	1	1	0
24	0	1	1	1	1	1
25	1	1	1	1	1	1
26	0	0	0	1	0	0
27	0	1	1	1	1	0
28	0	0	0	0	0	0
29	0	1	1	1	0	1
30	0	1	1	1	1	1
31	0	1	0	1	0	1
32	1	0	0	1	0	0
33	0	0	0	1	0	0
34	0	1	1	1	1	0
35	0	1	0	1	0	1
36	0	0	0	1	0	0
37	0	1	1	1	1	1
38	1	1	1	1	1	0
39	1	0	0	1	0	1

NO	JK	STATUS IMUNISASI	ASI EKSKLUSIF	STATUS GIZI	PAPARAN ASAP ROKOK	KEJADIAN PNEUMONIA
40	0	0	0	1	0	0
41	1	1	1	1	0	0
42	0	1	1	1	1	0
43	0	0	0	1	0	0
44	1	0	0	0	0	1
45	1	0	0	0	0	1
46	1	0	0	1	0	0
47	1	0	0	1	0	0
48	0	0	0	1	0	0
49	0	1	1	1	1	1
50	0	1	0	1	0	0
51	0	0	0	1	0	1
52	1	1	1	1	1	0
53	1	1	1	1	1	1
54	1	0	0	1	0	0
55	1	0	0	0	0	0
56	0	1	1	1	0	0
57	1	0	0	1	0	1
58	0	0	0	1	0	1
59	0	0	0	1	0	0
60	0	1	0	1	0	0
61	0	1	0	1	0	0
62	0	1	1	1	1	0
63	0	0	0	0	0	1
64	1	1	1	1	0	0
65	1	0	0	0	0	1
66	0	0	0	1	0	1
67	1	0	0	1	0	1
68	0	0	0	1	0	1
69	0	0	0	1	0	1
70	0	1	1	1	1	0
71	1	0	0	1	0	1
72	1	1	0	1	0	0
73	1	0	0	1	0	1
74	0	1	0	1	0	1
75	0	1	0	1	0	1
76	1	1	1	1	1	1
77	0	0	0	1	0	1
78	0	1	1	1	1	1
79	0	1	1	1	1	1
80	1	1	1	1	1	1
81	1	0	0	1	0	0

NO	JK	STATUS IMUNISASI	ASI EKSLUSIF	STATUS GIZI	PAPARAN ASAP ROKOK	KEJADIAN PNEUMONIA
82	1	0	0	1	0	0
83	1	1	1	1	1	1
84	0	1	1	1	1	1
85	0	1	1	1	1	0
86	0	1	1	1	1	0
87	0	1	1	1	1	1
88	0	1	1	1	1	1
89	0	1	1	1	1	1
90	1	1	1	1	1	1
91	1	1	0	1	0	0
92	1	1	1	1	1	1
93	0	0	0	1	0	0
94	1	1	1	1	1	1
95	0	0	0	1	0	0
96	0	1	1	1	1	1
97	1	1	1	1	1	0
98	1	0	0	1	0	0
99	0	1	1	1	1	1
100	0	1	0	1	0	0
101	0	1	1	1	1	1
102	0	1	1	1	1	0
103	0	1	1	1	1	0
104	1	1	1	1	1	1