

Lampiran 6

ANALISIS UNIVARIAT

Statistics

		Usia	Pendidikan	Pekerjaan	Pendapatan	Ventilasi	JenisLantai
N	Valid	88	88	88	88	88	88
	Missing	0	0	0	0	0	0

Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	berisiko	81	92,0	92,0	92,0
	tidak berisiko	7	8,0	8,0	100,0
Total		88	100,0	100,0	

Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	rendah	53	60,2	60,2	60,2
	tinggi	35	39,8	39,8	100,0
Total		88	100,0	100,0	

Pekerjaan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak bekerja	32	36,4	36,4	36,4
	bekerja	56	63,6	63,6	100,0
Total		88	100,0	100,0	

Pendapatan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	rendah	54	61,4	61,4	61,4
	tinggi	34	38,6	38,6	100,0
Total		88	100,0	100,0	

Ventilasi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak memenuhi syarat	54	61,4	61,4	61,4
	memenuhi syarat	34	38,6	38,6	100,0
Total		88	100,0	100,0	

JenisLantai

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak memenuhi syarat	40	45,5	45,5	45,5
	memenuhi syarat	48	54,5	54,5	100,0
Total		88	100,0	100,0	

SAVE OUTFILE='F:\SPSS\data frekuensi awal.sav'
/COMPRESSED.

ANALISIS BIVARIAT

1. Usia

Crosstabs

[DataSet0]

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Usia * Kejadian TB Paru	88	100,0%	0	0,0%	88	100,0%

Usia * Kejadian TB Paru Crosstabulation

		Kejadian TB Paru			
		kasus	Kontrol	Total	
Usia	Berisiko	Count	39	42	81
		% within Kejadian TB Paru	88,6%	95,5%	92,0%
	Tidak Berisiko	Count	5	2	7
		% within Kejadian TB Paru	11,4%	4,5%	8,0%
Total		Count	44	44	88
		% within Kejadian TB Paru	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,397 ^a	1	,237		
Continuity Correction ^b	,621	1	,431		
Likelihood Ratio	1,439	1	,230		
Fisher's Exact Test				,434	,217
Linear-by-Linear Association	1,381	1	,240		
N of Valid Cases	88				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 3,50.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Contingency Coefficient	,125	,237
N of Valid Cases		88	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (Berisiko / Tidak Berisiko)	,371	,068	2,027
For cohort Kejadian TB Paru = kasus	,674	,401	1,134
For cohort Kejadian TB Paru = Kontrol	1,815	,552	5,965
N of Valid Cases		88	

2. Pendidikan

Case Processing Summary

	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
	Pendidikan * Kejadian TB Paru	88	100,0%	0	0,0%	88

Pendidikan * Kejadian TB Paru Crosstabulation

		Kejadian TB Paru		Total	
		Kasus	Kontrol		
Pendidikan	Rendah	Count	37	16	53
		% within Kejadian TB Paru	84,1%	36,4%	60,2%
	Tinggi	Count	7	28	35
		% within Kejadian TB Paru	15,9%	63,6%	39,8%
Total		Count	44	44	88
		% within Kejadian TB Paru	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	20,921 ^a	1	,000		
Continuity Correction ^b	18,976	1	,000		
Likelihood Ratio	22,046	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	20,683	1	,000		
N of Valid Cases	88				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 17,50.

b. Computed only for a 2x2 table

Symmetric Measures

	Value	Approximate Significance
Nominal by Nominal Contingency Coefficient	,438	,000
N of Valid Cases	88	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pendidikan (Rendah / Tinggi)	9,250	3,353	25,520
For cohort Kejadian TB Paru = Kasus	3,491	1,758	6,930
For cohort Kejadian TB Paru = Kontrol	,377	,243	,587
N of Valid Cases	88		

3. Pekerjaan

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent

Pekerjaan * Kejadian TB Paru	88	100,0%	0	0,0%	88	100,0%
------------------------------	----	--------	---	------	----	--------

Pekerjaan * Kejadian TB Paru Crosstabulation

		Kejadian TB Paru		Total	
		Kasus	Kontrol		
Pekerjaan	Tidak Bekerja	Count	11	21	32
		% within Kejadian TB Paru	25,0%	47,7%	36,4%
	Bekerja	Count	33	23	56
		% within Kejadian TB Paru	75,0%	52,3%	63,6%
Total		Count	44	44	88
		% within Kejadian TB Paru	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4,911 ^a	1	,027		
Continuity Correction ^b	3,978	1	,046		
Likelihood Ratio	4,973	1	,026		
Fisher's Exact Test				,045	,023
Linear-by-Linear Association	4,855	1	,028		
N of Valid Cases	88				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 16,00.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Contingency Coefficient	,230	,027
N of Valid Cases		88	

Risk Estimate

Value	95% Confidence Interval	
	Lower	Upper

Odds Ratio for Pekerjaan (Tidak Bekerja / Bekerja)	,365	,148	,901
For cohort Kejadian TB Paru = Kasus	,583	,345	,987
For cohort Kejadian TB Paru = Kontrol	1,598	1,069	2,388
N of Valid Cases	88		

4. Pendapatan

Case Processing Summary

	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pendapatan * Kejadian TB Paru	88	100,0%	0	0,0%	88	100,0%

Pendapatan * Kejadian TB Paru Crosstabulation

		Kejadian TB Paru		
		Kasus	Kontrol	Total
Pendapatan Rendah	Count	35	19	54
	% within Kejadian TB Paru	79,5%	43,2%	61,4%
Tinggi	Count	9	25	34
	% within Kejadian TB Paru	20,5%	56,8%	38,6%
Total	Count	44	44	88
	% within Kejadian TB Paru	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	12,270 ^a	1	,000		
Continuity Correction ^b	10,784	1	,001		
Likelihood Ratio	12,648	1	,000		
Fisher's Exact Test				,001	,000
Linear-by-Linear Association	12,131	1	,000		
N of Valid Cases	88				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 17,00.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Contingency Coefficient	,350	,000
N of Valid Cases		88	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pendapatan (Rendah / Tinggi)	5,117	1,989	13,161
For cohort Kejadian TB Paru = Kasus	2,449	1,352	4,433
For cohort Kejadian TB Paru = Kontrol	,479	,316	,724
N of Valid Cases		88	

5. Ventilasi

Case Processing Summary

	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
	Ventilasi * TBParu	88	100,0%	0	0,0%	88

Ventilasi * TBParu Crosstabulation

		TBParu		Total	
		Kasus	Kontrol		
Ventilasi	Tidak Memenuhi Syarat	Count	29	4	33
		% within TBParu	65,9%	9,1%	37,5%
	Memenuhi Syarat	Count	15	40	55
		% within TBParu	34,1%	90,9%	62,5%
Total		Count	44	44	88
		% within TBParu	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	30,303 ^a	1	,000		
Continuity Correction ^b	27,927	1	,000		
Likelihood Ratio	33,163	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	29,959	1	,000		
N of Valid Cases	88				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 16,50.

b. Computed only for a 2x2 table

Symmetric Measures

	Value	Approximate Significance
Nominal by Nominal Contingency Coefficient	,506	,000
N of Valid Cases	88	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Ventilasi (Tidak Memenuhi Syarat / Memenuhi Syarat)	19,333	5,811	64,322
For cohort TBParu = Kasus	3,222	2,055	5,052
For cohort TBParu = Kontrol	,167	,066	,424
N of Valid Cases	88		

6. Jenis Lantai

Case Processing Summary

	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Jenis Lantai * TB Paru	88	100,0%	0	0,0%	88	100,0%

Jenis Lantai * TB Paru Crosstabulation

		TB Paru		Total	
		TB Paru	Tidak TB paru		
Jenis Lantai	Tidak Memenuhi Syarat	Count	32	8	40
		% within TB Paru	72,7%	18,2%	45,5%
	Memenuhi Syarat	Count	12	36	48
		% within TB Paru	27,3%	81,8%	54,5%
Total		Count	44	44	88
		% within TB Paru	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	26,400 ^a	1	,000		
Continuity Correction ^b	24,246	1	,000		
Likelihood Ratio	27,978	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	26,100	1	,000		
N of Valid Cases	88				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 20,00.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Contingency Coefficient	,480	,000
N of Valid Cases		88	

Risk Estimate

Value	95% Confidence Interval	
	Lower	Upper

Odds Ratio for Jenis Lantai (Tidak Memenuhi Syarat / Memenuhi Syarat)	12,000	4,356	33,061
For cohort TB Paru = TB Paru	3,200	1,914	5,350
For cohort TB Paru = Tidak TB paru	,267	,140	,506
N of Valid Cases	88		