

## HASIL UJI VALIDITAS DAN RELIABILITAS PENGETAHUAN

### Reliability

Scale: ALL VARIABLES

#### Case Processing Summary

		N	%
Cases	Valid	30	100.0
	Excluded <sup>a</sup>	0	.0
	Total	30	100.0

#### Reliability Statistics

Cronbach's Alpha	N of Items
.770	11

a. Listwise deletion based on all variables in the procedure.

#### Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
P1	11.60	42.455	.751	.745
P2	11.57	43.426	.607	.753
P3	11.53	44.257	.487	.759
P4	11.70	41.321	.895	.736
P5	11.63	42.033	.803	.742
P6	11.53	43.568	.607	.754
P7	11.77	43.633	.518	.756
P8	11.73	41.306	.891	.736
P9	11.70	43.666	.519	.756
P10	11.77	43.082	.604	.751
P	6.13	11.844	1.000	.888

## HASIL UJI VALIDITAS DAN RELIABILITAS SIKAP

### Reliability

Scale: ALL VARIABLES

#### Case Processing Summary

		N	%
Cases	Valid	30	100.0
	Excluded <sup>a</sup>	0	.0
	Total	30	100.0

#### Reliability Statistics

Cronbach's Alpha	N of Items
.790	11

a. Listwise deletion based on all variables in the procedure.

#### Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
S1	66.20	121.338	.828	.772
S2	66.30	121.390	.691	.773
S3	66.37	119.344	.974	.766
S4	66.40	119.145	.914	.766
S5	66.33	119.609	.949	.767
S6	66.33	119.609	.949	.767
S7	66.33	120.299	.897	.769
S8	66.33	120.299	.897	.769
S9	66.20	120.786	.870	.770
S10	66.30	119.941	.847	.768
S	34.90	33.266	1.000	.971

## HASIL UJI VALIDITAS DAN RELIABILITAS PELATIHAN

### Reliability

Scale: ALL VARIABLES

### Case Processing Summary

		N	%
Cases	Valid	30	100.0
	Excluded <sup>a</sup>	0	.0
	Total	30	100.0

### Reliability Statistics

Cronbach's Alpha	N of Items
.766	11

a. Listwise deletion based on all variables in the procedure.

### Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Pel1	17.00	16.069	.678	.748
Pel2	16.97	16.585	.601	.757
Pel3	17.07	15.582	.664	.741
Pel4	16.97	16.585	.601	.757
Pel5	17.07	15.168	.826	.731
Pel6	17.00	15.793	.821	.742
Pel7	17.03	15.826	.656	.745
Pel8	17.10	15.197	.735	.733
Pel9	17.10	15.886	.491	.750
Pel10	17.07	15.857	.558	.747
Pel	8.97	4.378	1.000	.874

## HASIL UJI VALIDITAS DAN RELIABILITAS PERILAKU TIDAK AMAN

### Reliability

Scale: ALL VARIABLES

### Case Processing Summary

		N	%
Cases	Valid	30	100.0
	Excluded <sup>a</sup>	0	.0
	Total	30	100.0

### Reliability Statistics

Cronbach's Alpha	N of Items
.774	11

a. Listwise deletion based on all variables in the procedure.

### Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Per1	15.37	29.137	.890	.744
Per2	15.53	29.982	.517	.758
Per3	15.33	29.954	.753	.753
Per4	15.47	28.326	.918	.736
Per5	15.40	29.559	.723	.750
Per6	15.33	29.678	.830	.750
Per7	15.27	31.582	.448	.770
Per8	15.40	29.834	.658	.754
Per9	15.33	30.782	.527	.763
Per10	15.47	29.016	.765	.745
Per	8.10	8.231	1.000	.904

## HASIL UJI NORMALITAS

### NPar Tests

#### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pengetahuan	60	100.0%	0	.0%	60	100.0%

#### Descriptives

			Statistic	Std. Error
Pengetahuan	Mean		6.93	.152
n	95% Confidence Interval for Mean	Lower Bound	6.63	
		Upper Bound	7.24	
	5% Trimmed Mean		6.94	
	Median		7.00	
	Variance		1.385	
	Std. Deviation		1.177	
	Minimum		4	
	Maximum		10	
	Range		6	
	Interquartile Range		2	
	Skewness		-.125	.309
	Kurtosis		.407	.608

#### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Pengetahuan	.173	60	.000	.933	60	.003

a. Lilliefors Significance Correction

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Sikap	60	100.0%	0	.0%	60	100.0%

### Descriptives

		Statistic	Std. Error
Sikap	Mean	35.88	.180
	95% Confidence Interval Lower Bound for Mean	35.52	
	Upper Bound	36.24	
	5% Trimmed Mean	35.89	
	Median	36.00	
	Variance	1.935	
	Std. Deviation	1.391	
	Minimum	32	
	Maximum	40	
	Range	8	
	Interquartile Range	2	
	Skewness	.020	.309
	Kurtosis	1.285	.608

### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Sikap	.167	60	.000	.941	60	.006

a. Lilliefors Significance Correction

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pelatihan	60	100.0%	0	.0%	60	100.0%

### Descriptives

		Statistic	Std. Error
Pelatihan	Mean	5.43	.267
	95% Confidence Interval for Mean	Lower Bound 4.90 Upper Bound 5.97	
	5% Trimmed Mean	5.44	
	Median	6.00	
	Variance	4.284	
	Std. Deviation	2.070	
	Minimum	1	
	Maximum	10	
	Range	9	
	Interquartile Range	2	
	Skewness	-.311	.309
	Kurtosis	.177	.608

### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Pelatihan	.200	60	.000	.927	60	.001

a. Lilliefors Significance Correction

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Perilaku	60	100.0%	0	.0%	60	100.0%

**Descriptives**

		Statistic	Std. Error
Perilaku	Mean	6.23	.324
	95% Confidence Interval for Mean		
	Lower Bound	5.58	
	Upper Bound	6.88	
	5% Trimmed Mean	6.31	
	Median	7.00	
	Variance	6.318	
	Std. Deviation	2.513	
	Minimum	1	
	Maximum	10	
	Range	9	
	Interquartile Range	3	
	Skewness	-.512	.309
	Kurtosis	-.568	.608

**Tests of Normality**

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Perilaku	.170	60	.000	.938	60	.004

a. Lilliefors Significance Correction



## HASIL UJI UNIVARIAT PERILAKU

perilaku11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Aman	33	55.0	55.0	55.0
	Tidak Aman	27	45.0	45.0	100.0
	Total	60	100.0	100.0	

## HASIL UJI UNIVARIAT UMUR

umur1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tua	34	56.7	56.7	56.7
	Muda	26	43.3	43.3	100.0
	Total	60	100.0	100.0	

## HASIL UJI UNIVARIAT PENDIDIKAN

Pendidikan1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Pendidikan Tinggi	6	10.0	10.0	10.0
	Pendidikan Dasar (SMP dan SMA)	54	90.0	90.0	100.0
	Total	60	100.0	100.0	

## HASIL UJI UNIVARIAT PENGETAHUAN

Pengetahuan1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Pengetahuan Tinggi	39	65.0	65.0	65.0
	Pengetahuan Rendah	21	35.0	35.0	100.0
	Total	60	100.0	100.0	

## HASIL UJI UNIVARIAT SIKAP

Sikap11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sikap Positif	38	63.3	63.3	63.3
	Sikap Negatif	22	36.7	36.7	100.0
	Total	60	100.0	100.0	

## HASIL UJI UNIVARIAT PELATIHAN

Pelatihan11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Pernah Pelatihan	35	58.3	58.3	58.3
	Tidak Pernah Pelatihan	25	41.7	41.7	100.0
	Total	60	100.0	100.0	

## HASIL UJI BIVARIAT UMUR TERHADAP PERILAKU TIDAK AMAN

umur1 \* perilaku11 Crosstabulation

			perilaku11		Total
			Aman	Tidak Aman	
umur1	Tua	Count	17	17	34
		Expected Count	18.7	15.3	34.0
		% within umur1	50.0%	50.0%	100.0%
		Residual	-1.7	1.7	
	Muda	Count	16	10	26
		Expected Count	14.3	11.7	26.0
		% within umur1	61.5%	38.5%	100.0%
		Residual	1.7	-1.7	
Total		Count	33	27	60
		Expected Count	33.0	27.0	60.0
		% within umur1	55.0%	45.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.793 <sup>a</sup>	1	.373		
Continuity Correction <sup>b</sup>	.395	1	.530		
Likelihood Ratio	.796	1	.372		
Fisher's Exact Test				.438	.265
Linear-by-Linear Association	.779	1	.377		
N of Valid Cases <sup>b</sup>	60				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.70.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for umur1 (Tua / Muda)	.625	.221	1.764
For cohort perilaku11 = Aman	.812	.516	1.278
For cohort perilaku11 = Tidak Aman	1.300	.720	2.348
N of Valid Cases	60		

**HASIL UJI BIVARIAT PENDIDIKAN TERHADAP PERILAKU TIDAK AMAN**

**Pendidikan1 \* perilaku11 Crosstabulation**

			perilaku11		Total
			Aman	Tidak Aman	
Pendidikan1	Pendidikan Tinggi	Count	3	3	6
		Expected Count	3.3	2.7	6.0
		% within Pendidikan1	50.0%	50.0%	100.0%
		Residual	-.3	.3	
Pendidikan Dasar (SMP dan SMA)		Count	30	24	54
		Expected Count	29.7	24.3	54.0
		% within Pendidikan1	55.6%	44.4%	100.0%
		Residual	.3	-.3	
Total		Count	33	27	60
		Expected Count	33.0	27.0	60.0
		% within Pendidikan1	55.0%	45.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.067 <sup>a</sup>	1	.795	1.000	.563
Continuity Correction <sup>b</sup>	.000	1	1.000		
Likelihood Ratio	.067	1	.796		
Fisher's Exact Test					
Linear-by-Linear Association	.066	1	.797		
N of Valid Cases <sup>b</sup>	60				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 2.70.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pendidikan1 (Pendidikan Tinggi / Pendidikan Dasar (SMP dan SMA))	.800	.148	4.327
For cohort perilaku11 = Aman	.900	.391	2.074
For cohort perilaku11 = Tidak Aman	1.125	.479	2.642
N of Valid Cases	60		

## HASIL UJI BIVARIAT PENGETAHUAN TERHADAP PERILAKU TIDAK AMAN

Pengetahuan1 \* perilaku11 Crosstabulation

			perilaku11		Total
			Aman	Tidak Aman	
Pengetahuan1	Pengetahuan Tinggi	Count	21	18	39
		Expected Count	21.4	17.6	39.0
		% within Pengetahuan1	53.8%	46.2%	100.0%
		Residual	-.4	.4	
	Pengetahuan Rendah	Count	12	9	21
		Expected Count	11.6	9.4	21.0
		% within Pengetahuan1	57.1%	42.9%	100.0%
		Residual	.4	-.4	
Total		Count	33	27	60
		Expected Count	33.0	27.0	60.0
		% within Pengetahuan1	55.0%	45.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.060 <sup>a</sup>	1	.807		
Continuity Correction <sup>b</sup>	.000	1	1.000		
Likelihood Ratio	.060	1	.806		
Fisher's Exact Test				1.000	.512
Linear-by-Linear Association	.059	1	.808		
N of Valid Cases <sup>b</sup>	60				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.45.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pengetahuan1 (Pengetahuan Tinggi / Pengetahuan Rendah)	.875	.300	2.549
For cohort perilaku11 = Aman	.942	.588	1.509
For cohort perilaku11 = Tidak Aman	1.077	.592	1.960
N of Valid Cases	60		

**HASIL UJI BIVARIAT SIKAP TERHADAP PERILAKU TIDAK AMAN**

**Sikap11 \* perilaku11 Crosstabulation**

			perilaku11		Total
			Aman	Tidak Aman	
Sikap11	Sikap Positif	Count	21	17	38
		Expected Count	20.9	17.1	38.0
		% within Sikap11	55.3%	44.7%	100.0%
		Residual	.1	-.1	
Sikap Negatif	Sikap Negatif	Count	12	10	22
		Expected Count	12.1	9.9	22.0
		% within Sikap11	54.5%	45.5%	100.0%
		Residual	.0	.1	
Total	Total	Count	33	27	60
		Expected Count	33.0	27.0	60.0
		% within Sikap11	55.0%	45.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.003 <sup>a</sup>	1	.957	1.000	.584
Continuity Correction <sup>b</sup>	.000	1	1.000		
Likelihood Ratio	.003	1	.957		
Fisher's Exact Test					
Linear-by-Linear Association	.003	1	.957		
N of Valid Cases <sup>b</sup>	60				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.90.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Sikap11 (Sikap Positif / Sikap Negatif)	1.029	.358	2.957
For cohort perilaku11 = Aman	1.013	.629	1.632
For cohort perilaku11 = Tidak Aman	.984	.552	1.755
N of Valid Cases	60		



## HASIL UJI BIVARIAT PELATIHAN TERHADAP PERILAKU TIDAK AMAN

Pelatihan11 \* perilaku11 Crosstabulation

			perilaku11		Total
			Aman	Tidak Aman	
Pelatihan11	Pernah Pelatihan	Count	15	20	35
		Expected Count	19.2	15.8	35.0
		% within Pelatihan11	42.9%	57.1%	100.0%
		Residual	-4.2	4.2	
Pelatihan11	Tidak Pernah Pelatihan	Count	18	7	25
		Expected Count	13.8	11.2	25.0
		% within Pelatihan11	72.0%	28.0%	100.0%
		Residual	4.2	-4.2	
Total		Count	33	27	60
		Expected Count	33.0	27.0	60.0
		% within Pelatihan11	55.0%	45.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.004 <sup>a</sup>	1	.025		
Continuity Correction <sup>b</sup>	3.896	1	.048		
Likelihood Ratio	5.125	1	.024		
Fisher's Exact Test				.036	.023
Linear-by-Linear Association	4.921	1	.027		
N of Valid Cases <sup>b</sup>	60				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.25.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pelatihan11 (Pernah Pelatihan / Tidak Pernah Pelatihan)	.292	.097	.876
For cohort perilaku11 = Aman	.595	.378	.937
For cohort perilaku11 = Tidak Aman	2.041	1.023	4.073
N of Valid Cases	60		

# DOKUMENTASI





ggul

Universita  
Esa U

ggul

Universitas  
**Esa Unggul**

Universita  
Esa U

ggul

Universitas  
**Esa Unggul**

Universita  
Esa U