

## Analisa Univariat

### USIA

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	36-45 tahun	26	33.8	33.8	33.8
	46-55 tahun	26	33.8	33.8	67.5
	56-65 tahun	25	32.5	32.5	100.0
	Total	77	100.0	100.0	

### JENIS KELAMIN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	laki-laki	30	39.0	39.0	39.0
	perempuan	47	61.0	61.0	100.0
	Total	77	100.0	100.0	

### LAMA DM

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1-2 TAHUN	19	24.7	24.7	24.7
	3-4 TAHUN	45	58.4	58.4	83.1
	5 TAHUN	13	16.9	16.9	100.0
	Total	77	100.0	100.0	

### PEKERJAAN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	IRT	44	57.1	57.1	57.1
	WIRUSAHA	15	19.5	19.5	76.6
	WIRASWASTA	18	23.4	23.4	100.0
	Total	77	100.0	100.0	

**BMI**

	Frequency	Percent	Valid Percent	Cumulative Percent
<18,5 kg	36	46.8	46.8	46.8
Valid >18,5 kg	41	53.2	53.2	100.0
Total	77	100.0	100.0	

**KEJADIAN.LUKA**

	Frequency	Percent	Valid Percent	Cumulative Percent
grade 1	37	48.1	48.1	48.1
Valid grade>2	40	51.9	51.9	100.0
Total	77	100.0	100.0	

**ANALISA BIVARIAT****Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
KEJADIAN.LUKA * BMI	77	100.0%	0	0.0%	77	100.0%

**KEJADIAN.LUKA \* BMI Crosstabulation**

			BMI		Total
			<18,5 kg	>18,5 kg	
KEJADIAN.LUKA	grade 1	Count	8	29	37
		% within KEJADIAN.LUKA	21.6%	78.4%	100.0%
KEJADIAN.LUKA	grade>2	Count	28	12	40
		% within KEJADIAN.LUKA	70.0%	30.0%	100.0%
Total		Count	36	41	77
		% within KEJADIAN.LUKA	46.8%	53.2%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	18.070 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	16.179	1	.000		
Likelihood Ratio	18.917	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	17.836	1	.000		
N of Valid Cases	77				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 17.30.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for KEJADIAN.LUKA (grade 1 / grade>2)	.118	.042	.333
For cohort BMI = <18,5 kg	.309	.162	.589
For cohort BMI = >18,5 kg	2.613	1.580	4.319
N of Valid Cases	77		