

Analisa Univariat

UMUR

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 12	7	15.6	15.6	15.6
13	25	55.6	55.6	71.1
14	6	13.3	13.3	84.4
15	7	15.6	15.6	100.0
Total	45	100.0	100.0	

JENIS KELAMIN

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid LAKI-LAKI	27	60.0	60.0	60.0
PEREMPUAN	18	40.0	40.0	100.0
Total	45	100.0	100.0	

KELAS

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid KELAS 1	7	15.6	15.6	15.6
KELAS 2	32	71.1	71.1	86.7
KELAS 3	6	13.3	13.3	100.0
Total	45	100.0	100.0	

GAME ONLINE

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TIDAK TERPENGARU	23	51.1	51.1	51.1
TERPENGARUH	22	48.9	48.9	100.0
Total	45	100.0	100.0	

Analisa Bivariat

UMUR * GAME ONLINE Crosstabulation

		GAME ONLINE		Total	
		TIDAK TERPENGARU	TERPENGARU H		
UMUR	12	Count	6	1	7
		% within UMUR	85.7%	14.3%	100.0%
	13	Count	12	13	25
		% within UMUR	48.0%	52.0%	100.0%
	14	Count	5	1	6
		% within UMUR	83.3%	16.7%	100.0%
	15	Count	0	7	7
		% within UMUR	0.0%	100.0%	100.0%
	Total	Count	23	22	45
		% within UMUR	51.1%	48.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	13.262 ^a	3	.004
Likelihood Ratio	16.595	3	.001
Linear-by-Linear Association	6.140	1	.013
N of Valid Cases	45		

a. 6 cells (75.0%) have expected count less than 5. The minimum expected count is 2.93.

JENIS KELAMIN * GAME ONLINE Crosstabulation

		GAME ONLINE		Total	
		TIDAK TERPENGARU	TERPENGARU H		
JENIS KELAMIN	LAKI-LAKI	Count	7	20	27
		% within JENIS KELAMIN	25.9%	74.1%	100.0%
	PEREMPUAN	Count	16	2	18
		% within JENIS KELAMIN	88.9%	11.1%	100.0%
Total		Count	23	22	45
		% within JENIS KELAMIN	51.1%	48.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	17.134 ^a	1	.000		
Continuity Correction ^b	14.707	1	.000		
Likelihood Ratio	18.900	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	16.754	1	.000		
N of Valid Cases	45				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.80.

b. Computed only for a 2x2 table

KELAS * GAME ONLINE Crosstabulation

		GAME ONLINE		Total	
		TIDAK TERPENGARU	TERPENGARU H		
KELAS 1		Count	6	1	7
		% within KELAS	85.7%	14.3%	100.0%
KELAS 2		Count	14	18	32
		% within KELAS	43.8%	56.3%	100.0%
KELAS 3		Count	3	3	6
		% within KELAS	50.0%	50.0%	100.0%
Total		Count	23	22	45
		% within KELAS	51.1%	48.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.051 ^a	2	.132
Likelihood Ratio	4.442	2	.109
Linear-by-Linear Association	1.868	1	.172
N of Valid Cases	45		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is 2.93.

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
							Lower	Upper
KELAS			3.230	2	.199			
Step 1 ^a								
KELAS(1)	-1.792	1.354	1.751	1	.186	.167	.012	2.368
KELAS(2)	.251	.891	.080	1	.778	1.286	.224	7.370
Constant	.000	.816	.000	1	1.000	1.000		

a. Variable(s) entered on step 1: KELAS.

Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	Pre Test edukasi	1.89	45	.318	.047
	Post Test edukasi	1.24	45	.435	.065

Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	Pre Test edukasi & Post Test edukasi	45	.201	.185

Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 Pre Test edukasi - Post Test edukasi	.644	.484	.072	.499	.790	8.930	44	.000