

## DAFTAR PUSTAKA

- APTA. *APTA Physical Therapist Member Demographic Profile*. Alexandria, VA: American Physical Therapy Association (2013).
- Variations in Kinematics during Clinical Gait Analysis in Stroke Pasien. *PloS ONE*. 8(6): 1
- Cameron, M.H., Monroe, L. 2011. *Physical Rehabilitation for the Physical Therapist Assistant*. Esevier Saunders. (Diunduh Tanggal 15 Januari 2015). Available at:  
<https://books.google.co.id/books?id=B8rsAwAAQBAJ&printsec=frontcover#v=onepage&q&f=false>
- Campbell AJ, Robertson MC. *Otago Exercise Programme to Prevent Falls in Older People: A Home-Based, Individually Tailored Strength and Balance Retraining Program*. Otago, NZ: Accident Compensation Corporation (2003).
- Cohen HS, Mulavara AP, Peters BT, et al. Sharpening the tandem walking test for screening peripheral neuropathy. *South Med J* 2013;106:565– 569.
- Cohen HS, Mulavara AP, Peters BT, et al. Sharpening the tandem walking test for screening peripheral neuropathy. *South Med J* 2013;106:565– 569.
- Cohen HS, Mulavara AP, Peters BT, Sangi-Haghpeykar H, Bloomberg JJ. Tests of walking balance for screening vestibular disorders. *J Vestib Res* 2012;22:95–104.
- Cohen, H. S., Stitz, J., Sangi-Haghpeykar, H., Williams, S. P., Mulavara, A. P., Peters, B. T., & Bloomberg, J. J. (2017). *Tandem walking as a quick screening test for vestibular disorders*. *The Laryngoscope*, 128(7), 1687–1691.doi:10.1002/lary.27022
- Dobkin, B.H. 2005. Rehabilitation After Stroke. *N Engl J med* 2005 352;16:1677
- Gasq, D., Labrunée, M., Amarantini, D., Dupui, P., Montoya, R., & Marque, P. (2014). *Between-day reliability of centre of pressure measures for balance assessment in hemiplegic stroke patients*. *Journal of NeuroEngineering and Rehabilitation*, 11(1), 39.doi:10.1186/1743-0003-11-39
- Gschwind, Y. J., Kressig, R. W., Lacroix, A., Muehlbauer, T., Pfenninger, B., & Granacher, U. (2013). *A best practice fall prevention exercise program to*

- improve balance, strength / power, and psychosocial health in older adults: study protocol for a randomized controlled trial. BMC Geriatrics, 13(1). doi:10.1186/1471-2318-13-105*
- Hadi-martono, H. 2006. Penatalaksanaan Stroke sebagai Manifestasi Penyakit Sistemik, In: Boedhi-darmojo, R., Hadi-martono,H., editors. Geriatri (Ilmu Kesehatan Usia Lanjut). Ed 3. Jakarta: Balai Penerbit FKUI.p.285-294
- Irfan, M. 2010. *Fisioterapi bagi Insan Stroke*. Edisi Pertama. Jogjakarta; Graha Ilmu.p.50-70
- Keen, M. 1993. Early Development and Attainment of normal Mature gait. Journal of Prosthetics and orthotics ; 5(2) : p35. Diunduh tanggal 27 februari 2015.  
Available at: [http://www.Oandp.org/jpo/library/1993\\_02\\_035.asp](http://www.Oandp.org/jpo/library/1993_02_035.asp)
- Kilby MC, Newell KM: Intra- and inter-foot coordination in quiet standing: footwear and posture effects. *Gait Posture* 2012, 35:511–516.
- Longstreth WT Jr, Bernick C, Fitzpatrick A, et al. Frequency and predictors of stroke death in 5,888 participants in the Cardiovascular Health Study. *Neurology*. 2001;56(3):368–375.
- Lord, S., Rochester, L. 2007. Walking in The Real Word: Concepts Related To Functional Gait. *NZ Journal of Physiotherapy*; 5(3): 126-130
- Marjono, M., Sidharta, P. 2000. Neurologi Klinis Dasar. Jakarta: Dian Rakyat  
NCOA. *Evidence-Based Health Promotion Programs for Older Adults: Key Factors and Strategies Contributing to Program Sustainability*. Washington, DC: NCOA (2012).
- Obembe, A.O., Olaogun, M.O.B., Adedoyi, R.A. 2012. Differences In Gait Between Haemorrhagic And Ischemic Stroke Survivors. *Jounal of Medicine and Medical Sciences* 3(9): 556-561
- Perceived Walking Speed, Measured Tandem Walk, Incident Stroke, and Mortality in Older LatinoAdults:AProspective Cohort Study
- Shubert, T. E., Smith, M. L., Ory, M. G., Clarke, C. B., Bomberger, S. A., Roberts, E., & Busby-Whitehead, J. (2015). Translation of The Otago Exercise Program for Adoption and Implementation in the United States. *Frontiers in Public Health*, 2. doi:10.3389/fpubh.2014.00152
- Sprint, G., Cook, D. J., & Weeks, D. L. (2015). *Toward Automating Clinical Assessments: A Survey of the Timed Up and Go*. *IEEE Reviews in Biomedical Engineering*, 8, 64–77.doi:10.1109/rbme.2015.2390646

Stevens J. A *CDC Compendium of Effective Fall Inteventions: What Works for Community-Dwelling Older Adults.* 2nd ed. Atlanta, GA: Centers for Disease Control and Prevention, National Center for Injury Prevention and Control (2010).

Young Park, MS,OT, Moonyoung Chang, PhD, OT, Effects of the Otago exercise program on fall efficacy, activities of daily living and quality of life in elderly stroke patients. The Journal of Physical Therapi Science.