

Lampiran II

UJI SPSS

1. Uji normalitas WOMAC

Tests of Normality						
	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Sebelum_1	.188	8	.200	.954	8	.750
Sesudah_1	.235	8	.200	.907	8	.332
Selisih_1	.168	8	.200	.966	8	.862
Sebelum_2	.187	8	.200	.909	8	.349
Sesudah_2	.159	8	.200	.977	8	.944
Selisih_2	.157	8	.200	.956	8	.773

2. Uji homogenitas WOMAC

Test of Homogeneity of Variances			
Levene Statistic	df1	df2	Sig.
.733	1	14	.406

3. Uji Hipotesis I WOMAC

Paired Samples Test									
		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Sebelum_1 - Sesudah_1	21.62500	1.68502	.59574	20.21629	23.03371	36.299	7	.001

4. Uji Hipotesis II WOMAC

Paired Samples Test									
		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Sebelum_2 - Sesudah_2	13.50000	1.92725	.68139	11.88878	15.11122	19.813	7	.003

5. Uji Hipotesis III WOMAC

Independent Samples Test										
		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
Selisih	Equal variances assumed	.069	.797	8.977	14	.002	8.12500	.90509	6.18376	10.06624
	Equal variances not assumed			8.977	13.755	.002	8.12500	.90509	6.18051	10.06949