

DAFTAR PUSTAKA

- American Academy of Orthopedy Surgeons. (2013). “ TREATMENT OF OSTEOARTHRITIS OF THE KNEE”6300 North River Road Rosemont, IL 60018.Second Edition.
- Alhambra D, Nigel A, David J,. (2014). ‘The Facts Osteoarthritis’ :United Kingdom Oxford University.
- Arden N, dkk.,(2017). ‘Atlas Osteoarthritis’. Springer Healthcare Ltd, 236 Gray Inn Road: London.
- Arikunto. 2013. Prosedur Penelitian Suatu Pendekatan Praktek. Jakarta : PT. Rineka Cipta.
- Bokaeian H, Bakhtiary A, Mohammadkhani M, Moghimi J,.(2017). ‘ Quadricep Strengthening Exercise May Not Change Pain and Function in Knee Osteoarthritis. *Journal of Bodywork & Movement Therapies* 2017.
- Carlson J, Hobbs L, Smith K. Isolation of the VastusMedialis Oblique muscle during wall-squat and straight leg raise exercises. *The Plymouth Student Journal of Health and Social Work* 2010;(2):40-53.
- Castro, J. Sinha, S. (2015). ‘ Stretching Guide for Osteoarthritis Symptom, Diagnosis, Treatment, Joint Pain Relief’ .<https://www.everydayhealth.com/osteoarthritis/guide/>. Diakses 20 juni 2019.
- Chabut L. (2009). *Core Strength For Dummies*, Wiley Publishing, Inc. U.S.A.
- Choudhary N, Kishor A. 2013. ‘Effectiveness of Modified Agility and Perturbation Training In Patients with Osteoarthritis Knee-A Case Control Study’. *Iranian Rehabilitation Journal*,.(11).17: 94-96.
- Crim R, dkk.,(2017).‘Imagging Anatomy Knee.Ankle.Foot Second edition’.Salt Lake City, UT : Elsevier, Inc.

- Da-Hon Lin, Chien-Ho Janice Lin, Yeong-Fwu Lin, Mei-Hwa Jan, Efficacy of 2 Non-Weight-Bearing Interventions, Proprioception Training Versus Strength Training, for Patients With Knee Osteoarthritis. A Randomized Clinical Trial, *Journal of Orthopedic and Sport Physical Therapy*.39(6) , 2009, 450-457.
- Davey Patrick. (2011). 'At a Glance Medicine'. Alih bahasa : Anissa Racmalia. Jakarta : Erlangga.
- Desiana, dkk .(2017). Jurnal "Effects of Quadriceps Strengthening Exercise on Quadriceps Muscle Strength and Its Relation to Lower Extremity Lean Mass. *International Journal of Integrated Health Sciences*. 2017;5(2):84-4.
- Ervandani, dkk .(2015). Jurnal " Pengaruh Penguatan Otot Quadriceps Femoris terhadap Kemampuan Naik Tangga pada Pasien Osteoarthritis Genu di RSUD dr. Saiful Anwar Malang.3(2).Juni 2016.
- Fatmawati, S. (2013). 'Penambahan Latihan Stabilisasi pada Pelatihan Strengthening Lebih Baik dalam Meningkatkan Laju Shuttlecock pada Gerakan Smash Bulutangkis. Skripsi. Program Studi S-1 Fisioterapi. Universitas Esa Unggul Jakarta.
- Fernando, O. (2016). 'Perbedaan Efek Pemberian Mobilisasi Sendi dan Ultrasound Terhadap Peningkatan ROM dan Penurunan Disabilitas pada Osteoarthritis Lutut'. Program Studi S-1 Fisioterapi. Universitas Esa Unggul Jakarta.
- Hacken B, et al. (2015). The effects of bariatric surgery weight loss on knee pain in patients with knee osteoarthritis: 2 year follow up. *J Arthritis*, 3(3): 1-5.
- Hendriati LY.(2014). 'Jurnal Berkala Epidemiologi Universitas Airlangga'. 2(1).
- Hoglum P, Bertoti D,.(2012). *Brunnstrom's Clinical Kinesiology* 6th Edition.
- K Kusumawati. 2013. Pengaruh latihan isotonik dengan EN-Tree terhadap penurunan nyeri dan perbaikan kapasitas fungsional pada penderita osteoarthritis knee. Semarang.

- Kurniawan H, 2011. Latihan penguatan otot kuadriseps pada pasien osteoarthritis (OA) lutut Edisi 9. diakses tanggal 25 Mei 2019.
- Kurniawan, Rendy. 2016. "Hubungan Usia Dengan Osteoarthritis Lutut Di Tinjau Dari Gambaran Radiologi Di RS PKU Muhammadiyah Yogyakarta. Yogyakarta. Universitas Muhammadiyah Yogyakarta.
- Lesmana, S.I & Suriani, S. 2012. 'Latihan Theraband Lebih Baik Menurunkan Nyeri Dari pada Latihan Quadriceps Bench Pada Osteoarthritis Genu'. Jakarta: Jurnal Fisioterapi 13(1).
- Mardhiyah R, Fauzi A, Syam A, (2015). 'Diagnosis dan Tata Laksana Enteropati akibat Obat Anti Inflamasi Non Steroid (OAINS)'. Jurnal Penyakit Dalam Indonesia, 2(3), Oktober 2015.
- Mcgonagole D, dkk., (2010). 'The anatomical basis for a novel classification of osteoarthritis and allied disorders'. The NIHR Leeds Biomedical Research Unit, Leeds Institute of Molecular Medicine, University of Leeds and Chapel Allerton Hospital, Leeds, UK.
- Nath Jayantha, Kabul C S, (2015). 'Pathophysiology of Knee Osteoarthritis and Importance Of Quadriceps Strengthening In Rehabilitation'. International Journal of Recent Scientific Research 6(3), pp.3176-3180, March, 2015.
- Nivalharmy, S. (2014). Penambahan Isometrik Hamstring pada Intervensi Tens dan Isometrik Quadriceps untuk Meningkatkan Panjang Langkah Osteoarthritis Lutut. Skripsi. Proram Studi S-1 Fisioterapi. Universitas Esa Unggul Jakarta.
- Nguyen C, dkk., (2016). "Rehabilitation (exercise and strength training) and osteoarthritis: A critical narrative review". Annals of Physical and Rehabilitation Medicine 59 (2016) 190–195.

- Nugraha, I.B.Aditya., Gede Kambayana. (2017). 'Prinsip Latihan Penderita Osteoarthritis'. Jurnal Rheumatologi, Bagian Ilmu Penyakit Dalam. 44(2). Available at [http://www.kalbemed.com/Portals/6/23_249Praktis Prinsip %20Latihan%20Penderita%20Osteoarthritis.pdf](http://www.kalbemed.com/Portals/6/23_249Praktis%20Latihan%20Penderita%20Osteoarthritis.pdf) .Diakses pada 15 April 2019.
- Ordeberg G. (2009). "Evidence of sensitization to pain in human osteoarthritis," in *Pain in Osteoarthritis*, ed. Felson D. T., Schaible H.-G., editors. (Hoboken: Wiley Blackwell;), 199–209
- Purba, dkk(2017).Journal "Effect of Quadriceps Muscle Strengthening Exercise on Quadriceps andHamstring Muscle Strength Ratio in Patients with Osteoarthritis Grade 2 and 3".International Journal of Integrated Health Sciences. 2017;5(2): 64-9.
- RisetKesehatan Daerah (RIKESDAS) Tahun 2013.Penyakit Sendi, Rematik, Encok.94-95.
- Smeltzer& Bare (2013), Buku Medikal Bedah Bruner &SuddarthEdisi 8.Jakarta : EGC.
- Soeryadi A, Gessal J, Sengkey L.,(2017). 'Gambaran Faktor ResikoPenderita Osteoarthritis Lutut di Instalasi RehabilitasiMedik di RSUP Prof. Dr.R. D Kandou Manado' Journal e-clinical (eCI), 5(2), Juli 2017'.
- Sugiyono. (2017). Metode Penelitian Kuantitatif, Kualitatif, dan R&D. Bandung: Alfabeta.
- Susilawati, I, dkk., 2015. 'Latihan Closed Kinetic Chain Lebih Baik Daripada Osteoarthritis Lutut Setelah Pemberian Microwave Fiathermy (MWD) Dan Transcutaneous Electrical Nerves Stimulation (TENS)'.Sport And Fitness Journal. 3(1): 26-34.
- Williams.,& Wilkins. (2011).Menafsirkan Tanda-Tanda dan Gejala Penyakit. jakarta : PT Indeks.

Wismanto.(2011). ‘Pelatihan Metode Active Isolated Stretching Lebih Efektif dari pada Contract Relax Stretching dalam Meningkatkan Fleksibilitas Otot Hamstring’.Journal Fisioterapi Indonesia.11(1). 2011.