

DAFTAR PUSTAKA

- Alchuriyah, S., & Wahjuni, C. U. (2016). Faktor Risiko Kejadian Stroke Usia Muda Pada Pasien Rumah Sakit Brawijaya Surabaya. *Jurnal Berkala Epidemiologi*, 4(1), 62–73. <https://doi.org/10.20473/jbe.v4i1.62-73>
- Barreca, SusaBarreca, S. R., Stratford, P. W., Lambert, C. L., Masters, L. M., & Streiner, D. L. 2005. Test-Retest reliability, validity, and sensitivity of the chedoke arm and hand activity inventory: A new measure of upper-limb function for survivors of stroke. *Archives of Physical Medicine and Rehabilitation*, 86(8), 1616–1622.
- Bhalerao, G.V., Kulkarni, V., Doshi, C., Rairikar, S., Shyam, A., Sanchez, P. 2013. Comparison of motor relearning program versus bobath approach at every two weeks interval for improving activities of daily living and ambulation in acute stroke rehabilitation. *International Journal of Basic and Applied Medical Sciences*, (Online), Vol. 3, No. 3.
- Bhalerao, G.V., Kulkarni, V., Kapoor, D. 2011. Comparison of two physiotherapy approaches in acute stroke rehabilitation: motor relearning programme versus bobath approach. *Journal of Orthopaedics and Rehabilitation*, (Online), Vol. 1, No. 1.
- Blumenfeld. 2010. *Brainstem I: Surface anatomy and Cranial Nerve*. Sinauer Acossiate inc.
- Dinata, C. A., Safrita, Y. S., & Sastri, S. (2013). Gambaran Faktor Risiko dan Tipe Stroke pada Pasien Rawat Inap di Bagian Penyakit Dalam RSUD Kabupaten Solok Selatan Periode 1 Januari 2010 - 31 Juni 2012. *Jurnal Kesehatan Andalas*, 2(2), 57. <https://doi.org/10.25077/jka.v2i2.119>
- Donna J.Cech,Suzanne Tink Martin, 2011. Functional Movement Development Across the Life Span. 3 rd Edition
- García Álvarez, A., Roby-Brami, A., Robertson, J., & Roche, N. 2017. Functional classification of grasp strategies used by hemiplegic patients. *PLoS ONE*, 12(11), 1–21.
- Gordon, N. F. 2002. *Stroke: Panduan latihan lengkap*. Jakarat: Raja Grafindo Persada.
- Holistic Health Solution. (2011). *Stroke di UsiaMuda*. Jakarta: PT Gramedia Widiasarna Indonesia.
- Immadi, S.K., Achyuta, K.K., Reddy, A., Tatakuntla, K.P. 2015. Effectiveness of the motor relearning programme in promoting physical function of the upper limb after stroke. *International Journal of Physiotherapy*, (Online), Vol. 2, No. 1,
- Irfan, M. 2010. Fisioterapi bagi insan stroke. Yogyakarta: Graha Ilmu.

- Irfan, M., Susanti, J. 2008. Pengaruh penerapan motor relearning programme (mrp) terhadap peningkatan keseimbangan berdiri pada pasien stroke hemiplegi. *Jurnal Fisioterapi Indonusa*, (Online), Vol. 8, No. 2.
- Jang, S. H. 2009. The role of the corticospinal tract in motor recovery in patients with a stroke: A review. *NeuroRehabilitation*, 24(3), 285–290.
- Junaidi, I. 2006. *STROKE*. Jakarta: PT Buana Ilmu Popular.
- Junaidi, I. 2011. Stroke waspadai ancamannya. Yogyakarta: C.V ANDI OFFSET
- Kastner, Y. B. 2011. *Cognitive and perceptual funtions of the visual thalamus*. USA: DOI 10.1016/j.neuron.2011.06.027
- Kementerian Kesehatan Republik Indonesia. (2018). HASIL UTAMA RISKESDAS 2018, Kementerian Kesehatan. *Riset Kesehatan Dasar*, 1–126. Retrieved from https://www.persi.or.id/images/2017/litbang/riskesdas_launching.pdf
- Maratis, J., Suryadhi, N. T., Irfan, M., Studi, P., Fisiologi, M., Raga, O., & Udayana, U. (2015). Perbandingan Antara Visual Cue Training dan Rhythmic Auditory Stimulation dalam Meningkatkan Keseimbangan Berdiri dan Fungsional Berjalan pada Pasien Pascastroke. *Jurnal Fisioterapi Volume 15 Nomor 2, Oktober, 15*, 84–94.
- Morker, P. J. 2006. The Limbic brain; Continuing resolution. In *Elsevier jurnal Neuroscience and Biobehavioral Reviews* (p. 30). Boston, USA: Binston University School of Medicine.
- Patrik A. Wikman, Lari Vainio and Teemu Rinne 2015. The effect of precision and power grips on activations in human auditory cortex. Institute of Behavioural Sciences, University of Helsinki, Helsinki, Finland, Advanced Magnetic Imaging Centre, Aalto University School of Science, Espoo, Finland.
- Patricia C. Montgomery, B. H. 2003. *Clinical applications for motor control*. United State of America: SLACK Incorporated.
- Prodoehl, J., Corcos, D. M., & Vaillancourt, D. E. 2009. Basal ganglia mechanisms underlying precision grip force control. *Neuroscience and Biobehavioral Reviews*, 33(6), 900–908.
- Rosalina, A. R. 2018. Perbandingan motor relearning programme (mrp) terhadap upper limb function antara pasien non hemorrhagic stroke dengan hemorrhagic stroke di makassar.
- Sofwan, R. 2010. Stroke dan rehabilitasi pasca stroke. jakarta: PT Bhuana ilmu popular.
- Schreuders, T. A. R., & Brandsma, J. W. (2006). *Function, Assessment and*

- Principles for Therapeutic Intervention.* 31(0). <https://doi.org/10.1055/s-2006-940011>
- Tazoe, T., & Perez, M. A. 2017. Cortical and reticular contributions to human precision and power grip. *Journal of Physiology*, 595(8), 2715–2730.
- Thom, T., Haase, N., Rosamond, W., Howard, V. J., Rumsfeld, J., Manolio, T., ... Hong, Y. (2006). Heart disease and stroke statistics - 2006 Update: A report from the American Heart Association Statistics Committee and Stroke Statistics Subcommittee. In *Circulation* (Vol. 113). <https://doi.org/10.1161/CIRCULATIONAHA.105.171600>
- Vainio, L., Tucker, M., & Ellis, R. 2007. Precision and power grip priming by observed grasping. *Brain and Cognition*, 65(2), 195–207.
- Wahyuddin, A. 2011. Pengaruh pemberian pnf terhadap kekuatan fungsi prehension pada pasien stroke hemoragik dan non-hemoragik. *Jurnal Fisioterapi Indonusa*, 8(1), 88–108.