

Lampiran 2 Kuesioner



FAKULTAS ILMU-ILMU KESEHATAN
PRODI KESEHATAN MASYARAKAT
UNIVERSITAS ESA UNGGUL

A. IDENTITAS RESPONDEN

Kasus

Kontrol

Nama Ibu :

Nomor Responden :

Usia : Tahun

Jumlah Anggota Keluarga : Orang (sebelum PSG 2019)

Jumlah Anak :

Tgl lahir anak paling kecil :

Pendidikan terakhir : Tidak Sekolah/tidak tamat SD

SD

SMP

SMA

Diploma

Pekerjaan : Ibu Rumah Tangga

Pegawai Negeri Sipil/ASN

Wiraswasta/berdagang

Bertani/berkebun

Lainnya, Sebutkan.....



B. IDENTITAS BALITA

Nama Balita :

Umur :

Jenis Kelamin : Laki-Laki Perempuan

Anak ke : dari Saudara

Z-Score :

KUESIONER KELENGKAPAN IMUNISASI

Petunjuk Pengisian

Berikan tanda centang (✓) pada salah satu kolom sesuai dengan keadaan yang sebenarnya.

Imunisasi Dasar Lengkap (sebelum PSG bulan Februari 2019)								Keterangan
BCG	Hepatitis B	Polio				DPT-HB-Hib	Campak	
		Polio 1	Polio 2	Polio 3	Polio 4			

KUESIONER PEMBERIAN ASI EKSKLUSIF

Berilah tanda (X) pada salah satu jawaban dibawah ini dengan jawaban yang sebenarnya.

1. Apakah memberikan Air Susu Ibu selama 6 bulan?
 - a. Ya
 - b. Tidak

2. Pada usia 0-6 bulan setelah lahir, apakah ibu memberikan makanan dan minuman lain (misal : air putih) selain ASI?
 - a. Ya
 - b. Tidak

3. Apakah anak ibu diberi susu formula saat usia 0-6 bulan?
 - a. Ya
 - b. Tidak

Daftar Nama Balita Usia 12-59 bulan di wilayah kerja Puskesmas Kunciran

No.	Kelurahan	Nama	Umur (bulan)	Berat Badan (kg)	Alamat	Status Gizi (BB/U)

Lampiran 3 Hasil univariat



FAKULTAS ILMU-ILMU KESEHATAN
PRODI KESEHATAN MASYARAKAT
UNIVERSITAS ESA UNGGUL

Hasil Univariat

JUMLAH ANGGOTA KELUARGA

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	BESAR >5	41	45.6	45.6	45.6
	KECIL <=4	49	54.4	54.4	100.0
	Total	90	100.0	100.0	

PENDIDIKAN TERAKHIR

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	DASAR	25	27.8	27.8	27.8
	MENENGAH	41	45.6	45.6	73.3
	TINGGI	24	26.7	26.7	100.0
	Total	90	100.0	100.0	

PEMBERIAN ASI EKSKLUSIF

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK ASI EKSKLUSIF	41	45.6	45.6	45.6
	ASI EKSKLUSIF	49	54.4	54.4	100.0
	Total	90	100.0	100.0	

IMUNISASI DASAR LENGKAP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK LENGKAP	26	28.9	28.9	28.9
	LENGKAP	64	71.1	71.1	100.0
	Total	90	100.0	100.0	

Hasil Breakdown Pertanyaan

IMUNISASI BCG

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	5	5.6	5.6	5.6
	YA	85	94.4	94.4	100.0
	Total	90	100.0	100.0	

IMUNISASI HEPATITIS B

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	8	8.9	8.9	8.9
	YA	82	91.1	91.1	100.0
	Total	90	100.0	100.0	

IMUNISASI POLIO 1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	6	6.7	6.7	6.7
	YA	84	93.3	93.3	100.0
	Total	90	100.0	100.0	

IMUNISASI POLIO 2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	10	11.1	11.1	11.1
	YA	80	88.9	88.9	100.0
	Total	90	100.0	100.0	

IMUNISASI POLIO 3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	10	11.1	11.1	11.1
	YA	80	88.9	88.9	100.0
	Total	90	100.0	100.0	

IMUNISASI POLIO 4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	15	16.7	16.7	16.7
	YA	75	83.3	83.3	100.0
	Total	90	100.0	100.0	

IMUNISASI DPT-HB-HIB

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	15	16.7	16.7	16.7
	YA	75	83.3	83.3	100.0
	Total	90	100.0	100.0	

IMUNISASI CAMPAK

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	23	25.6	25.6	25.6
	YA	67	74.4	74.4	100.0
	Total	90	100.0	100.0	

APAKAH MEMBERIKAN ASI SELAMA 6 BULAN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK	14	15.6	15.6	15.6
	YA	76	84.4	84.4	100.0
	Total	90	100.0	100.0	

PADA USIA 0-6 BULAN SETELAH LAHIR, APAKAH IBU MEMBERIKAN MAKANAN DAN MINUMAN SELAIN ASI

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	YA	31	34.4	34.4	34.4
	TIDAK	59	65.6	65.6	100.0
	Total	90	100.0	100.0	

APAKAH ANAK IBU DIBERI SUSU FORMULA SAAT USIA 0-6 BULAN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	YA	30	33.3	33.3	33.3
	TIDAK	60	66.7	66.7	100.0
	Total	90	100.0	100.0	

Lampiran 4 hasil bivariat



FAKULTAS ILMU-ILMU KESEHATAN
PRODI KESEHATAN MASYARAKAT
UNIVERSITAS ESA UNGGUL

Hasil Bivariat

JUMLAH ANGGOTA KELUARGA * STATUS GIZI Crosstabulation

			STATUS GIZI		Total
			GIZI KURANG	GIZI BAIK	
JUMLAH ANGGOTA KELUARGA	BESAR >5	Count	17	24	41
		Expected Count	20.5	20.5	41.0
		% within STATUS GIZI	37.8%	53.3%	45.6%
	KECIL <=4	Count	28	21	49
		Expected Count	24.5	24.5	49.0
		% within STATUS GIZI	62.2%	46.7%	54.4%
Total	Count	45	45	90	
	Expected Count	45.0	45.0	90.0	
	% within STATUS GIZI	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	2.195 ^a	1	.138		
Continuity Correction ^b	1.613	1	.204		
Likelihood Ratio	2.204	1	.138		
Fisher's Exact Test				.204	.102
Linear-by-Linear Association	2.171	1	.141		
N of Valid Cases	90				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 20.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for JUMLAH ANGGOTA KELUARGA (BESAR >5 / KECIL <=4)	.531	.229	1.231
For cohort STATUS GIZI = GIZI KURANG	.726	.469	1.123
For cohort STATUS GIZI = GIZI BAIK	1.366	.903	2.065
N of Valid Cases	90		

Pendidikan Hasil Dummy

PENDIDIKAN * STATUS GIZI Crosstabulation

			STATUS GIZI		Total
			GIZI KURANG	GIZI BAIK	
PENDIDIKAN	DASAR TIDAK TAMAT SD, SD, SMP	Count	9	16	25
		Expected Count	7.1	17.9	25.0
		% within STATUS GIZI	64.3%	45.7%	51.0%
	TINGGI DIPLOMA	Count	5	19	24
		Expected Count	6.9	17.1	24.0
		% within STATUS GIZI	35.7%	54.3%	49.0%
Total	Count	14	35	49	
	Expected Count	14.0	35.0	49.0	
	% within STATUS GIZI	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.380 ^a	1	.240		
Continuity Correction ^b	.737	1	.391		
Likelihood Ratio	1.396	1	.237		
Fisher's Exact Test				.345	.196
Linear-by-Linear Association	1.352	1	.245		
N of Valid Cases	49				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.86.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PENDIDIKAN SD (DASAR TIDAK TAMAT SD, SD, SMP / TINGGI DIPLOMA)	2.138	.595	7.685
For cohort STATUS GIZI = GIZI KURANG	1.728	.676	4.418
For cohort STATUS GIZI = GIZI BAIK	.808	.565	1.157
N of Valid Cases	49		

PENDIDIKAN * STATUS GIZI Crosstabulation

			STATUS GIZI		Total
			GIZI KURANG	GIZI BAIK	
PENDIDIKAN	MENENGAH SMA	Count	31	10	41
		Expected Count	22.7	18.3	41.0
		% within STATUS GIZI	86.1%	34.5%	63.1%
	TINGGI DIPLOMA	Count	5	19	24
		Expected Count	13.3	10.7	24.0
		% within STATUS GIZI	13.9%	65.5%	36.9%
Total	Count	36	29	65	
	Expected Count	36.0	29.0	65.0	
	% within STATUS GIZI	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	18.382 ^a	1	.000		
Continuity Correction ^b	16.232	1	.000		
Likelihood Ratio	19.236	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	18.099	1	.000		
N of Valid Cases	65				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 10.71.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PENDIDIKAN SMA (MENENGAH SMA / TINGGI DIPLOMA)	11.780	3.492	39.740
For cohort STATUS GIZI = GIZI KURANG	3.629	1.632	8.069
For cohort STATUS GIZI = GIZI BAIK	.308	.173	.548
N of Valid Cases	65		

IMUNISASI DASAR LENGKAP * STATUS GIZI Crosstabulation

			STATUS GIZI		Total
			GIZI KURANG	GIZI BAIK	
IMUNISASI DASAR LENGKAP	TIDAK LENGKAP	Count	15	11	26
		Expected Count	13.0	13.0	26.0
		% within STATUS GIZI	33.3%	24.4%	28.9%
	LENGKAP	Count	30	34	64
		Expected Count	32.0	32.0	64.0
		% within STATUS GIZI	66.7%	75.6%	71.1%
Total	Count	45	45	90	
	Expected Count	45.0	45.0	90.0	
	% within STATUS GIZI	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.865 ^a	1	.352		
Continuity Correction ^b	.487	1	.485		
Likelihood Ratio	.868	1	.352		
Fisher's Exact Test				.486	.243
Linear-by-Linear Association	.856	1	.355		
N of Valid Cases	90				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for IMUNISASI DASAR LENGKAP (TIDAK LENGKAP / LENGKAP)	1.545	.616	3.878
For cohort STATUS GIZI = GIZI KURANG	1.231	.809	1.873
For cohort STATUS GIZI = GIZI BAIK	.796	.481	1.319
N of Valid Cases	90		

PEMBERIAN ASI EKSKLUSIF * STATUS GIZI Crosstabulation

			STATUS GIZI		Total
			GIZI KURANG	GIZI BAIK	
PEMBERIAN ASI EKSKLUSIF	TIDAK ASI EKSKLUSIF	Count	21	20	41
		Expected Count	20.5	20.5	41.0
		% within STATUS GIZI	46.7%	44.4%	45.6%
	ASI EKSKLUSIF	Count	24	25	49
		Expected Count	24.5	24.5	49.0
		% within STATUS GIZI	53.3%	55.6%	54.4%
Total	Count	45	45	90	
	Expected Count	45.0	45.0	90.0	
	% within STATUS GIZI	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.045 ^a	1	.832		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.045	1	.832		
Fisher's Exact Test				1.000	.500
Linear-by-Linear Association	.044	1	.833		
N of Valid Cases	90				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 20.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PEMBERIAN ASI EKSKLUSIF (TIDAK ASI EKSKLUSIF / ASI EKSKLUSIF)	1.094	.477	2.508
For cohort STATUS GIZI = GIZI KURANG	1.046	.692	1.581
For cohort STATUS GIZI = GIZI BAIK	.956	.630	1.450
N of Valid Cases	90		