

## DAFTAR PUSTAKA

- Aisara, S., Azmi, S., & Yanni, M. (2018). Artikel Penelitian Gambaran Klinis Penderita Penyakit Ginjal Kronik yang. *Jurnal Kesehatan Andalas*, 7(1), 42–50.
- Angraini, D. I. (2015). The Different of Protein Intake Between Chronic Renal Failure Patients with Malnutrition and Not Malnutrition in Hemodialysis Unit at dr . Abdul Moeloek Hospital Bandar Lampung. *Jurnal Kedokteran Dan Kesehatan*, 2(2), 163–168.
- Anita, D. C., & Novitasari, D. (2017). Kepatuhan Pembatasan Asupan Cairan Terhadap Lama Menjalani Hemodialisa. *Jurnal Kesehatan Masyarakat*, 1(1), 104–112.
- Badan Penelitian dan Pengembangan Kesehatan. (2013). Riset Kesehatan Dasar (RISKESDAS) 2013. *RISKESDAS 2013*, 1–384.
- Bellizzi, V., & et al. (2016). Low-protein diets for chronic kidney disease patients: The Italian experience. *BMC Nephrology*, 17(1), 1–17.
- CDC. (2019). CDC Chronic Kidney Disease in the United States, 2019. *U.S. Department of Health and Human Services*.
- Chazot, C., & Jean, G. (2019). End-Stage Kidney Patients Require Hemodialysis Therapy Full Start. *Blood Purification*, 47(1–3), 214–222.
- Curtis, J., Roshto, B., & Roshto, B. (2006). Principles of Dialysis. *Principles of Dialysis Fourth Edition*, 76–87.
- Eknryan, G. M., & Lameire, Norbert MD, P. (2013). KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. *Official Journal Of the International Society Nephrology*, 3(1).
- El-sharkawy, A. M., Sahota, O., & Lobo, D. N. (2015). *Acute and chronic effects of hydration status on health*. 73, 97–109.
- Evans W.J, J. E. (2008). Cachexia: A new definition. *clinical nutrition journal*, 793-799.
- F.H, I. P. (2016). *Hubungan Asupan Protein Dan Zat Besi Dengan Kadar Hemoglobin Pada Pasien Gagal Ginjal Kronik Post Hemodialisis Di Unit Hemodialisi Rsud Kabupaten Sukoharjo*. 31–48.
- Filipe Amaral, A. (2015). Fluid and Dietary Restriction's Efficacy on Chronic Kidney Disease Patients in Hemodialysis. *Rev Bras Enferm*, 68(6), 842–850.
- Golper, T. A., Fissell, R., & et al. (2014). Principles of Dialysis and How Modalities Differ. *American Journal of Kidney Diseases*, 63(1), 153–163.
- Gupta, A., Srivastava, A., Narain, U., & Saraswat, P. (2017). Subjective global assessment of the patients of chronic kidney disease undergoing dialysis. *International Journal of Advances in Medicine*, 4(2), 481.
- Hakim, Y. A. H., Abbas, A. A., & et al. (2016). The Effect of Hemodialysis on Hemoglobin Concentration, Platelets count and White Blood Cells Count in End Stage Renal Failure. *International Journal of Medical Research & Health Sciences*, 5(5), 22–35.
- Hapsari, D. (2012). Pengaruh Lingkungan Sehat, dan Perilaku Hidup Sehat Terhadap Status Kesehatan. *Bulletin of Health Research*, 0(0).
- Harvinder, G. S., & et al. (2016). Dialysis malnutrition and malnutrition inflammation scores: Screening tools for prediction of dialysis - related protein-energy wasting in Malaysia. *Asia Pacific Journal of Clinical Nutrition*, 25(1), 26–33.
- Hasneli, Y. (2017). Hubungan Lama Menjalani Hemodialisis dengan Inter-Dialytic Weight Gain ( IDWG ) pada Pasien Hemodialisis Long-Term Relationship In Hemodialysis With Inter-Dialytic Weight Gain ( IDWG ) On Hemodialysis Patients. *Jurnal Kesehatan Perawat*, 5(3), 242–248.
- Hospital, S., Susetyowati, S., Djarnwoto, B., & Faza, F. (2017). *of Kidney Diseases and Transplantation Original Article Nutrition Screening Tools as Predictor of Malnutrition for Hemodialysis*. 28(6), 1307–1313.

- Ibrahim, M. (2009). Anemia and Hypoalbuminemia at Initiation of Hemodialysis as Risk Factor for Survival of Dialysis Patients. *Journal of the College of Physicians and Surgeons--Pakistan*, 80-776.
- Ismatullah, A. (2015). *Manajemen Terapi Anemia pada Pasien Gagal Ginjal Kronik*. 4, 7–12.
- Isroin, L. (2016). *Manajemen Cairan pada Pasien Hemodialisis untuk Meningkatkan Kualitas Hidup*. Umuh Ponorogo Press.
- Janardhan, V., Soundararajan, P., & et al. (2011). Prediction of Malnutrition Using Modified Subjective Global Assessment-Dialysis Malnutrition Score in Patients on Hemodialysis. *Indian Journal of Pharmaceutical Sciences*, 73(1), 38–45.
- Jee Ko, G., & Obi, Y. (2018). Dietary Protein Intake and Chronic Kidney Disease. *Curr Opin Clin Nutr Metab Care*, 20(1), 77–85.
- Jones, E. (Dec 6, 2012). Duration of the Treatment. Dalam E. Jones, *Essential Intensive Care* (hal. 1-504). Lancaster, England: Falcon House.
- Kamaludin, R., & Rahayu, E. (2009). Analisis Faktor-Faktor yang Mempengaruhi Kepatuhan Asupan Cairan pada Pasien Gagal Ginjal Kronik dengan Hemodialisis Di Rsud Prof. Dr. Margono Soekarjo Purwokerto Ridlwan. *Jurnal Keperawatan Sudirman*, 4(1).
- KDOQI. (2006). KDOQI Clinical Practice Guidelines and Clinical Practice Recommendations for Anemia in Chronic Kidney Disease. *American Journal of Kidney Diseases*, 47(5).
- Khazaei, S. (2018). Survival Rate and Predictors of Mortality among Hemodialysis Patients in West of Iran , 1996 – 2015. *International Journal of Preventive Medicine*, 9(113), 1–5.
- Lajuck, K. S., Moeis, E. S., Wongkar, M. C. P., & et al. (2016). Status Gizi pada Pasien Penyakit Ginjal Kronik Stadium 5 yang Menjalani Hemodialisis Adekuat dan Tidak Adekuat. *Jurnal E-Clinic*, 4(2), 1–6.
- Liana, P., Santoso, B., Studi, P., Dokter, P., Kedokteran, F., Sriwijaya, U., Fisiologi, B. I., Kedokteran, F., & Sriwijaya, U. (2015). *Hubungan Kadar Lipid Dengan Kadar Ureum & Kreatinin Pasien Penyakit Ginjal Kronik Di RSUP Dr. Mohammad Hoesin Palembang Periode 1 Januari-31 Desember 2013*, 2(2), 223–230.
- Lina, Z., & Merryana, A. (2013). Perbedaan Asupan Makan Dan Status Gizi Antara Pasien Hemodialisis Adekuat Dan Inadekuat Penyakit Ginjal Kronik. *Jurnal Ilmiah Media Gizi Indonesia*, 9(1), 13–19.
- Ling Ling, L. H., & Mun, C. Y. (2018). Correlations between anthropometric measurements, biochemical indicators, dietary intake and Dialysis Malnutrition Score among haemodialysis patients in Sibu, Sarawak. *Malaysian Journal of Nutrition*, 24(2), 227–239.
- M., A., M., H., & et al. (2013). Fluid Overload in Hemodialysis Patients: A Cross-Sectional Study to Determine It's Association with Cardiac Biomarkers and Nutritional Status. *BMC Nephrology*, 14(1), 1–10.
- Ma, N., Bintanah, S., & Handarsari, E. (2014). Hubungan Asupan Protein Dengan Kadar Ureum , Kreatinin , dan Kadar Hemoglobin Darah pada Penderita Gagal Ginjal Kronik Hemodialisa Rawat Jalan Di RS Tugurejo Semarang. *Gizi Universitas Muhammadiyah Semarang*, 3(1), 22–32.
- Maulida, N. R., Rahayu, L. S., Andengganan, Y., & Bina, S. Al. (2019). Kecukupan Asupan Gizi Dalam Peningkatan Status Gizi Pasien Hemodialisis Berdasarkan menggunakan Dialysis Malnutrition Scores. *ARGIPA*, 4(1), 28–36.
- Mulyani, E. Y., Hardinsyah, H., Briawan, D., & Santoso, B. I. (2018a). The Impact of Dehydration in the Third Trimesters on Pregnancy Outcome-Infant Birth Weight and Length. *Jurnal Gizi Dan Pangan*, 13(3), 157–164.
- Mulyani, E. Y., Hardinsyah, Briawan, D., & Santoso, B. I. (2018b). Analisis Status

- Hidrasi dan Asupan Zat Gizi Serta Air pada Ibu Hamil. *Media Kesehatan Masyarakat Indonesia*, 14(3), 225–232.
- MY, W. M., C, C. J., & et al. (2014). Interventions for Promoting Adherence to Fluid Intake and Dietary Salt Restriction in People with End-Stage Kidney Disease. *Cochrane Database of Systematic Reviews*, 11, 1–14.
- Nakao, T., Kanazawa, Y., & Takahashi, T. (2018). Once-weekly hemodialysis combined with low-protein and low-salt dietary treatment as a favorable therapeutic modality for selected patients with end-stage renal failure: A prospective observational study in Japanese patients. *BMC Nephrology*, 19(151), 1–10.
- Nugroho, K. P. A., Palimbong, S., Putri, F. M. S., Astuti, P., & Listiyowati, I. (2017). Status gizi, kadar hemoglobin, ureum, dan kreatinin pasien konseling gizi hemodialisa. *Jurnal Gizi Dan Dietetik Indonesia*, 5(1), 31–43.
- Nurmadilla, N. (2015). Hubungan Antara Asupan Protein Dan Asupan Kalium Dengan Kadar Ureum Dan Kreatinin Pada Pasien Gagal Ginjal Kronik Dengan Hemodialisa Di Rs Pku Muhammadiyah Yogyakarta. *Jurnal Poltekkes Kemenkes Yogyakarta*.
- Oliveira, C., Kubrusly, M., Mota, R., Silva, C. A., & Oliveira, V. (2010). Malnutrition in chronic kidney failure: what is the best diagnostic method to assess? *J Bras Nefrol*, 32(1), 55–68.
- Pernefri. (2014). *Penatalaksanaan Nutrisi Pada Penderita Penyakit Ginjal Kronik Dengan Dialisis*.
- Rahma Dani, Gamya Tri Utami, B. (2015). Hubungan Motivasi, Harapan, Dan Dukungan Petugas Kesehatan Terhadap Kepatuhan Pasien Gagal Ginjal Kronik Untuk Menjalani Hemodialisis. *JOM*, 2(2).
- Rahman, A. (2014). Optimalisasi Pembatasan Cairan pada Pasien Gagal Ginjal Kronik yang Mendapatkan Hemodialisis Di RSUPN Dr. Cipto Mangunkusumo Jakarta. *Karya Ilmiah Akhir NERS*, 1–79.
- Registry, I. R. (2018). 10 th Report Of Indonesian Renal Registry 2017 10 th Report Of Indonesian Renal Registry 2017. *Report Indonesian Renal Registry*, 10, 1–40.
- Sahathevan, S., Se, C. H., Ng, S. H., Chinna, K., Harvinder, G. S., Siew, W., Chee, S., Goh, B. L., Gafor, H. A., Bavanandan, S., & Ahmad, G. (2015). Assessing protein energy wasting in a Malaysian haemodialysis population using self-reported appetite rating : a cross-sectional study. *BMC Nephrology*, 16, 1–12.
- Salawati, L. (2016). Analisis Lama Hemodialisis Dengan Status Gizi Penderita Penyakit Ginjal Kronik. *Kedokteran Syiah Kuala*, 16(2), 64–68.
- Sari, L. R. (2016). Upaya mencegah kelebihan volume cairan Pada pasien chronic kidney disease Dirsud dr . soehadi prijonegoro. *Fakultas Ilmu Kesehatan Universitas Muhammadiyah Surakarta*, c, 1–18.
- Singhania PR, M. S. (2012). Holistic health assessment tool for patients on maintenance hemodialysis. *Indian JJournal of Nephrology*, 269-274.
- Sofiyah, A. (2015). *Hubungan Antara Kepatuhan Diet Dengan Status Gizi Pasien Gagal Ginjal Kronik Dengan Hemodialisa Di Rumah Sakit Tni Au Dr. M. Salamun Bandung Tahun 2015*.
- Sunarianto, A. G., Wulandari, N. A., & Darmawan, A. (2019). Penurunan Hemoglobin pada Penyakit Ginjal Kronik Setelah Hemodialisis di RSU “KH” Batu. *Jurnal Ners Dan Kebidanan (Journal of Ners and Midwifery)*, 6(2), 211–217.
- Tika Yeni Rachmawati, A. S. (2014). Hubungan Pengetahuan Gizi Dengan Asupan Energi, Protein, Phosphor, Dan Kalium Pasien Penyakit Ginjal Kronik Dengan Hemodialisis Rutin Di Rsud Tugurejo Semarang. *Journal of Nutrition College*, 3(1), 271–277.
- Toida, T., Iwakiri, T., Sato, Y., Komatsu, H., Kitamura, K., & Fujimoto, S. (2017). Relationship between hemoglobin levels corrected by interdialytic weight gain and mortality in japanese hemodialysis patients: Miyazaki dialysis cohort study. *PLoS*

ONE, 12(1), 1–15.

- Wahyuni, S. E., Yuliantini, E., Suryani, D., Kesehatan, P., Kesehatan, K., & Gizi, P. S. D. (2014). Asupan Energi, Protein, Danstatusgizi Dengankadar Ureumpada Penderita Penyakit ginjal Kronikdengan Hemodialisa. *Jurnal Media Kesehatan*, 8(2), 100–204.
- Wi, J. W., & Kim, N.-H. (2017). Assessment of Malnutrition of Dialysis Patients and Comparison of Nutritional Parameters of CAPD and Hemodialysis Patients. *Biomedical Science Letters*, 23(3), 185–193.
- WNPG. (2012). *Widyakarya Nasional Pangan dan Gizi X*.
- Xie, Y., Bowe, B., Mokdad, A. H., Xian, H., Yan, Y., Li, T., Maddukuri, G., Tsai, C. Y., Floyd, T., & Al-Aly, Z. (2018). Analysis of the Global Burden of Disease study highlights the global, regional, and national trends of chronic kidney disease epidemiology from 1990 to 2016. *Kidney International*, 94(3), 567–581.
- Yasir Farhat, F. (2016). Peranan Asupan Energi, Protein, Dan Lama Hemodialisa Terhadap Status Gizi Pada Pasien Gagal Ginjal Kronik Dengan Hemodialisa (Di Rsud Ratu Zalecha Martapura Tahun 2015). *Jurnal Skala Kesehatan*, 7(2).
- Ye, Y., Liu, H., & et al. (2018). Hemoglobin Targets for the Anemia in Patients with Dialysis-Dependent Chronic Kidney Disease: A Meta-Analysis of Randomized, Controlled Trials. *Renal Failure*, 40(1), 671–679.
- Yemigoe, R., Syukri, M., & Hajar, S. (2017). Hubungan Anemia dengan Kekuatan Otot Genggaman Tangan pada Pasien Hemodialisis Kronik di RSUDZA Banda Aceh Relationship of Anemia with Hand Grip Muscle Strength in Chronic Hemodialysis Patients at RSUDZA Banda Aceh. *Jurnal Ilmia Mahasiswa Kedokteran Medisia*, 2(1), 22–27.
- Yusnaini, S. (2018). Status Nutrisi Pasien Hemodialisa Di Rumah Sakit Umum Daerah. *Jurnal Keperawatan Silampari*, 2(1), 300–314.
- Yusop, N. B., Mun, C. Y., Shariff, Z. M., & Huat, C. (2013). *Factors Associated with Quality of Life among Hemodialysis Patients in Malaysia*. 8(12), 1–11.