

DAFTAR PUSTAKA

- Amin, S. Baker, K. Niu, J. (2009). *Quadriceps strength and the risk of cartilage loss and symptom progression in knee osteoarthritis*. Arthritis Rheum, 60: 189-198.
- Abbott, HJ, 2009. *Exercise Therapy, Manual Therapy, or Both, for Osteoarthritis of The Hip or Knee*: a Randomized Controlled Trial Protocol. Monash Institute of Health Services Research, Monash University, Melbourne.
- Bina, E., Babaei, A., Hassan, S., Toopchizadeh, V., and Sadeghi, H. (2015). *Reliability and validity of Persian version of Western Ontario and McMaster Universities Osteoarthritis index in knee osteoarthritis*. Journal of Analytical Research in Clinical Medicine. 3(3), p. 170-177.
- Bayracky V, 2009: The Effects of Two Different Closed Kinetic Chain Exercise on Muscle Strength and Proprioception in Patient with Patellofemoral Pain Syndrome. Acta OrthopTraumatolTurc 2009. 43(5):419-425.
- Chang, F. Thiang. Tsan-Hon, Liou. Chen, Chi-Hsien. Chang, Kwang Hwa. (2012). *Effects of elastic-band exercise on lower-extremity function among female patients with osteoarthritis of knee*, Journal Disability and Rehabilitation. (20). 27-35.
- Corwin. (2007) BukuSakuPatofisiologiEdisi 3. Jakarta : EGC.
- Dhar, S. & Agarwal, S. (2015). Effectiveness of an Elastic Band Exercise Protocol in Tri Compartmental Osteoarthritis of the Knee. *Nopany Institute of Healthcare Studies*. (10). 76-81.
- Ebrahimzadeh, M.H., Makhmalbaf, H., Birjandinejad, A., Keshtan, F.G., Hoseini, H.A., and Mazloumi, S.M (2014). *The Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC) in Persian Speaking Patients with Knee Osteoarthritis*. Archives of Bone and Joint Surgery. 2(1), p. 57-62.
- Gbiri AC, Comparative Efficacy Of Open-Chain And Close-Chain Kinematics On Proprioception Muscles's Strength And Functional Performances In Individual With Knee Osteoarthritis. 2013.
- Goodman, C.C. & Fuller, K.S. (2009). *Pathology Implications for the Physical Therapist*. 4 th ed. Elsevier.
- Guemarzi, M., Poiraudeau, S., Yahia, M., Mezganni, M., Fermanian, J., Elleuch, H., and Revel, M. (2004). *Translations, adaptation and validation of the Ontario and McMaster Universities osteoarthritis index (WOMAC) for an Arab population: the Sfax modified WOMAC*. Osteoarthritis Research Society International. 12 (6), p. 459-468.
- Haryoko, I. & Juliastuti. (2016). Perbedaan pengaruh *Microwave Diathermy dan Theraband Exercise* Terhadap Peningkatan Kekuatan Otot Quadriceps Femoris Pada Kondisi *Osteoarthritis Genu Bilateral*. STKes Muhammadiyah Palembang. (4).

- Hoppenfeld. (2011). Terapi dan rehabilitas *fracture*, Penerbit Buku Kedokteran Jakarta.
- Huang, Bin GUO, Feixiang XU and Jinsong ZHAO. (2017) *Effectss of quadriceps functional exercise with isometric contraction in the treatment of knee osteoarthritis*.
- Jagtap, V. & Shanmugam, S (2012). *Effect of Mechanical Traction in Osteoarthritis Knee*. International Journal of Science and Research (IJSR). 3(10), p. 440-443.
- Kisner, Carolyn and Colby, A, L. 2012. *Therapeutic Exercise Foundations and Technique*. Six Edition, F.A. Davis Company, Philadelphia.
- Konstantinidis, G.A., Aletras, V.H., Kanakari, A., Natsis, K., Bellamy, N., and Niakas, D. (2013). *Comparative validation of the WOMAC osteoarthritis and Lequesne algofunctional indices in Greek patients with hip or knee osteoarthritis*. Springer Science+Business Media Dordrecht.
- Kuptniratsaikul, V. & Rattanachaiyanont, M. (2007). *Validation of a modified Thai version of the Western Ontario and McMaster (WOMAC) osteoarthritis index for knee osteoarthritis*. Clinical Rheumatology. 26, p. 1641-1645.
- Kusumastuti, P.,2003; Pengaruh latihan isotonic dengan En-Tree terhadap pengurangan nyeri dan perbaikan fungsional.
- Medscape. 2012. Kriteria Penilaian OA menurut Kellgren-Lawrence. <http://www.medscape.org/viewarticle/537370>. Diakses tanggal 28 Februari 2019.
- Landstrake, M., 2006; *Resistance Band & Tubing Instruction Vol. 4; The Hygenic Corporation, Germany*,hal. 1-22.
- Majumdar, S. (2010). *Advances in MRI of The Knee for Osteoarthritis*. World Scientific Publishing Co. Pte. Ltd.
- Mayank Shukla., Aparna Sarkar., Nitesh Bansal and Ms Rakhi Sharma. (2010). *Effectiveness of Different Quadriceps Strengthening Protocols in Improvement of extensor LAG in Osteoarthritic knee joint*. 2(3):581-586.
- Olney, SJ, and Eng, J: Gait. In Levangie, PK, and Norkin, CC (eds): *Joint Stucture and Function: A Comprehensive Analysis*, ed.5. Philadelphia: FA Davis, 2011, pp 528-571.
- Shahnawaz. Ahmad Alghadir, (2014). *Effect of Isometric Quadriceps Exercise on Muscle Strength, Pain, and Function in Patients with Knee Osteoarthritis: A Randomized Controlled Study*. Vol. 26 : Hal 745-748.
- Suriani, S. & Lesmana, S. I. (2013). *Latihan Theraband Lebih Baik Menurunkan Nyeri Dari Pada Quadriceps Bench Pada Osteoarthritis Genu*.Jurnal Fisioterapi Universitas Esa Unggul. 13 (1). 47.
- Chang. (2012); *Effects of elastic-band exercise on lower-extremity function among female patients with osteoarthritis of the knee; Disability & Rehabilitation*, 34(20): 1727–1735 2012 Informa UK, Ltd.

- Yu, W. An, C. Kang, H. (2013). Effects of Resistance Exercise Using Thera-band on Balance of Healthy Adults, *Seonam University Republic of Korea*. (25). 1471-1473.
- Powers, CM: The Influence of abnormal hip mechanics on knee injury: a Biomechanical Perspective. *J Orthop Sport Phys Ther* 40(2): 42-51, 2010.
- R. Putz, R. Pabst. 2008. Sobotta Atlas Anatomi Manusia; jilid Kedua, Edisi 22, EGC Penerbit Buku Kedokteran. Jakarta.
- Rice, D.A. McNair, P.J. Lewis, G.N. (2011) . Mechanisms of Quadriceps Muscle Weakness in Knee Joint Osteoarthritis: The Effects of Prolonged Vibration on Torque and Muscle Activation in Osteoarthritic and Healthy Control Subjects. *Arthritis Research & Therapy* 2011, 13:R151s
- WHO, 2017 World Health Organization. Country Office for Indonesia.
- Zhang, Y. Joanne, M. Jordan, M.D. (2010). epidemiology of Osteoarthritis. *Clin Geriatr Med*;26(3):355-6.