

Lampiran I



SURAT KETERANGAN

No : 17 / P.11 / KC / II / 2021

Yang bertanda tangan dibawah ini Pimpinan PT Kurabo Manunggal Textile Industries (KUMATEX) Tangerang, menerangkan bahwa :

Nama : Asih Fatimatun
NIM : 20160301094
Asal Universitas : Universitas Esa Unggul
Jurusan : Kesehatan Masyarakat

Benar nama tersebut diatas telah melakukan penelitian untuk Tugas Akhir di perusahaan kami terhitung Maret 2020 ~ Februari 2021
Selama melaksanakan tugas di perusahaan kami nama tersebut menunjukkan sikap dan perilaku yang baik.

Demikian surat keterangan ini kami buat dengan sebenarnya untuk dapat dipergunakan sebagaimana mestinya.

Tangerang, 22 Februari 2021
Pimpinan
u.b

PT KURABO MANUNGGAL TEXTILE INDUSTRIES
TANGERANG

DARJI
Personalia

Lampiran II

LEMBAR ISIAN

NO	NAMA	USIA	JENIS KELAMIN	PENDIDIKAN TERAKHIR	MASA KERJA	LAMA KONTAK	DERMATITIS/ TIDAK DERMATITIS
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

OUTPUT SPSS

1. OUTPUT UJI NORMALITAS

Case Processing Summary

	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Usia	103	100.0%	0	0.0%	103	100.0%

Descriptives

		Statistic	Std. Error
Usia	Mean	31.89	.778
95% Confidence Interval for Mean	Lower Bound	30.35	
	Upper Bound	33.44	
5% Trimmed Mean		31.65	
Median		30.00	
Variance		62.332	
Std. Deviation		7.895	
Minimum		20	
Maximum		48	
Range		28	
Interquartile Range		13	
Skewness		.326	.238
Kurtosis		-1.016	.472

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Usia	.121	103	.001	.942	103	.000

a. Lilliefors Significance Correction

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Lama Kontak	103	100.0%	0	0.0%	103	100.0%

Descriptives

		Statistic	Std. Error	
Lama Kontak	Mean	1.74	.044	
	95% Confidence Interval for Mean	Lower Bound	1.65	
		Upper Bound	1.82	
	5% Trimmed Mean	1.76		
	Median	2.00		
	Variance	.195		
	Std. Deviation	.442		
	Minimum	1		
	Maximum	2		
	Range	1		
	Interquartile Range	1		
	Skewness	-1.098	.238	
	Kurtosis	-.811	.472	

Tests of Normality

Kolmogorov-Smirnov ^a			Shapiro-Wilk		
Statistic	df	Sig.	Statistic	df	Sig.

Lama Kontak	.461	103	.000	.548	103	.000
-------------	------	-----	------	------	-----	------

a. Lilliefors Significance Correction

2. OUTPUT ANALISIS UNIVARIAT

Dermatitis Kontak

		Frekuensi	Persentase	Valid Persentase	Cumulatif Persentase
Valid	Dermatitis	35	34.0	34.0	34.0
	Tidak Dermatitis	68	66.0	66.0	100.0
	Total	103	100.0	100.0	

Usia

		Frekuensi	Persentase	Valid Persentase	Cumulatif Persentase
Valid	< 30 Tahun	48	46.6	46.6	46.6
	≥ 30 Tahun	55	53.4	53.4	100.0
	Total	103	100.0	100.0	

Jenis Kelamin

		Frekuensi	Persentase	Valid Persentase	Cumulatif Persentase
Valid	Perempuan	31	30.1	30.1	30.1
	Laki-Laki	72	69.9	69.9	100.0
	Total	103	100.0	100.0	

Pendidikan Terakhir

		Frekuensi	Percent	Valid Percent	Cumulative Percent
Valid	Rendah	35	34.0	34.0	34.0
	Tinggi	68	66.0	66.0	100.0
	Total	103	100.0	100.0	

Massa Kerja

		Frekuensi	Percent	Valid Percent	Cumulative Percent
Valid	< 3 Tahun	37	35.9	35.9	35.9
	≥ 3 Tahun	66	64.1	64.1	100.0
	Total	103	100.0	100.0	

Lama Kontak

		Frekuensi	Percent	Valid Percent	Cumulative Percent
Valid	> 8 Jam	27	26.2	26.2	26.2
	≤ 8 jam	76	73.8	73.8	100.0
	Total	103	100.0	100.0	

3. OUTPUT ANALISIS BIVARIAT

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Usia * Dermatitis Kontak	103	100.0%	0	0.0%	103	100.0%
Jenis Kelamin * Dermatitis Kontak	103	100.0%	0	0.0%	103	100.0%
Pendidikan Terakhir * Dermatitis Kontak	103	100.0%	0	0.0%	103	100.0%
Massa Kerja * Dermatitis Kontak	103	100.0%	0	0.0%	103	100.0%
Lama Kontak * Dermatitis Kontak	103	100.0%	0	0.0%	103	100.0%

Crosstab

		Dermatitis Kontak		Total
		Dermatitisi	Tidak Dermatitis	
Usia < 30 Tahun	Count	22	26	48
	% within Usia	45.8%	54.2%	100.0%
Usia ≥ 30 Tahun	Count	13	42	55
	% within Usia	23.6%	76.4%	100.0%
Total	Count	35	68	103
	% within Usia	34.0%	66.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.629 ^a	1	.018		
Continuity Correction ^b	4.683	1	.030		
Likelihood Ratio	5.665	1	.017		
Fisher's Exact Test				.022	.015
Linear-by-Linear Association	5.575	1	.018		
N of Valid Cases	103				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 16.31.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (< 30 Tahun / ≥ 30 Tahun)	2.734	1.178	6.346
For cohort Dermatitis Kontak = Dermatitis	1.939	1.101	3.415
For cohort Dermatitis Kontak = Tidak Dermatitis	.709	.526	.956
N of Valid Cases	103		

Crosstab

		Dermatitis Kontak			
		Dermatiti s	Tidak Dermatitis	Total	
Jenis Kelamin	Perempua n	Count	19	12	31
		% within Jenis Kelamin	61.3%	38.7%	100.0%
	Laki-Laki	Count	16	56	72
		% within Jenis Kelamin	22.2%	77.8%	100.0%
Total		Count	35	68	103
		% within Jenis Kelamin	34.0%	66.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	14.743 ^a	1	.000		
Continuity Correction ^b	13.053	1	.000		
Likelihood Ratio	14.368	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	14.600	1	.000		
N of Valid Cases	103				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 10.53.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jenis Kelamin (Perempuan / Laki-Laki)	5.542	2.227	13.789
For cohort Dermatitis Kontak = Dermatitis	2.758	1.648	4.615

For cohort Dermatitis Kontak = Tidak Dermatitis	.498	.314	.788
N of Valid Cases	103		

Crosstab

		Dermatitis Kontak		Total	
		Dermatitis	Tidak Dermatitis		
Pendidikan Terakhir	Rendah	Count	19	16	35
		% within Pendidikan Terakhir	54.3%	45.7%	100.0%
	Tinggi	Count	16	52	68
		% within Pendidikan Terakhir	23.5%	76.5%	100.0%
Total	Count	35	68	103	
	% within Pendidikan Terakhir	34.0%	66.0%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9.743 ^a	1	.002		
Continuity Correction ^b	8.421	1	.004		
Likelihood Ratio	9.563	1	.002		
Fisher's Exact Test				.004	.002
Linear-by-Linear Association	9.649	1	.002		
N of Valid Cases	103				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 11.89.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pendidikan Terakhir (Rendah / Tinggi)	3.859	1.618	9.208
For cohort Dermatitis Kontak = Dermatitis	2.307	1.364	3.902
For cohort Dermatitis Kontak = Tidak Dermatitis	.598	.407	.878
N of Valid Cases	103		

Crosstab

		Dermatitis Kontak		Total	
		Dermatitis	Tidak Dermatitis		
Massa Kerja	< 3 Tahun	Count	20	17	37
		% within Massa Kerja	54.1%	45.9%	100.0%
	≥ 3 Tahun	Count	15	51	66
		% within Massa Kerja	22.7%	77.3%	100.0%
Total	Count	35	68	103	
	% within Massa Kerja	34.0%	66.0%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	10.371 ^a	1	.001		
Continuity Correction ^b	9.022	1	.003		
Likelihood Ratio	10.231	1	.001		
Fisher's Exact Test				.002	.001

Linear-by-Linear Association	10.271	1	.001	
N of Valid Cases	103			

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 12.57.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Massa Kerja (< 3 Tahun / ≥ 3 Tahun)	4.000	1.683	9.507
For cohort Dermatitis Kontak = Dermatitis	2.378	1.393	4.061
For cohort Dermatitis Kontak = Tidak Dermatitis	.595	.409	.864
N of Valid Cases	103		

Lama Kontak * Dermatitis Kontak Crosstabulation

			Dermatitis Kontak		Total
			Dermatitis	Tidak Dermatitis	
Lama Kontak	> 8 Jam	Count	18	9	27
		% within Lama Kontak	66.7%	33.3%	100.0%
	≤ 8 jam	Count	17	59	76
		% within Lama Kontak	22.4%	77.6%	100.0%
Total	Count	35	68	103	
	% within Lama Kontak	34.0%	66.0%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	17.427 ^a	1	.000		
Continuity Correction ^b	15.508	1	.000		
Likelihood Ratio	16.862	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	17.257	1	.000		
N of Valid Cases	103				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 9.17.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Lama Kontak (> 8 Jam / ≤ 8 jam)	6.941	2.644	18.220
For cohort Dermatitis Kontak = Dermatitis	2.980	1.814	4.897
For cohort Dermatitis Kontak = Tidak Dermatitis	.429	.248	.742
N of Valid Cases	103		