

VALIDITAS RELIABILITAS ATAP

RELIABILITY

```
/VARIABLES=S1 S2 S3 S4 S5 S6 S7  
/SCALE('ALL VARIABLES') ALL  
/MODEL=ALPHA  
/SUMMARY=TOTAL.
```

Reliability

[DataSet1] D:\SKRIPSI\SKRIPSI 2020\21. Ergha UEU\VALIDITAS ERGHA.sav

Scale: ALL VARIABLES

Case Processing Summary

| | | N | % |
|-------|-----------------------|----|-------|
| Cases | Valid | 20 | 100.0 |
| | Excluded ^a | 0 | .0 |
| | Total | 20 | 100.0 |

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

| Cronbach's Alpha | N of Items |
|------------------|------------|
| .950 | 7 |

Item-Total Statistics

| | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item-Total Correlation | Cronbach's Alpha if Item Deleted |
|----|----------------------------|--------------------------------|----------------------------------|----------------------------------|
| S1 | 4.2000 | 6.379 | .698 | .953 |
| S2 | 4.1500 | 6.345 | .751 | .949 |
| S3 | 4.1500 | 5.924 | .961 | .931 |
| S4 | 4.0500 | 6.682 | .705 | .952 |
| S5 | 4.2000 | 6.063 | .847 | .941 |

| | | | | |
|----|--------|-------|------|------|
| S6 | 4.2000 | 5.958 | .899 | .936 |
| S7 | 4.1500 | 5.924 | .961 | .931 |

VALIDITAS RELIABILITAS LANTAI

RELIABILITY

```

/VARIABLES=S11 S12 S13 S14 S15 S16 S17
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability

[DataSet1] D:\SKRIPSI\SKRIPSI 2020\21. Ergha UEU\VALIDITAS ERGHA.sav

Scale: ALL VARIABLES

Case Processing Summary

| | | N | % |
|-------|-----------------------|----|-------|
| Cases | Valid | 20 | 100.0 |
| | Excluded ^a | 0 | .0 |
| | Total | 20 | 100.0 |

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

| Cronbach's Alpha | N of Items |
|------------------|------------|
| .940 | 7 |

Item-Total Statistics

| | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item-Total Correlation | Cronbach's Alpha if Item Deleted |
|-----|----------------------------|--------------------------------|----------------------------------|----------------------------------|
| S11 | 4.3000 | 5.800 | .713 | .939 |

| | | | | |
|-----|--------|-------|------|------|
| S12 | 4.4000 | 5.516 | .769 | .934 |
| S13 | 4.3000 | 5.800 | .713 | .939 |
| S14 | 4.3000 | 5.379 | .945 | .918 |
| S15 | 4.3500 | 5.397 | .872 | .924 |
| S16 | 4.4000 | 5.516 | .769 | .934 |
| S17 | 4.2500 | 5.671 | .862 | .927 |

VALIDITAS RELIABILITAS DINDING

RELIABILITY

```

/VARIABLES=S21 S22 S23 S24 S25 S26 S27
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability

[DataSet1] D:\SKRIPSI\SKRIPSI 2020\21. Ergha UEU\VALIDITAS ERGHA.sav

Scale: ALL VARIABLES

Case Processing Summary

| | | N | % |
|-------|-----------------------|----|-------|
| Cases | Valid | 20 | 100.0 |
| | Excluded ^a | 0 | .0 |
| | Total | 20 | 100.0 |

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

| Cronbach's Alpha | N of Items |
|------------------|------------|
| .945 | 7 |

Item-Total Statistics

| | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item-Total Correlation | Cronbach's Alpha if Item Deleted |
|-----|----------------------------|--------------------------------|----------------------------------|----------------------------------|
| S21 | 4.2000 | 5.747 | .897 | .930 |
| S22 | 4.1000 | 6.095 | .852 | .935 |
| S23 | 4.2500 | 5.671 | .892 | .930 |
| S24 | 4.1500 | 6.029 | .808 | .938 |
| S25 | 4.2500 | 5.882 | .787 | .940 |
| S26 | 4.1500 | 6.239 | .700 | .946 |
| S27 | 4.3000 | 5.800 | .800 | .939 |

VALIDITAS RELIABILITAS VENTILASI

RELIABILITY

```

/VARIABLES=S31 S32 S33 S34 S35 S36 S37
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability

[DataSet1] D:\SKRIPSI\SKRIPSI 2020\21. Ergha UEU\VALIDITAS ERGHA.sav

Scale: ALL VARIABLES

Case Processing Summary

| | | N | % |
|-------|-----------------------|----|-------|
| Cases | Valid | 20 | 100.0 |
| | Excluded ^a | 0 | .0 |
| | Total | 20 | 100.0 |

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

| | |
|------------------|------------|
| Cronbach's Alpha | N of Items |
| .889 | 7 |

Item-Total Statistics

| | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item-Total Correlation | Cronbach's Alpha if Item Deleted |
|-----|----------------------------|--------------------------------|----------------------------------|----------------------------------|
| S31 | 4.4000 | 4.884 | .477 | .899 |
| S32 | 4.3500 | 5.292 | .297 | .918 |
| S33 | 4.3500 | 4.450 | .748 | .864 |
| S34 | 4.3000 | 4.326 | .883 | .848 |
| S35 | 4.3500 | 4.450 | .748 | .864 |
| S36 | 4.3000 | 4.326 | .883 | .848 |
| S37 | 4.2500 | 4.513 | .845 | .855 |

VALIDITAS RELIABILITAS PENGHUNI RUMAH

RELIABILITY

```

/VARIABLES=S41 S42 S43 S44 S45 S46 S47
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA
/SUMMARY=TOTAL.

```

Reliability

[DataSet1] D:\SKRIPSI\SKRIPSI 2020\21. Ergha UEU\VALIDITAS ERGHA.sav

Scale: ALL VARIABLES

Case Processing Summary

| | | N | % |
|-------|-----------------------|----|-------|
| Cases | Valid | 20 | 100.0 |
| | Excluded ^a | 0 | .0 |
| | Total | 20 | 100.0 |

Case Processing Summary

| | | N | % |
|-------|-----------------------|----|-------|
| Cases | Valid | 20 | 100.0 |
| | Excluded ^a | 0 | .0 |
| | Total | 20 | 100.0 |

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

| Cronbach's Alpha | N of Items |
|------------------|------------|
| .941 | 7 |

Item-Total Statistics

| | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item-Total Correlation | Cronbach's Alpha if Item Deleted |
|-----|----------------------------|--------------------------------|----------------------------------|----------------------------------|
| S41 | 4.3500 | 5.503 | .846 | .929 |
| S42 | 4.2500 | 5.671 | .858 | .928 |
| S43 | 4.3000 | 5.695 | .788 | .934 |
| S44 | 4.2000 | 5.853 | .838 | .930 |
| S45 | 4.3500 | 5.818 | .689 | .943 |
| S46 | 4.3000 | 5.589 | .843 | .929 |
| S47 | 4.2500 | 5.776 | .801 | .933 |

VALIDITAS RELIABILITAS ISPA

RELIABILITY

```
/VARIABLES=S51 S52 S53 S54 S55 S56 S57  
/SCALE('ALL VARIABLES') ALL  
/MODEL=ALPHA  
/SUMMARY=TOTAL.
```

Reliability

[DataSet1] D:\SKRIPSI\SKRIPSI 2020\21. Ergha UEU\VALIDITAS ERGHA.sav

Scale: ALL VARIABLES

Case Processing Summary

| | | N | % |
|-------|-----------------------|----|-------|
| Cases | Valid | 20 | 100.0 |
| | Excluded ^a | 0 | .0 |
| | Total | 20 | 100.0 |

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

| Cronbach's Alpha | N of Items |
|------------------|------------|
| .932 | 7 |

Item-Total Statistics

| | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item-Total Correlation | Cronbach's Alpha if Item Deleted |
|-----|----------------------------|--------------------------------|----------------------------------|----------------------------------|
| S51 | 4.5000 | 4.789 | .921 | .907 |
| S52 | 4.4000 | 5.621 | .573 | .939 |
| S53 | 4.4500 | 5.103 | .800 | .920 |
| S54 | 4.4500 | 4.997 | .861 | .914 |
| S55 | 4.4000 | 5.516 | .633 | .934 |
| S56 | 4.5500 | 4.682 | .937 | .905 |
| S57 | 4.4500 | 5.208 | .740 | .925 |

UJI UNIVARIAT

Usia Ibu

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--|-----------|---------|---------------|--------------------|
| | | | | |

| | | | | | |
|-------|-------------|----|-------|-------|-------|
| Valid | 20-29 tahun | 20 | 28.6 | 28.6 | 28.6 |
| | 30-39 tahun | 41 | 58.6 | 58.6 | 87.1 |
| | 40-49 tahun | 9 | 12.9 | 12.9 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

Pendidikan Ibu

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | SMP | 8 | 11.4 | 11.4 | 11.4 |
| | SMA | 46 | 65.7 | 65.7 | 77.1 |
| | D III | 9 | 12.9 | 12.9 | 90.0 |
| | S 1 | 7 | 10.0 | 10.0 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

Pekerjaan Ibu

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|--------|-----------|---------|---------------|--------------------|
| Valid | PNS | 10 | 14.3 | 14.3 | 14.3 |
| | Swasta | 10 | 14.3 | 14.3 | 28.6 |
| | IRT | 50 | 71.4 | 71.4 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

Jenis Kelamin Balita

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----------|-----------|---------|---------------|--------------------|
| Valid | Laki-laki | 35 | 50.0 | 50.0 | 50.0 |
| | Perempuan | 35 | 50.0 | 50.0 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

ASI

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----------------|-----------|---------|---------------|--------------------|
| Valid | Tidak dapat ASI | 4 | 5.7 | 5.7 | 5.7 |
| | Dapat ASI | 66 | 94.3 | 94.3 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

Usia Balita

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------------|-----------|---------|---------------|--------------------|
| Valid 1 tahun | 8 | 11.4 | 11.4 | 11.4 |
| 2 tahun | 27 | 38.6 | 38.6 | 50.0 |
| 3 tahun | 27 | 38.6 | 38.6 | 88.6 |
| 4 tahun | 8 | 11.4 | 11.4 | 100.0 |
| Total | 70 | 100.0 | 100.0 | |

Atap

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid Tidak layak huni | 36 | 51.4 | 51.4 | 51.4 |
| Layak huni | 34 | 48.6 | 48.6 | 100.0 |
| Total | 70 | 100.0 | 100.0 | |

Lantai

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid Tidak layak huni | 37 | 52.9 | 52.9 | 52.9 |
| Layak huni | 33 | 47.1 | 47.1 | 100.0 |
| Total | 70 | 100.0 | 100.0 | |

Dinding

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------------|-----------|---------|---------------|--------------------|
| Valid Tidak layak huni | 37 | 52.9 | 52.9 | 52.9 |
| Layak huni | 33 | 47.1 | 47.1 | 100.0 |
| Total | 70 | 100.0 | 100.0 | |

Ventilasi

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|--|-----------|---------|---------------|--------------------|
|--|-----------|---------|---------------|--------------------|

| | | | | | |
|-------|------------------|----|-------|-------|-------|
| Valid | Tidak layak huni | 38 | 54.3 | 54.3 | 54.3 |
| | Layak huni | 32 | 45.7 | 45.7 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

Kepadatan Hunian

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------------|-----------|---------|---------------|--------------------|
| Valid | Tidak layak huni | 38 | 54.3 | 54.3 | 54.3 |
| | Layak huni | 32 | 45.7 | 45.7 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

Kejadian ISPA

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|--------------------|-----------|---------|---------------|--------------------|
| Valid | Terjadi ISPA | 43 | 61.4 | 61.4 | 61.4 |
| | Tidak terjadi ISPA | 27 | 38.6 | 38.6 | 100.0 |
| | Total | 70 | 100.0 | 100.0 | |

CROSSTABS

/TABLES=atap lantai dinding ventilasi kepadatan BY ispa
 /FORMAT=AVALUE TABLES
 /STATISTICS=CHISQ CC RISK
 /CELLS=COUNT EXPECTED ROW TOTAL
 /COUNT ROUND CELL.

Crosstabs Atap * Kejadian ISPA

Crosstab

| | | | Kejadian ISPA | | Total |
|-------|------------------|----------------|---------------|--------------------|--------|
| | | | Terjadi ISPA | Tidak terjadi ISPA | |
| Atap | Tidak layak huni | Count | 32 | 4 | 36 |
| | | Expected Count | 22.1 | 13.9 | 36.0 |
| | | % within Atap | 88.9% | 11.1% | 100.0% |
| | | % of Total | 45.7% | 5.7% | 51.4% |
| | Layak huni | Count | 11 | 23 | 34 |
| | | Expected Count | 20.9 | 13.1 | 34.0 |
| | | % within Atap | 32.4% | 67.6% | 100.0% |
| | | % of Total | 15.7% | 32.9% | 48.6% |
| Total | Count | 43 | 27 | 70 | |
| | Expected Count | 43.0 | 27.0 | 70.0 | |
| | % within Atap | 61.4% | 38.6% | 100.0% | |
| | % of Total | 61.4% | 38.6% | 100.0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 23.588 ^a | 1 | .000 | | |
| Continuity Correction ^b | 21.263 | 1 | .000 | | |
| Likelihood Ratio | 25.429 | 1 | .000 | | |
| Fisher's Exact Test | | | | .000 | .000 |
| Linear-by-Linear Association | 23.251 | 1 | .000 | | |
| N of Valid Cases | 70 | | | | |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.11.

b. Computed only for a 2x2 table

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|-------------------------|-------|--------------|
| Nominal by Nominal | Contingency Coefficient | .502 | .000 |
| N of Valid Cases | | 70 | |

Risk Estimate

| | Value | 95% Confidence Interval | |
|--|-------|-------------------------|-------|
| | | Lower | Upper |
| | | | |

| | | | |
|---|--------|-------|--------|
| Odds Ratio for Atap (Tidak layak huni / Layak huni) | 16.727 | 4.728 | 59.183 |
| For cohort Kejadian ISPA = Terjadi ISPA | 2.747 | 1.667 | 4.528 |
| For cohort Kejadian ISPA = Tidak terjadi ISPA | .164 | .063 | .426 |
| N of Valid Cases | 70 | | |

Lantai * Kejadian ISPA

Crosstab

| | | | Kejadian ISPA | | Total |
|--------|------------------|-----------------|---------------|--------------------|--------|
| | | | Terjadi ISPA | Tidak terjadi ISPA | |
| Lantai | Tidak layak huni | Count | 28 | 9 | 37 |
| | | Expected Count | 22.7 | 14.3 | 37.0 |
| | | % within Lantai | 75.7% | 24.3% | 100.0% |
| | | % of Total | 40.0% | 12.9% | 52.9% |
| | Layak huni | Count | 15 | 18 | 33 |
| | | Expected Count | 20.3 | 12.7 | 33.0 |
| | | % within Lantai | 45.5% | 54.5% | 100.0% |
| | | % of Total | 21.4% | 25.7% | 47.1% |
| Total | Count | 43 | 27 | 70 | |
| | Expected Count | 43.0 | 27.0 | 70.0 | |
| | % within Lantai | 61.4% | 38.6% | 100.0% | |
| | % of Total | 61.4% | 38.6% | 100.0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|--------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 6.724 ^a | 1 | .010 | | |
| Continuity Correction ^b | 5.509 | 1 | .019 | | |
| Likelihood Ratio | 6.822 | 1 | .009 | | |
| Fisher's Exact Test | | | | .014 | .009 |
| Linear-by-Linear Association | 6.628 | 1 | .010 | | |
| N of Valid Cases | 70 | | | | |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.73.

b. Computed only for a 2x2 table

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|-------------------------|-------|--------------|
| Nominal by Nominal | Contingency Coefficient | .296 | .010 |
| N of Valid Cases | | 70 | |

Risk Estimate

| | Value | 95% Confidence Interval | |
|---|-------|-------------------------|--------|
| | | Lower | Upper |
| Odds Ratio for Lantai (Tidak layak huni / Layak huni) | 3.733 | 1.351 | 10.318 |
| For cohort Kejadian ISPA = Terjadi ISPA | 1.665 | 1.098 | 2.524 |
| For cohort Kejadian ISPA = Tidak terjadi ISPA | .446 | .233 | .853 |
| N of Valid Cases | 70 | | |

Dinding * Kejadian ISPA

Crosstab

| | | | Kejadian ISPA | | Total |
|---------|------------------|------------------|---------------|--------------------|--------|
| | | | Terjadi ISPA | Tidak terjadi ISPA | |
| Dinding | Tidak layak huni | Count | 31 | 6 | 37 |
| | | Expected Count | 22.7 | 14.3 | 37.0 |
| | | % within Dinding | 83.8% | 16.2% | 100.0% |
| | | % of Total | 44.3% | 8.6% | 52.9% |
| | Layak huni | Count | 12 | 21 | 33 |
| | | Expected Count | 20.3 | 12.7 | 33.0 |
| | | % within Dinding | 36.4% | 63.6% | 100.0% |
| | | % of Total | 17.1% | 30.0% | 47.1% |
| Total | Count | 43 | 27 | 70 | |
| | Expected Count | 43.0 | 27.0 | 70.0 | |
| | % within Dinding | 61.4% | 38.6% | 100.0% | |
| | % of Total | 61.4% | 38.6% | 100.0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 16.554 ^a | 1 | .000 | | |
| Continuity Correction ^b | 14.613 | 1 | .000 | | |
| Likelihood Ratio | 17.290 | 1 | .000 | | |
| Fisher's Exact Test | | | | .000 | .000 |
| Linear-by-Linear Association | 16.318 | 1 | .000 | | |
| N of Valid Cases | 70 | | | | |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.73.

b. Computed only for a 2x2 table

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|-------------------------|-------|--------------|
| Nominal by Nominal | Contingency Coefficient | .437 | .000 |
| N of Valid Cases | | 70 | |

Risk Estimate

| | Value | 95% Confidence Interval | |
|--|-------|-------------------------|--------|
| | | Lower | Upper |
| Odds Ratio for Dinding (Tidak layak huni / Layak huni) | 9.042 | 2.933 | 27.870 |
| For cohort Kejadian ISPA = Terjadi ISPA | 2.304 | 1.436 | 3.698 |
| For cohort Kejadian ISPA = Tidak terjadi ISPA | .255 | .117 | .554 |
| N of Valid Cases | | 70 | |

Ventilasi * Kejadian ISPA

Crosstab

| | | | Kejadian ISPA | | Total |
|-----------|--------------------|--------------------|---------------|--------------------|--------|
| | | | Terjadi ISPA | Tidak terjadi ISPA | |
| Ventilasi | Tidak layak huni | Count | 37 | 1 | 38 |
| | | Expected Count | 23.3 | 14.7 | 38.0 |
| | | % within Ventilasi | 97.4% | 2.6% | 100.0% |
| | | % of Total | 52.9% | 1.4% | 54.3% |
| | Layak huni | Count | 6 | 26 | 32 |
| | | Expected Count | 19.7 | 12.3 | 32.0 |
| | | % within Ventilasi | 18.8% | 81.3% | 100.0% |
| | | % of Total | 8.6% | 37.1% | 45.7% |
| Total | Count | 43 | 27 | 70 | |
| | Expected Count | 43.0 | 27.0 | 70.0 | |
| | % within Ventilasi | 61.4% | 38.6% | 100.0% | |
| | % of Total | 61.4% | 38.6% | 100.0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 45.316 ^a | 1 | .000 | | |
| Continuity Correction ^b | 42.058 | 1 | .000 | | |
| Likelihood Ratio | 53.217 | 1 | .000 | | |
| Fisher's Exact Test | | | | .000 | .000 |

| | | | |
|------------------------------|--------|---|------|
| Linear-by-Linear Association | 44.668 | 1 | .000 |
| N of Valid Cases | 70 | | |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.34.

b. Computed only for a 2x2 table

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|-------------------------|-------|--------------|
| Nominal by Nominal | Contingency Coefficient | .627 | .000 |
| N of Valid Cases | | 70 | |

Risk Estimate

| | Value | 95% Confidence Interval | |
|--|---------|-------------------------|----------|
| | | Lower | Upper |
| Odds Ratio for Ventilasi (Tidak layak huni / Layak huni) | 160.333 | 18.204 | 1412.143 |
| For cohort Kejadian ISPA = Terjadi ISPA | 5.193 | 2.520 | 10.702 |
| For cohort Kejadian ISPA = Tidak terjadi ISPA | .032 | .005 | .226 |
| N of Valid Cases | | 70 | |

Kepadatan Hunian * Kejadian ISPA

Crosstab

| | | | Kejadian ISPA | | Total |
|------------------|------------------|---------------------------|---------------|--------------------|--------|
| | | | Terjadi ISPA | Tidak terjadi ISPA | |
| Kepadatan Hunian | Tidak layak huni | Count | 31 | 7 | 38 |
| | | Expected Count | 23.3 | 14.7 | 38.0 |
| | | % within Kepadatan Hunian | 81.6% | 18.4% | 100.0% |
| | | % of Total | 44.3% | 10.0% | 54.3% |
| | Layak huni | Count | 12 | 20 | 32 |
| | | Expected Count | 19.7 | 12.3 | 32.0 |
| | | % within Kepadatan Hunian | 37.5% | 62.5% | 100.0% |
| | | % of Total | 17.1% | 28.6% | 45.7% |
| Total | | Count | 43 | 27 | 70 |
| | | Expected Count | 43.0 | 27.0 | 70.0 |
| | | % within Kepadatan Hunian | 61.4% | 38.6% | 100.0% |
| | | % of Total | 61.4% | 38.6% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square | 14.245 ^a | 1 | .000 | | |
| Continuity Correction ^b | 12.445 | 1 | .000 | | |
| Likelihood Ratio | 14.704 | 1 | .000 | | |
| Fisher's Exact Test | | | | .000 | .000 |
| Linear-by-Linear Association | 14.041 | 1 | .000 | | |
| N of Valid Cases | 70 | | | | |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.34.

b. Computed only for a 2x2 table

Symmetric Measures

| | | Value | Approx. Sig. |
|--------------------|-------------------------|-------|--------------|
| Nominal by Nominal | Contingency Coefficient | .411 | .000 |
| N of Valid Cases | | 70 | |

Risk Estimate

| | Value | 95% Confidence Interval | |
|---|-------|-------------------------|--------|
| | | Lower | Upper |
| Odds Ratio for Kepadatan Hunian (Tidak layak huni / Layak huni) | 7.381 | 2.485 | 21.921 |
| For cohort Kejadian ISPA = Terjadi ISPA | 2.175 | 1.357 | 3.488 |
| For cohort Kejadian ISPA = Tidak terjadi ISPA | .295 | .143 | .606 |
| N of Valid Cases | 70 | | |

LEMBAR OBSERVASI PENELITIAN

HUBUNGAN ANTARA LINGKUNGAN FISIK RUMAH DENGAN KEJADIAN ISPA PADA BALITA DI WILAYAH KERJA PUSKESMAS KELURAHAN RAWAJATI 2 KECAMATAN PANCORAN JAKARTA SELATAN TAHUN 2020

Sebelum mengisi kuesioner, sebelumnya seluruh responden telah setuju dan bersedia untuk mengisi kuesioner yang peneliti buat untuk membantu dalam pengambilan data yang berhubungan dengan judul yang diajukan. Saya yang mengisi di bawah ini :

I. Identitas Responden

1. Usia :
2. Kelurahan : Rawajati
3. Pendidikan :
 - a. SD
 - b. SMP
 - c. SMA
 - d. Diploma
 - e. Sarjana
4. Pekerjaan :
 - a. PNS
 - b. Karyawan Swasta
 - c. Ibu Rumah Tangga

II. Identitas Balita

1. Nama Balita :
2. Jenis Kelamin :
3. Usia :
4. Pemberian ASI :
 - a. Ya
 - b. Tidak

III. Faktor Lingkungan Fisik Rumah

| No | Lingkungan Fisik Rumah | | |
|----|--|----|-------|
| | | YA | TIDAK |
| 1 | KEPADATAN HUNIAN | | |
| | <ol style="list-style-type: none">1. Merasa Nyaman berada di dalam rumah2. 1 rumah > 1 KK3. Tidak merasa sempit4. Suka berkumpul bersama dengan keluarga5. Tidak merasa sesak6. Tidak merasa panas7. Rumah terasa luas | | |
| 2 | LANTAI | | |
| | <ol style="list-style-type: none">1. Lantai Terbuat dari Semen / Keramik / Ubin2. Lantai Tidak Berdebu3. Lantai Tidak Lembab4. Lantai Tidak Licin5. Lantai Tampak Bersih6. Memiliki tempat sampah7. Lingkungan rumah terawat dan terpelihara dengan baik | | |

| | | | |
|---|--|--|--|
| 3 | ATAP | | |
| | <ol style="list-style-type: none"> 1. Memiliki langit – langit 2. Tidak menimbulkan debu 3. Atap terbuat dari genteng / asbes 4. Atap bersih, tidak ada sarang laba – laba 5. Tinggi min 2,4 m 6. Mampu menahan panas matahari 7. Atap tidak bocor saat hujan | | |
| 4 | VENTILASI | | |
| | <ol style="list-style-type: none"> 1. Sirkulasi Udara Baik 2. Ruangan Tidak Lembab 3. Tidak Berbau 4. Setiap ruangan terdapat ventilasi 5. Ventilasi terawat 6. Ventilasi tidak berdebu 7. Ventilasi 10% dari luas ruangan | | |
| 5 | DINDING | | |
| | <ol style="list-style-type: none"> 1. Dinding Kokoh | | |

| | | | |
|---|--|--|--|
| | <ol style="list-style-type: none"> 2. Tidak membahayakan Penghuninya 3. Tidak berdebu 4. Terawat 5. Kedap air 6. Mudah dibersihkan 7. Dapur ada pembuangan asap | | |
| 6 | ISPA | | |
| | <p>Apakah dalam kurun waktu 3 bulan, anak ibu mengalami gejala seperti berikut :</p> <ol style="list-style-type: none"> 1. Batuk 2. Pilek 3. Demam 4. Sesak Nafas 5. Hidung Tersumbat 6. Nyeri Tenggorokan 7. Suara Mendesis (Bengek) | | |

LAMPIRAN GAMBAR

