

DAFTAR PUSTAKA

- Amir, A. (2014). Ekspresi Gen Family Bcl-2 dan Ekspresi Gen Protein Kanal Ion Vdac1 pada Oligozoospermia. *Jurnal Kesehatan Andalas*, 3(2), 123–127.
- Anggraeny, R. N., Moeis, Ramdani, M., Chaidir, L., Kesehatan, U. P., & Padjajaran, U. (2014). *Pengembangan dan Validasi In-house PCR (hPCR) untuk Deteksi Mycobacterium tuberculosis Development and Validation of In-house PCR (HPCR) for the Detection of Mycobacterium tuberculosis*. 34(4), 204–210.
- Artati, D., & Lubis, D. S. (2017). Optimasi Performa Dna Marker Pada Elektroforesis Gel. *Buletin Teknik Litkayasa Akuakultur*, 15(2), 47. <https://doi.org/10.15578/blta.15.2.2017.47-50>
- Azwar, A., Mubarika, S., & Surono, A. (2016). Hubungan ekspresi p53, Bcl-2, c-Myc dan MMP-9 dengan gambaran klinikopatologi karsinoma sel skuamosa kepala-leher. *Oto Rhino Laryngologica Indonesiana*, 46(1), 53. <https://doi.org/10.32637/orli.v46i1.147>
- Bioline. (2019). MyTaq™ HS DNA Polymerase. Retrieved from https://www.bioline.com/downloads/dl/file/id/2725/mytaq_hs_dna_polymerase_v7-manual.pdf
- Biosoft. (2014). *PCR Primer Design Guidelines*. 1–3. Retrieved from http://www.premierbiosoft.com/tech_notes/PCR_Primer_Design.html
- Bustin, S., & Huggett, J. (2017). Biomolecular Detection and Quantification qPCR primer design revisited. *Biomolecular Detection and Quantification*, 14(March), 19–28. <https://doi.org/10.1016/j.bdq.2017.11.001>
- Center, H. I. (2019a). *Human Papillomavirus and Related Diseases Report in Indonesia*.
- Center, H. I. (2019b). *Human Papillomavirus and Related Diseases Report in World*. (June).
- Correl, C., Lee, S.-H., & Wei Meng, X. (2017). Emerging Understanding of Bcl-2 Biology: Implication for Neoplastic Progression and Treatment. *Physiology & Behavior*, 176(5), 139–148. <https://doi.org/10.1016/j.physbeh.2017.03.040>

- Czabotar, P. E., Lessene, G., Strasser, A., & Adams, J. M. (2014). Control of apoptosis by the BCL-2 protein family: Implications for physiology and therapy. *Nature Reviews Molecular Cell Biology*, 15(1), 49–63. <https://doi.org/10.1038/nrm3722>
- Fatchiyah, Rahayu, S., Arumingtyas, E. L., & Widyarti, S. (2011). *Biologi Molekular : Prinsip Dasar Analisis*. Jakarta: Erlangga.
- García-Sáez, A. J. (2012). The secrets of the Bcl-2 family. *Cell Death and Differentiation*, 19(11), 1733–1740. <https://doi.org/10.1038/cdd.2012.105>
- Häyry, V., Mäkinen, L. K., Atula, T., Sariola, H., Mäkitie, A., Leivo, I., ... Hagström, J. (2015). Bmi-1 expression predicts prognosis in squamous cell carcinoma of the tongue. *British Journal of Cancer*, 102(5), 892–897. <https://doi.org/10.1038/sj.bjc.6605544>
- Judelson, H. (2012). *Guidelines for designing primers*. 1–5.
- Loreto, C., La Rocca, G., Anzalone, R., Caltabiano, R., Vespasiani, G., Castorina, S., ... Sansalone, S. (2014). The role of intrinsic pathway in apoptosis activation and progression in Peyronie's disease. *BioMed Research International*, 2014. <https://doi.org/10.1155/2014/616149>
- Markham, N. R., & Zuker, M. (2005). DINAMelt web server for nucleic acid melting prediction. *Nucleic Acids Research*, 33(SUPPL. 2), 577–581. <https://doi.org/10.1093/nar/gki591>
- Nurwijaya, H. (2013). *Cegah dan Deteksi Kanker Serviks*. Retrieved from <http://kanker.kemkes.go.id/guidelines/PPKServiks.pdf>
- Perini, G. F., Ribeiro, G. N., Vaz, J., Neto, P., Campos, L. T., & Hamerschlak, N. (2018). BCL-2 as therapeutic target for hematological malignancies. *Journal of Hematology and Oncology*, 1–15.
- Pjevac, P., Schauburger, C., Poghosyan, L., Herbold, C. W., van Kessel, M. A. H. J., Daebeler, A., ... Daims, H. (2017). AmoA-targeted polymerase chain reaction primers for the specific detection and quantification of comammox Nitrospira in the environment. *Frontiers in Microbiology*, 8(AUG), 1–11.

<https://doi.org/10.3389/fmicb.2017.01508>

Plat, J., Bucur, O., & Khosravi-Far, R. (2012). Apoptotic cell signaling in cancer progression and therapy. *National Institute of Health*, 3(4), 279–296.

<https://doi.org/10.1039/c0ib00144a>. Apoptotic

Research, Z. (2019a). Quick-RNA™ MiniPrep Plus. Retrieved from www.zymoresearch.com

Research, Z. (2019b). *Quick -DNA™ Miniprep Plus Kit*. Retrieved from www.zymoresearch.com

Sarbini, D., Sargowo, D., & Rohman, M. S. (2011). *OPTIMIZATION OF PCR METHOD FOR THE DETECTION OF Pectobacterium carotovorum*, . 17(2), 54–59.

Sulistiowati, E., & Sirait, A. M. (2014). Pengetahuan Tentang Faktor Risiko, Perilaku Dan Deteksi Dini Kanker Serviks Dengan Inspeksi Visual Asam Asetat (Iva) Pada Wanita Di Kecamatan Bogor Tengah, Kota Bogor. *Buletin Penelitian Kesehatan*, 42(3), 193–202.

Retrieved from

<http://ejournal.litbang.depkes.go.id/index.php/BPK/article/view/3632/3577>

ThermoFisher. (n.d.). PCR Cycling Parameters – Six Key Considerations for Success Template DNA denaturation assessment. 2018, 8. Retrieved from <https://www.thermofisher.com/id/en/home/life-science/cloning/cloning-learning-center/invitrogen-school-of-molecular-biology/pcr-education/pcr-reagents-enzymes/pcr-cycling-considerations.html>

Yu, Y., Dong, W., Li, X., Yu, E., Zhou, X., & Li, S. (2013). Significance of c-Myc and Bcl-2 Protein Expression in Nasopharyngeal Carcinoma. *Archives of Otolaryngology - Head and Neck Surgery*, 129(12), 1322–1326. <https://doi.org/10.1001/archotol.129.12.1322>

Zuker, M. (2003). Mfold web server for nucleic acid folding and hybridization prediction. *Nucleic Acids Research*, 31(13), 3406–3415. <https://doi.org/10.1093/nar/gkg595>