

## DAFTAR PUSTAKA

- Abtahian, A. dan Farzan, S. (2016). A Study of The Prevalence of Flatfoot in High School Children. Biomedical Research. [online]. Volume 27 (4) P. 1295-1301. Available at : <https://www.alliedacademies.org/articles/a-study-of-the-prevalence-of-flatfoot-in-high-school-children.pdf>. [Accessed at 15 November 2020].
- Aenumulapalli, A., Kulkarni, MM., Gandotra, AR. (2017). Prevalence of Flexible Flat Foot in Adults: A Cross-sectional Study. Journal of Clinical and Diagnostic Research. [online]. Volume 11(6). P. AC17-AC20. Available at: <https://pubmed.ncbi.nlm.nih.gov/28764143/>. [Accessed at 18 November 2020].
- Alam, F., Raza, S., Moiz, JA., Bhati, P., Anwer, S., dan Alghadir, A. (2018). Effects of Selective Strengthening of Tibialis Posterior and Stretching of Iliopsoas on Navicular Drop, Dynamic Balance, and Lower Limb Muscle Activity in Pronated Feet: A Randomized Clinical Trial. The Physician and Sportsmedicine. [online]. Volume 47(3). P. 301-311. Available at: <https://pubmed.ncbi.nlm.nih.gov/30517043/> [Accessed at 19 Okt 2020]
- Ansar dan Sudaryanto. (2011). Biomekanik Osteokinematika dan Arthrokinematika. Kementrian Kesehatan RI Politeknik Kesehatan Makassar.
- Becker, J., James, S., Wayber, R., Osternig, L., Chou, LS. (2017). Biomechanical Factors Associated with Achilles Tendinopathy and Medial Tibial Stress Syndrome in Runners. The American Journal of Sports Medicine. Volume 45(11). P. 2614-2621. Available at: <https://journals.sagepub.com/doi/10.1177/0363546517708193>. [Accessed at 7 Desember 2020]
- Cardoso, TB., Ocarino, JM., Fajardo, CC., Paes, BD., Souza, TR., Fonseca, ST., dan Resende, RA. (2020). Hip External Rotation Stiffness and Midfoot Passive Mechanical Resistance are Associated with Lower Limb Movement in the Frontal and Transverse Planes During Gait. Gait and Posture. Volume 76. P. 305-310. Available at: <https://www.sciencedirect.com/science/article/abs/pii/S0966636219318004>. [Accessed at 7 Desember 2020]
- Cheatham, S., Hanney, WJ., dan Kolber, MJ. (2017). Hip Range of Motion in Recreational Weight Training Participants: A Descriptive Report. The International Journal of Sports Physical Therapy. Volume 12(5). P. 764-733. Available at :

- [https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5685413/.](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5685413/)  
[Accessed at 5 Desember 2020]
- Escobar, JCZ., Cepa, CBMC., Umalde, JAMU, dan Conesa, AG. (2018). Medial Longitudinal Arch: Accuracy, Reliability, and Correlation Between Navicular Drop Test and Footprint Parameters. *Journal of Manipulative and Physiological Therapeutics*. Volume 41(8). P. 672-679. Available at: <https://pubmed.ncbi.nlm.nih.gov/30573198/>. [Accessed at 25 November 2020]
- Fan, Y., Fan., Y., Li, Z., Lv, C., Luo, D. (2011). Natural Gaits of the Non-pathological Flat Foot and High-Arched Foot. *PLoS ONE*. Volume 6(3). P. e17749. Available at : [https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3060814/pdf/pon\\_e.0017749.pdf](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3060814/pdf/pon_e.0017749.pdf). [Accessed at 8 November 2020].
- Fernandez, SP., Martin, CG., Tajes, FA., et.al. (2017). Flat Foot in a Random Population and Its Impact on Quality of Life and Functionality. *Journal of Clinical and Diagnostic Research*. Volume 11(4). Pp LC22-LC27. Available at: doi: 10.7860/JCDR/2017/24362.9697. [Accessed at 9 Februari 2021].
- Ferreira, VM., Oliveira, RR., Nazareno, TS., Freitas, LV., dan Mendonca, LD. (2020). Interaction of Foot and Hip Factors Identifies Achilles Tendinopathy Occurrence in Recreational Runners. *Physical Therapy in Sport*. Volume 45. P.111-119. Available at: <https://www.sciencedirect.com/science/article/abs/pii/S1466853X20304636>. [Accessed at 7 Desember 2020].
- Flores, DV., Gomez, CM., Hernando, MF., Davis, MA., dan Pathria, MN. (2019). Adult Acquired Flatfoot Deformity: Anatomy, Biomechanics, Staging, and Imaging Findings. *Radio Graphics*. Volume 39. P. 1437-1460. Available at: <https://pubs.rsna.org/doi/full/10.1148/rg.2019190046>. [Accessed at 18 November 2020].
- Gwani, AS., Asari, MA., dan Ismail, ZIM. (2017). How The Three Arches of The Foot Intercorrelate. *Folia Morphol*. Volume 76(4). P. 682-688. Available at : <https://pubmed.ncbi.nlm.nih.gov/28553850/> [Accessed at 18 November 2020].
- Hamill, J dan Knutzen, KM. (2009). Biomechanical Basis of Human Movement, 3<sup>rd</sup> ed. Philadelphia: Lippincott Williams & Wilkins. pp. 224-248.
- Hegazy, FA., Aboelnasr, EA., Salem, Y., Zaghloul, AA. (2020). Validity and Diagnostic Accuracy of Foot Posture Index-6 Using Radiographic Findings as the Gold Standard to Determine Paediatric Flexible Flatfoot Between Ages of 6-18 years: A Cross-sectional Study.

- Musculoskeletal Science and Practice. Volume 46. P. 102-107. Available at: doi 10.1016/j.msksp.2020.102107 . [Accessed at 8 Desember 2020]
- Hirata, K., Yamadera, R., Akagi, R. (2020). Associations Between Range of Motion and Tissue Stiffness in Young and Older People. Med Sci Sports Exerc. Volume 52(10). P. 2179-2188. Available at : <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7497479/> [Accessed at 6 Desember 2020].
- Houglum, PA dan Bertoti, DB. (2012). Brunnstrom's Clinical Kinesiology, 6<sup>th</sup> ed. Philadelphia: F.A. Davis Company. pp. 474-526.
- Khan, FR., Chevidikunnan, MF., Mazi, AF., Aljawi, SF., Mizan, FH., Binmulayh, EA., et.al. (2020). Factors Affecting Foot Posture in Young Adults: A Cross Sectional Study. Journal of Musculoskeletal and Neuronal Interactions. Volume 20(2). P. 216-222. Available at : [https://www.researchgate.net/profile/Fayaz\\_Khan2/publication/341879112\\_Factors\\_affecting\\_foot\\_posture\\_in\\_young\\_adults\\_a\\_cross\\_sectional\\_study/links/5edcdd91299bf1c67d4aef22/Factors-affecting-foot-posture-in-young-adults-a-cross-sectional-study.pdf](https://www.researchgate.net/profile/Fayaz_Khan2/publication/341879112_Factors_affecting_foot_posture_in_young_adults_a_cross_sectional_study/links/5edcdd91299bf1c67d4aef22/Factors-affecting-foot-posture-in-young-adults-a-cross-sectional-study.pdf). [Accessed at 5 Nov 2020].
- Kisner, C. (2007). Therapeutic Exercise: Foundations and Thechniques, ed. 5. Philadelphia: F.A Davis Company.
- Han, K., Bae, K., Levine, N., Yang, J., Lee, JS. (2019). Biomechanical Effect of Foot Orthoses on Rearfoot Motions and Joint Moment Parameters in Patients with Flexible Flatfoot. Med Sci Monit. Volume 25. P. 5920-5928. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6698090/pdf/medscimonit-25-5920.pdf>. [Accessed at 23 November 2020]
- Lange, B., Chipchase, L., Evans, A. (2004). The Effect of Low-Dye Taping on Plantar Pressures, During Gait, in Subjects with Navicular Drop Exceeding 10 mm. J Orthop Sports Phys Ther. Volume 34(4). P. 201-209. Available at : <https://pubmed.ncbi.nlm.nih.gov/15128190/>.
- Lee, JS., Kim, KB., Jeong, JO., Kwon, NY., dan Jeong, SM. (2015). Correlation of Foot Posture Index With Plantar Pressure and Radiographic Measurements in Pediatric Flatfoot. Ann Rehabil Med. Volume 39(1). P. 10-17. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4351479/#:~:text=A%20significant%20correlation%20was%20observed,ratio%20and%20the%20radiographic%20measurements>. [Accessed at 6 Desember 2020]
- Lee, KH dan Chon, SC. (2018). The Relationship Between the Range of Hip Rotation and the Quadriceps Angle in Subjects With and Without Flat

- Foot. Phys Ther Korea. [online]. Volume 25(4). P. 19-26. Available at:  
<http://www.koreascience.or.kr/article/JAKO201835858343570.pub>. [Accessed at 23 Okt 2020].
- Lippert, LS. (2011) Clinical Kinesiology and Anatomy, ed 5. Philadelphia: F.A. Davis Company.
- Martinez, BR., Oliveira, JC., Viera, KV., Yi, LC. (2019). Translation, Cross-Cultural Adaptation, and Reliability of the Foot Posture Index (FPI-6) – Brazilian Version. Physiotherapy Theory and Practice. Volume 20. P. 1-6. Available at: <https://pubmed.ncbi.nlm.nih.gov/30893558/#:~:text=Results%3A%20The%20Brazilian%20version%20of,the%20total%20FPI%2D6%20score>. [Accessed at 8 November 2020]
- McKay, MJ., Baldwin, JN., Ferreira, P., et.al.(2017). Normative Reference Values for Strength and Flexibility of 1000 Children and Adults. Neurology. Volume 88(1) pp 36-43.
- Nambiar, S dan Alagesan, J. (2017). Prevalence and Incidence of Flat Foot Among Middle East and Asia Population: An Overview. International Journal of Pharmaceutical Science and Health. Volume 4(7). Pp. 1-12. Available at: [https://www.researchgate.net/publication/319405949\\_Prevalence\\_and\\_incidence\\_of\\_flat\\_foot\\_among\\_Middle\\_East\\_and\\_Asian\\_PopulationAn\\_Overview](https://www.researchgate.net/publication/319405949_Prevalence_and_incidence_of_flat_foot_among_Middle_East_and_Asian_PopulationAn_Overview). [Accessed at 13 Januari 2021].
- Neumann, DA. (2010). Kinesiology of the Musculoskeletal System: Foundations for Rehabilitation. St Louis: Mosby Elsevier.
- Norkin, CC. dan White DJ. (2016). Measurement of Joint Motion: A Guide to Goniometry, ed 5. Philadelphia: F. A. Davis Company.
- Nugroho, AS dan Nurulita, FF. (2019). Hubungan Antara Pes Planus dengan Keseimbangan Dinamis pada Murid MI Nurul Karim Colomadu. Jurnal Keterapi Fisik. Volume 4(1). P. 1-58. Available at: <https://jurnalketerapiansik.com/index.php/jpt/article/download/120/87/>. [Accessed at 23 November 2020]
- Pinto, RZ., Souza, TR., Trede, RG., et.al. (2008). Bilateral and Unilateral Increases in Calcaneal Eversion Affect Pelvic Alignment in StandingPosition. Manual Therapy. Volume 13. Pp 513-519. Available at: <https://doi.org/10.1016/j.math.2007.06.004>. [Accessed at 10 Februari 2021].
- Powers, CM. (2003). The Influence of Altered Lower-Extremity Kinematics on Patellofemoral Joint Dysfunction: A Theoretical Perspective. Journal of Orthopaedic & Sports Physical Therapy. [online]. Volume 33(11). P. 639-646. Available at:

- <https://pubmed.ncbi.nlm.nih.gov/14669959/> [Accessed at 25 Okt 2020]
- Raoof, NA., Shewitta, D., dan Tantawy, S. (2013). Influence of SecondDegree Flatfoot on Spinal and Pelvic Mechanics in Young Females. International Journal of Therapy and Rehabilitation. Volume 20(9). Pp. 428-434. Available at: DOI: 10.12968/ijtr.2013.20.9.428. [Accessed at 11 Februari 2021].
- Reese, NB dan Bandy, WD. (2002). Joint Range of Motion and Muscle Length Testing. Philadelphia: W.B Saunders Company.
- Resende, RA., Deluzio, KJ., Kirkwood, RN., Hassan, EA., Fonseca, ST. (2015). Increased Unilateral Foot Pronation Affects Lower Limbs and Pelvic Biomechanics During Walking. Gait and Posture. Volume 41(2). P. 395-401. Available at: <https://pubmed.ncbi.nlm.nih.gov/25468683/> [Accessed at 1 Nov 2020].
- Riskowski, JL., Dufour, AB., Hagedorn, TJ., Hillstrom, HJ., Casey VA., Hannan, MT. (2013) Associations of Foot Posture and Function to Lower Extremity Pain: Results from A Population-Based Foot Study. Arthritis Care Res (Hoboken). Volume 65(11). P. 1804-12. Available at: [https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4039193/pdf/nih\\_ms-587167.pdf](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4039193/pdf/nih_ms-587167.pdf). [Accessed at 23 November 2020].
- Souza, TR., Pinto, RZ., Trede, RG., Kirkwood, RN., dan Fonseca, ST. (2010). Temporal Couplings Between Rearfoot-Shank Complex and Hip Joint during Walking. Clinical Biomechanics. Volume 25(7). P. 745-748. Available at: <https://pubmed.ncbi.nlm.nih.gov/20621756/> [Accessed at 1 November 2020].
- Sumadewi, KT. dan Udiyani, DPC. (2020). The Association between Body Mass Index (BMI) and Knee Pain on Flexible Flat Foot Among Students at Universitas Warmadewa, Bali, Indonesia. Indonesia Journal of Biomedical Science. [online]. Volume 14(2). P. 73-77. Available at: <http://ww.ejournals.ca/ijbs-udayana.org/index.php/ijbs/article/viewFile/240/240>. [Accessed at 20 Okt 2020].
- Sung, PS., Zipple, TJ., Andraka, JM., dan Danial, P. (2017). The Kinetic and Kinematic Stability Measures in Healthy Adult Subjects with and Without Flat Foot. Foot. Volume 30. P. 21-26. Available at : <https://pubmed.ncbi.nlm.nih.gov/28257946/>. [Accessed at 6 Desember 2020]
- Troiano, G., Nante, N., dan Citarelli, L. (2017). Pes Planus and Pes Cavus in Southern Italy: A 5 Years Study. Ann Ist Super Sanita. Available at :

- <https://annali.iss.it/index.php/anna/article/view/485/339>. [Accessed at 13 Januari 2021].
- Walters, JL. dan Mendicino, SS. (2014). The Flexible Adult Flatfoot: Anatomy and Pathomechanics. *Clin Podiatr Med Surg.* Volume 31. Pp. 329-336. Available at : <https://www.sciencedirect.com/science/article/abs/pii/S0891842214000214?via%3Dhub>. [Accessed at 16 Januari 2021].
- Young, CC., Niedfeldt, MW., Morris, GA., dan Eerkes, KJ. (2005). Clinical Examination of the Foot and Ankle. *Prim Care Clin Office Pract.* Volume 32. P. 105-132. Available at : <https://pubmed.ncbi.nlm.nih.gov/15831315/>. [Accessed at 3 Desember 2020].
- Zahran, SS., Aly, SM., dan Zaky, LA. (2017). Effects of Bilateral Flexible Flatfoot on Trunk and Hip Muscles' Torque. *International Journal of Therapy and Rehabilitation.* Volume 24(1). P. 7-14. Available at: [https://www.researchgate.net/publication/312420482\\_Effects\\_of\\_bilateral\\_flexible\\_flatfoot\\_on\\_trunk\\_and\\_hip\\_muscles%27\\_torque](https://www.researchgate.net/publication/312420482_Effects_of_bilateral_flexible_flatfoot_on_trunk_and_hip_muscles%27_torque). [Accessed at: 6 Desember 2020].
- Zuil-Ezcobar, JC., Martinez-Cepa, CB., Martin-Urrialde, JA., Gomez-Conesa, A. (2019). Evaluating the Medial Longitudinal Arch of the Foot: Correlations, Reliability, and Accuracy in People With a Low Arch. *Physical Therapy.* Volume 99(3). P. 364-372. Available at : <https://pubmed.ncbi.nlm.nih.gov/30535273/>. [Accessed at 8 November 2020]