

LAMPIRAN

Tabel univariat

Statistics

		diabetes mellitus	Jenis Kelamin
N	Valid	82	82
	Missing	0	0
	Std. Deviation	,503	,501

diabetes mellitus

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	41	50,0	50,0	50,0
	2	41	50,0	50,0	100,0
	Total	82	100,0	100,0	

Jenis Kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	45	54,9	54,9	54,9
	2	37	45,1	45,1	100,0
	Total	82	100,0	100,0	

Statistics

UMUR

N	Valid	82
	Missing	0
	Std. Deviation	,389

UMUR

		Frequency	Percent	Valid Percent	Cumulative Percent

Valid	berisiko >40tahun	67	81,7	81,7	81,7
	tidak berisiko <40tahun	15	18,3	18,3	100,0
	Total	82	100,0	100,0	

Statistics

Jenis Kelamin

N	Valid	82
	Missing	0
	Std. Deviation	,501

Jenis Kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	45	54,9	54,9	54,9
2	37	45,1	45,1	100,0
Total	82	100,0	100,0	

Tabel bivariat

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
diabetes mellitus * Jenis Kelamin	82	100,0%	0	,0%	82	100,0%

diabetes mellitus * Jenis Kelamin Crosstabulation

			Jenis Kelamin		Total
			1	2	
diabetes mellitus	1	Count	27	14	41
		% within diabetes mellitus	65,9%	34,1%	100,0%
	2	Count	18	23	41
		% within diabetes mellitus	43,9%	56,1%	100,0%
Total		Count	45	37	82
		% within diabetes mellitus	54,9%	45,1%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3,989 ^a	1	,046	,075	,038
Continuity Correction ^b	3,152	1	,076		
Likelihood Ratio	4,024	1	,045		
Fisher's Exact Test					
Linear-by-Linear Association	3,941	1	,047		
N of Valid Cases	82				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 18,50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for diabetes mellitus (1 / 2)	2,464	1,009	6,018
For cohort Jenis Kelamin = 1	1,500	,995	2,261
For cohort Jenis Kelamin = 2	,609	,368	1,008
N of Valid Cases	82		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
diabetes mellitus * UMUR	82	100,0%	0	,0%	82	100,0%

diabetes mellitus * UMUR Crosstabulation

	UMUR	Total

			berisiko >40tahun	tidak berisiko<40tahu n	
diabetes mellitus	1	Count	33	8	41
		% within diabetes mellitus	80,5%	19,5%	100,0%
	2	Count	34	7	41
		% within diabetes mellitus	82,9%	17,1%	100,0%
Total		Count	67	15	82
		% within diabetes mellitus	81,7%	18,3%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	,082 ^a	1	,775	1,000	,500
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,082	1	,775		
Fisher's Exact Test					
Linear-by-Linear Association	,081	1	,776		
N of Valid Cases	82				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7,50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for diabetes mellitus (1 / 2)	,849	,277	2,607
For cohort UMUR = berisiko >40tahun	,971	,791	1,191
For cohort UMUR = tidak berisiko<40tahun	1,143	,457	2,860
N of Valid Cases	82		



Unggul

Universitas
Esa U

Unggul

Universitas
Esa U

Unggul

Universitas
Esa Unggul

Universitas
Esa U



Unggul

Universitas
Esa U

Unggul

Universitas
Esa U

Unggul

Universitas
Esa Unggul


Universitas
Esa U

Kebiasaan Cerdik Cegah Penyakit Tidak Menular

C Cek Kesehatan Secara Rutin
C Erupsi Asap
R Rajin Aktifitas Fisik

D Diet Seimbang
I Istirahat Cukup
K KELOLA STRES

Buku: 1000 Kebiasaan Baik Untuk Kesehatan
Jl. Raya Arahmangun No. 2 Jakarta Barat
www.1000kebiasaanbaik.net
Telp/Fax: 021-862224 862225
@1000kebiasaanbaik
www.1000kebiasaanbaik.com



Universitas
Esa Unggul

Universitas
Esa U

Universitas
Esa Unggul

Universitas
Esa U

Universitas
Esa Unggul

Universitas
Esa Unggul

Universitas
Esa U