

DAFTAR PUSTAKA

- A. Muragod, V. R. Patil, & P. Nitsure. (2014). Immediate effects of static stretching versus myofascial release in iliotibial band tightness in long distance runners - a randomised clinical trial. *European Journal of Sports Medicine*.
- Aderem, J., & Louw, Q. A. (2015). Biomechanical risk factors associated with iliotibial band syndrome in runners : a systematic review. *BMC Musculoskeletal Disorders*, 7–9. <https://doi.org/10.1186/s12891-015-0808-7>
- Akhmad Aji Pradana. (2013). Kontribusi Tinggi Badan, Berat Badan, dan Panjang Tungkai Terhadap Kecepatan Lari Cepat (Sprint) 100 Meter Putra. <http://ejournal.unesa.ac.id/index.php/jurnal-kesehatan-olahraga/article/view/1846/baca-artikel>.
- Baker, R. L., Souza, R. B., & Fredericson, M. (2011). Clinical Review : Current Concepts Iliotibial Band Syndrome : Soft Tissue and Biomechanical Factors in Evaluation and Treatment. *PMRJ*, 3(6), 550–561. <https://doi.org/10.1016/j.pmrj.2011.01.002>
- Balachandar, V., Hampton, M., Riaz, O., & Woods, S. (2019). *Iliotibial Band Friction Syndrome : A Systematic Review and Meta-analysis to Iliotibial Band Friction Syndrome : A Systematic Review and Meta-analysis to evaluate lower-limb biomechanics and conservative treatment*. July. <https://doi.org/10.32098/mltj.02.2019.05>
- Beers, A., Ryan, M., Kasubuchi, Z., Fraser, S., & Taunton, J. E. (2008). Effects of Multi-modal Physiotherapy, Including Hip Abductor Strengthening, in Patients with Iliotibial Band Friction Syndrome. *Physiotherapy Canada*. <https://doi.org/10.3138/physio.60.2.180>
- Begalle, R. L., DiStefano, L. J., Blackburn, T., & Padua, D. A. (2012). Quadriceps and hamstrings coactivation during common therapeutic exercises. *Journal of Athletic Training*. <https://doi.org/10.4085/1062-6050-47.4.01>
- Brughelli, M., Cronin, J., & Nosaka, K. (2010). Muscle architecture and optimum angle of the knee flexors and extensors: Acomparison between cyclists and Australian rules football players. *Journal of Strength and Conditioning Research*. <https://doi.org/10.1519/JSC.0b013e318197009a>
- Buist, I., Bredeweg, S. W., Lemmink, K. A. P. M., Mechelen, W. Van, & Diercks, R. L. (2010). *The American Journal of Sports Medicine Predictors of Running-Related Injuries in Novice Runners Enrolled in a Systematic*. <https://doi.org/10.1177/0363546509347985>
- Cashman, G. E. (2012). *The Effect of Weak Hip Abductors or External Rotators on Knee Valgus Kinematics in Healthy Subjects : A Systematic Review*. 273–284.

- D, D., C, T., C, M., J, C., & M, L. H. (2018). Reduction of Foot Overpronation to Improve Iliotibial Band Syndrome in Runners: A Case Series. *Clinical Research on Foot & Ankle*. <https://doi.org/10.4172/2329-910x.1000272>
- Dinç, N., & Ergin, E. (2019). The effect of 8-week core training on balance, agility and explosive force performance. *Universal Journal of Educational Research*, 7(2), 550–555. <https://doi.org/10.13189/ujer.2019.070227>
- Everhart, J. S., Kirven, J. C., Higgins, J., Hair, A., Chaudhari, A. A. M. W., & Flanagan, D. C. (2019). The Knee The relationship between lateral epicondyle morphology and iliotibial band friction syndrome : A matched case – control study. *The Knee*, xxx, 13–18. <https://doi.org/10.1016/j.knee.2019.07.015>
- Fairclough, J., Hayashi, K., Toumi, H., Lyons, K., Bydder, G., Phillips, N., Best, T. M., & Benjamin, M. (2006). *The functional anatomy of the iliotibial band during flexion and extension of the knee : implications for understanding iliotibial band syndrome*. 309–316.
- Falvey, E. C., Clark, R. A., Franklyn-Miller, A., Bryant, A. L., Briggs, C., & McCrory, P. R. (2010). Iliotibial band syndrome: An examination of the evidence behind a number of treatment options. *Scandinavian Journal of Medicine and Science in Sports*. <https://doi.org/10.1111/j.1600-0838.2009.00968.x>
- Fredericson, M., Cookingham, C. L., Chaudhari, A. M., Dowdell, B. C., Oestreicher, N., & Sahrmann, S. A. (2000). *Hip Abductor Weakness in Distance Runners with Iliotibial Band Syndrome*. 169–175.
- Fredericson, M., & Weir, A. (2006). *Practical Management of Iliotibial Band Friction Syndrome in Runners*. 16(3), 261–268.
- Hachana, Y., Chaabène, H., Nabli, M. A., Attia, A., Moualhi, J., Farhat, N., & Elloumi, M. (2013). Test-retest reliability, criterion-related validity, and minimal detectable change of the Illinois agility test in male team sport athletes. *Journal of Strength and Conditioning Research*. <https://doi.org/10.1519/JSC.0b013e3182890ac3>
- Halperin, I., Aboodarda, S. J., Button, D. C., Andersen, L. L., & Behm, D. G. (2014). Original Research Roller Massager Improves Range of Motion of Plantar Flexor Muscles Without Subsequent. *The International Journal of Sports Physical Therapy*.
- Kalichman, L., & Ben David, C. (2017). Effect of self-myofascial release on myofascial pain, muscle flexibility, and strength: A narrative review. *Journal of Bodywork and Movement Therapies*, 21(2), 446–451. <https://doi.org/10.1016/j.jbmt.2016.11.006>
- Louw, M., & Deary, C. (2013). Physical Therapy in Sport The biomechanical variables involved in the aetiology of iliotibial band syndrome in distance

- runners e A systematic review of the literature. *Physical Therapy in Sport*, 1–12.
<https://doi.org/10.1016/j.ptsp.2013.07.002>
- Macdonald, G. Z., Button, D. C., Drinkwater, E. J., & Behm, D. G. (2014). Foam rolling as a recovery tool after an intense bout of physical activity. *Medicine and Science in Sports and Exercise*, *46*(1), 131–142.
<https://doi.org/10.1249/MSS.0b013e3182a123db>
- Malliaropoulos, N., Mendiguchia, J., Pehlivanidis, H., Papadopoulou, S., Valle, X., Malliaras, P., & Maffulli, N. (2012). Hamstring exercises for track and field athletes: Injury and exercise biomechanics, and possible implications for exercise selection and primary prevention. In *British Journal of Sports Medicine*.
<https://doi.org/10.1136/bjsports-2011-090474>
- McArdle, W. D., Katch, F. I., & Katch, V. L. (2015). Essentials of exercise physiology: Fifth edition. In *Essentials of Exercise Physiology: Fifth Edition*.
- Noehren, B., Schmitz, A., Hempel, R., Westlake, C., & Black, W. (2014). Assessment of strength, flexibility, and running mechanics in men with iliotibial band syndrome. *Journal of Orthopaedic and Sports Physical Therapy*.
<https://doi.org/10.2519/jospt.2014.4991>
- Peacock, J. (2017). Musculoskeletal Sports and Spine Disorders. In *Musculoskeletal Sports and Spine Disorders*. <https://doi.org/10.1007/978-3-319-50512-1>
- Raya, M. A., Gailey, R. S., Gaunard, I. A., Jayne, L. T. C. D. M., Ret, M. A. J., Campbell, S. M., Gagne, E., Patrick, G., Muller, D. G., & Tucker, C. (2013). Comparison of three agility tests with male servicemembers: Edgren Side Step Test, T-Test, and Illinois Agility Test. *50*(7), 951–960.
- Rudiyanto. (2012). Hubungan Berat Badan Tinggi Badan dan Panjang Tungkai dengan Kelincahan. *Journal of Sport Sciences and Fitness*.
<http://journal.unnes.ac.id/sju/index.php/jssf/article/view/1530/1480>
- Saikia, S., & Tepe, R. (2013). *Etiology, Treatment, and Prevention of ITB Syndrome: A Literature Review*. *4*(3), 1–26.
- Saragiotto, B. T., Yamato, T. P., & Lopes, A. D. (2014). What do recreational runners think about risk factors for running injuries? A descriptive study of their beliefs and opinions. *Journal of Orthopaedic and Sports Physical Therapy*.
<https://doi.org/10.2519/jospt.2014.5710>
- Spyropoulos, G., Tsatalas, T., Tsaopoulos, D. E., Sideris, V., & Giakas, G. (2013). Biomechanics of sit-to-stand transition after muscle damage. *Gait and Posture*.
<https://doi.org/10.1016/j.gaitpost.2012.10.013>
- Susanto, A. S. (2013). Membuat Segmentasi Berdasarkan Life Style (Gaya Hidup). *Jibeka*.
- Tsatalas, T., Giakas, G., Spyropoulos, G., Sideris, V., Lazaridis, S., Kotzamanidis, C., & Koutedakis, Y. (2013). The effects of eccentric exercise-induced muscle

- damage on running kinematics at different speeds. *Journal of Sports Sciences*.
<https://doi.org/10.1080/02640414.2012.729135>
- Vaughan, B., & McLaughlin, P. (2014). Immediate changes in pressure pain threshold in the Iliotibial band using a myofascial (foam) roller. *International Journal of Therapy and Rehabilitation*, 21(12), 569–574.
<https://doi.org/10.12968/ijtr.2014.21.12.569>
- Worp, M. P. Van Der, Horst, N. Van Der, Wijer, A. De, Backx, F. J. G., & Sanden, M. W. G. N. Der. (2012). *Iliotibial Band Syndrome in Runners A Systematic Review*. 42(11), 969–992.