

Lampiran 1 Daftar Riwayat Hidup



Ferry Setiawan

Kontak Pribadi



081294739756



085771458553



Ferrysetiawan0611@gmail.com



Kepa Duri No.23 A, RT/RW : 007/008, Duri Kepa, Kebon Jeruk, Jakarta Barat

Tentang Saya

Sebagai seorang yang dikenal ramah, sopan, disiplin dan murah senyum, saya memiliki komitmen terhadap diri saya, khususnya dalam dunia kerja dimana saya bercita-cita memiliki karir yang cemerlang di perusahaan Anda.

– Ferry Setiawan –

Softskills

Komitmen

Komunikasi

Kemampuan Analisa

Kerjasama Tim

Keahlian Komputer

Microsoft Word 90%

Microsoft Excel 80%

Power Point 90%

Bahasa

Indonesia Aktif

Inggris Pasif

Nama	Ferry Setiawan
Tanggal Lahir	06 November 1997
Domisili	Jakarta
Status	Lajang
Agama	Islam
Hobi	Membaca, Travelling
Tinggi / Berat	170 cm / 47 kg

Biodata



Universitas Esa Unggul

2016 - Sekarang
Sistem Informasi

74



SMK Yadika 2

2012 - 2015
Teknik Komputer dan
Jaringan

Pendidikan

Esa Unggul

Lampiran 2 Surat Keterangan Penelitian Dari PT.Rezeki Surya Intimakmur



PT REZEKI SURYA INTIMAKMUR

Jl. Cipete Raya No.25C RT 04 RW 03, Cilandak, Cipete, Jakarta Selatan
E-mail : admin@rezeki-group.com Telp : 021-7504 141, 7697 891

Nomor : 0054/RSI-SK/20

Jakarta, 25 Februari 2020

Perihal : Surat Keterangan

SURAT KETERANGAN

Yang bertanda tangan dibawah ini :

Nama : Haviz Indra Maulana, S.Kom, M.Kom

Jabatan : Manager General Affair

Perusahaan : PT. Rezeki Surya Intimakmur

Dengan ini menerangkan bahwa :

Nama : Ferry Setiawan

NIM : 20160803077

Program Studi : Sistem Informasi

Berkuliah : Universitas Esa Unggul

Benar telah melakukan penelitian dalam rangka penulisan skripsinya yang berjudul **RANCANG BANGUN SISTEM INFORMASI PERAWATAN DAN PERBAIKAN PADA PT. REZEKI SURYA INTIMAKMUR DENGAN METODE WATERFALL** terhitung sejak tanggal 4 November 2019 sampai dengan tanggal 27 Desember 2019, dan telah pula membahas materi hasil penelitiannya dengan kami.

Demikian surat keterangan ini saya buat agar dapat dipergunakan sebagaimana mestinya.

Jakarta, 25 Februari 2020



Haviz Indra Maulana, S.Kom, M.Kom

Manager General Affair

Lampiran Source Code

```
<?php
/**
 * CodeIgniter
 *
 * An open source application development framework for PHP
 *
 * This content is released under the MIT License (MIT)
 *
 * Copyright (c) 2014 - 2019, Britsh Columbia Institute of Technolog
y
 *
 * Permission is hereby granted, free of charge, to any person obtain
ning a copy
 * of this software and associated documentation files (the "Softwar
e"), to deal
 * in the Software without restriction, including without limitation
the rights
 * to use, copy, modify, merge, publish, distribute, sublicense, and
/or sell
 * copies of the Software, and to permit persons to whom the Softwar
e is
 * furnished to do so, subject to the following conditions:
 *
 * The above copyright notice and this permission notice shall be in
cluded in
 * all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, E
XPRESS OR
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTA
BILITY,
 * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT
SHALL THE
 * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER
 * LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, A
RISING FROM,
 * OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEA
LINGS IN
 * THE SOFTWARE.
 *
 * @package CodeIgniter
 * @author EllisLab Dev Team
 * @copyright Copyright (c) 2008 - 2014, EllisLab, Inc. (https://ellislab.com/)

```

```
* @copyright Copyright (c) 2014 - 2019, British Columbia Institut  
e of Technology (https://bcit.ca/)  
* @license https://opensource.org/licenses/MIT MIT License  
* @link https://codeigniter.com  
* @since Version 1.0.0  
* @filesource  
*/  
  
/*-----  
* APPLICATION ENVIRONMENT  
*-----  
*  
* You can load different configurations depending on your  
* current environment. Setting the environment also influences  
* things like logging and error reporting.  
*  
* This can be set to anything, but default usage is:  
*  
*     development  
*     testing  
*     production  
*  
* NOTE: If you change these, also change the error_reporting() code  
* below  
*/  
define('ENVIRONMENT', isset($_SERVER['CI_ENV']) ? $_SERVER['CI_E  
NV'] : 'development');  
  
/*-----  
* ERROR REPORTING  
*-----  
*  
* Different environments will require different levels of error rep  
orting.  
* By default development will show errors but testing and live will  
hide them.  
*/  
switch (ENVIRONMENT)  
{  
    case 'development':  
        error_reporting(-1);  
        ini_set('display_errors', 1);  
        break;  
  
    case 'testing':
```

```

case 'production':
    ini_set('display_errors', 0);
    if (version_compare(PHP_VERSION, '5.3', '>='))
    {
        error_reporting(E_ALL & ~E_NOTICE & ~E_DEPRECATED & ~E_STRICT & ~E_USER_NOTICE & ~E_USER_DEPRECATED);
    }
    else
    {
        error_reporting(E_ALL & ~E_NOTICE & ~E_STRICT & ~E_USER_NOTICE);
    }
    break;

default:
    header('HTTP/1.1 503 Service Unavailable.', TRUE, 503);
    echo 'The application environment is not set correctly.';
    exit(1); // EXIT_ERROR
}

/*
-----
* SYSTEM DIRECTORY NAME
-----
*
* This variable must contain the name of your "system" directory.
* Set the path if it is not in the same directory as this file.
*/
$system_path = 'system';

/*
-----
* APPLICATION DIRECTORY NAME
-----
*
* If you want this front controller to use a different "application"
*
* directory than the default one you can set its name here. The directory
* can also be renamed or relocated anywhere on your server. If you do,
* use an absolute (full) server path.
* For more info please see the user guide:
*
* https://codeigniter.com/user\_guide/general/managing\_apps.html
*
* NO TRAILING SLASH!

```

```

/*
    $application_folder = 'application';

/*
-----
* VIEW DIRECTORY NAME
*
*
* If you want to move the view directory out of the application
* directory, set the path to it here. The directory can be renamed
* and relocated anywhere on your server. If blank, it will default
* to the standard location inside your application directory.
* If you do move this, use an absolute (full) server path.
*
* NO TRAILING SLASH!
*/
$view_folder = '';

/*
-----
---*
* DEFAULT CONTROLLER
* -----
---*
* Normally you will set your default controller in the routes.php file.
* You can, however, force a custom routing by hard-coding a
* specific controller class/function here. For most applications, you
* WILL NOT set your routing here, but it's an option for those
* special instances where you might want to override the standard
* routing in a specific front controller that shares a common CI installation.
*
* IMPORTANT: If you set the routing here, NO OTHER controller will
* be
* callable. In essence, this preference limits your application to
* ONE
* specific controller. Leave the function name blank if you need
* to call functions dynamically via the URI.
*
* Un-comment the $routing array below to use this feature
*/
// The directory name, relative to the "controllers" directory.
Leave blank

```

```

    // if your controller is not in a sub-
    directory within the "controllers" one
    // $routing['directory'] = '';

    // The controller class file name. Example: mycontroller
    // $routing['controller'] = '';

    // The controller function you wish to be called.
    // $routing['function'] = '';

/*
 *
-- 
-- 
*   CUSTOM CONFIG VALUES
*   -----
-- 
*
*   The $assign_to_config array below will be passed dynamically to t
he
*   config class when initialized. This allows you to set custom conf
ig
*   items or override any default config values found in the config.p
hp file.
*   This can be handy as it permits you to share one application betw
een
*   multiple front controller files, with each file containing differ
ent
*   config values.
*
*   Un-comment the $assign_to_config array below to use this feature
*/
    // $assign_to_config['name_of_config_item'] = 'value of config i
tem';

// -----
-- 
// END OF USER CONFIGURABLE SETTINGS. DO NOT EDIT BELOW THIS LINE
// -----
-- 

/*
*   -----
*   Resolve the system path for increased reliability
*   -----

```

```

*/
// Set the current directory correctly for CLI requests
if (defined('STDIN'))
{
    chdir(dirname(__FILE__));
}

if (($_temp = realpath($system_path)) !== FALSE)
{
    $system_path = $_temp.DIRECTORY_SEPARATOR;
}
else
{
    // Ensure there's a trailing slash
    $system_path = strtr(
        rtrim($system_path, '/\\'),
        '/',
        DIRECTORY_SEPARATOR.DIRECTORY_SEPARATOR
    ).DIRECTORY_SEPARATOR;
}

// Is the system path correct?
if ( ! is_dir($system_path))
{
    header('HTTP/1.1 503 Service Unavailable.', TRUE, 503);
    echo 'Your system folder path does not appear to be set correctly. Please open the following file and correct this: '.pathinfo(__FILE__, PATHINFO_BASENAME);
    exit(3); // EXIT_CONFIG
}

/*
 * -----
-- 
* Now that we know the path, set the main path constants
* -----
-- 
*/
// The name of THIS file
define('SELF', pathinfo(__FILE__, PATHINFO_BASENAME));

// Path to the system directory
define('BASEPATH', $system_path);

// Path to the front controller (this file) directory
define('FCPATH', dirname(__FILE__).DIRECTORY_SEPARATOR);

```

```

// Name of the "system" directory
define('SYSDIR', basename(BASEPATH));

// The path to the "application" directory
if (is_dir($application_folder))
{
    if (($_temp = realpath($application_folder)) !== FALSE)
    {
        $application_folder = $_temp;
    }
    else
    {
        $application_folder = strstr(
            rtrim($application_folder, '/\\'),
            '/',
            DIRECTORY_SEPARATOR.DIRECTORY_SEPARATOR
        );
    }
}
elseif (is_dir(BASEPATH.$application_folder.DIRECTORY_SEPARATOR))
{
    $application_folder = BASEPATH.strrtr(
        trim($application_folder, '/\\'),
        '/',
        DIRECTORY_SEPARATOR.DIRECTORY_SEPARATOR
    );
}
else
{
    header('HTTP/1.1 503 Service Unavailable.', TRUE, 503);
    echo 'Your application folder path does not appear to be set
correctly. Please open the following file and correct this: '.SELF;
    exit(3); // EXIT_CONFIG
}

define('APPPATH', $application_folder.DIRECTORY_SEPARATOR);

// The path to the "views" directory
if ( ! isset($view_folder[0]) && is_dir(APPPATH.'views'.DIRECTOR
Y_SEPARATOR))
{
    $view_folder = APPPATH.'views';
}
elseif (is_dir($view_folder))
{

```

```

if (($_temp = realpath($view_folder)) !== FALSE)
{
    $view_folder = $_temp;
}
else
{
    $view_folder = strstr(
        rtrim($view_folder, '/\\'),
        '/',
        DIRECTORY_SEPARATOR.DIRECTORY_SEPARATOR
    );
}
elseif (is_dir(APPPATH.$view_folder.DIRECTORY_SEPARATOR))
{
    $view_folder = APPPATH.strstr(
        trim($view_folder, '/\\'),
        '/',
        DIRECTORY_SEPARATOR.DIRECTORY_SEPARATOR
    );
}
else
{
    header('HTTP/1.1 503 Service Unavailable.', TRUE, 503);
    echo 'Your view folder path does not appear to be set correctly. Please open the following file and correct this: '.SELF;
    exit(3); // EXIT_CONFIG
}

define('VIEWPATH', $view_folder.DIRECTORY_SEPARATOR);

/*
 * -----
---*
 * LOAD THE BOOTSTRAP FILE
 * -----
---*
 * And away we go...
 */
require_once BASEPATH.'core/CodeIgniter.php';

```

License By :

Package : CodeIgniter

Author : ElisLab Dev Team

- Copyright : Copyright (c) 2008 - 2014, EllisLab, Inc. (<https://ellislab.com/>)
- Copyright : Copyright (c) 2014 - 2019, British Columbia Institute of Technology (<https://bcit.ca/>)
- License : <https://opensource.org/licenses/MIT> MIT License
- Link : <https://codeigniter.com>