

LAMPIRAN

6.1.1 Distribusi Umur Responden berdasarkan JK

Frequencies

Notes

Output Created		16-Sep-2013 00:47:35
Comments		
Input	Data	F:\DATA PENTING\SKRIPSI\laki2.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	4423
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=b4k7thn /STATISTICS=STDDEV MINIMUM MAXIMUM MEAN MEDIAN MODE SUM /HISTOGRAM NORMAL /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.780
	Elapsed Time	00:00:00.826

Statistics

b4k7thn

N	Valid	4423
	Missing	0
Mean		9.42
Median		9.00
Mode		10
Std. Deviation		1.690
Minimum		7
Maximum		12
Sum		41680

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	7	792	17.9	17.9	17.9
	8	699	15.8	15.8	33.7
	9	793	17.9	17.9	51.6
	10	804	18.2	18.2	69.8
	11	653	14.8	14.8	84.6
	12	682	15.4	15.4	100.0
	Total	4423	100.0	100.0	

Frequencies

Notes

Output Created		16-Sep-2013 00:33:55
Comments		
Input	Data	F:\ \DATA PENTING\SKRIPSI\perempuan.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	4149
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=b4k7thn /STATISTICS=STDDEV MINIMUM MAXIMUM MEAN MEDIAN MODE SUM /HISTOGRAM NORMAL /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.812
	Elapsed Time	00:00:00.827

Statistics

N	Valid	4149
	Missing	0
Mean		9.37
Median		9.00
Mode		7
Std. Deviation		1.679
Minimum		7
Maximum		12
Sum		38874

b4k7thn

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	7	766	18.5	18.5	18.5
	8	682	16.4	16.4	34.9
	9	752	18.1	18.1	53.0
	10	737	17.8	17.8	70.8
	11	626	15.1	15.1	85.9
	12	586	14.1	14.1	100.0
	Total	4149	100.0	100.0	

2. Distribusi Responden berdasarkan tingkat Pendapatan

Frequencies

		Notes
Output Created		16-Sep-2013 01:10:23
Comments		
Input	Data	F:\DATA PENTING\SKRIPSI\cut prov.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	8572
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=quintil /STATISTICS=STDDEV MINIMUM MAXIMUM MEAN MEDIAN MODE SUM /BARChart FREQ /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.921
	Elapsed Time	00:00:00.609

Statistics

tingkat pendapatan

N	Valid	8572
	Missing	0
Mean		2.59
Median		2.00
Mode		1
Std. Deviation		1.386
Minimum		1
Maximum		5
Sum		22243

tingkat pendapatan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	sangat rendah	2545	29.7	29.7	29.7
	rendah	1931	22.5	22.5	52.2
	menengah	1649	19.2	19.2	71.5
	tinggi	1346	15.7	15.7	87.2
	sangat tinggi	1101	12.8	12.8	100.0
	Total	8572	100.0	100.0	