

Daftar pustaka

- Abdurrasyid. 2013. Sindrom Nyeri Patellofemoral Patellofemoral Pain Syndrome (Pfps). Jakarta. Akses: 20 oktober 2019.
- Ballinger, Philip W. 2007. *Merril's Atlas of Radiographic Positioning and Procedure*, ninth edition. Mosby year Book, Inc New York.
- Boling, M., Padua, D., Marshall, S., Guskiewicz, K., Pyne, S., & Beutler, A. (2010). Gender differences in the incidence and prevalence of patellofemoral pain syndrome. *Scandinavian journal of medicine & science in sports*, 20(5), 725-730. Available onlinelibrary. DOI: <https://doi.org/10.1111/j.1600-0838.2009.00996.x>
- Crosley, M.Kay, et.al (2016). Patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester. Part 1: Terminology, definitions, clinical examination, natural history, patellofemoral osteoarthritis and patient-reported outcome measures, *Journal of Br J Sports Med*, 1-5. Available bjsm.bmj. DOI : <http://dx.doi.org/10.1136/bjsports-2016-09638.4>
- Crossley KM. (2018). The patellofemoral pain and osteoarthritis subscale of the *KOOS* (KOOS-PF): development and validation using the COSMIN checklist. *Br J Sports Med*. 52(17) : 1130-1136. Available bjsm.bmj. DOI : [10.1136/bjsports-2016-096776](https://doi.org/10.1136/bjsports-2016-096776)
- Crossley, K. M., Callaghan, M. J., & van Linschoten, R. (2015). Patellofemoral pain. *bmj*, 351, h3939. Available www.bmj.com. DOI : <https://doi.org/10.1136/bmj.h3939>
- Crossley, K. M., van Middelkoop, M., Callaghan, M. J., Collins, N. J., Rathleff, M. S., & Barton, C. J. (2016). 2016 Patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester. Part 2: recommended physical interventions (exercise, taping, bracing, foot orthoses and combined

- interventions). *Br J Sports Med*, 50(14), 844-852. Available pubmed.ncbi. DOI : [10.1136/bjsports-2016-096268](https://doi.org/10.1136/bjsports-2016-096268)
- Derouin A, (2006). Muscle Contributions to Knee Joint Stability: Effects of ACL Injury and Knee Brace Use. Canada: university of Windsor. Available : uwindsor.ca. DOI : <https://scholar.uwindsor.ca/etd/6943>
- Dixit, S., Difiori, J. P., Burton, M., & Mines, B. (2007). Management of patellofemoral pain syndrome. *American family physician*, 75(2), 194-202. pubmed.ncbi. DOI: 1726321
- Djarwanto, PS. 1994, Pokok – Pokok Analisa Laporan Keuangan. BPFE, Cetakan I, Yogyakarta. Akses: 11 november 2019.
- Dolak, K. L., Silkman, C., McKeon, J. M., Hosey, R. G., Lattermann, C., & Uhl, T. L. (2011). Hip strengthening prior to functional exercises reduces pain sooner than quadriceps strengthening in females with patellofemoral pain syndrome: a randomized clinical trial. *journal of orthopaedic & sports physical therapy*, 41(8). Available jospt. DOI : <https://www.jospt.org/doi/10.2519/jospt.2011.3499>
- Foran Bill. 2001. HINGH-PERFORMANCE SPORTS CONDITIONING. Human Kinestetik Publisher. ISBN 0-7360- 0163-8 (BUKU) Akses: 23 oktober 2019
- Gerrard, B. A. R. R. Y. (1989). The patello-femoral pain syndrome: a clinical trial of the McConnell programme. *Aust J Physiother*, 35(2), 71-80. Available sciencedirect.com. Akses: 25 oktober 2019. DOI : [https://doi.org/10.1016/S0004-9514\(14\)60497-9](https://doi.org/10.1016/S0004-9514(14)60497-9)
- Gerwin, RD. 2010. Myofascial Pain Syndrome. Muscle Pain: Diagnosis and Treatment. Springer. Verlag Berlin Heidelberg. Available www.springer.com. Akses: 27 oktober 2019.
- Gribble, P. A., Hertel, J., & Plisky, P. (2012). Using the Star Excursion Balance Test to assess dynamic postural-control deficits and outcomes in lower extremity injury: a literature and systematic review. *Journal of*

- athletic training*, 47(3), 339-357. Available pubmed.ncbi. DOI : [10.4085/1062-6050-47.3.08](https://doi.org/10.4085/1062-6050-47.3.08)
- Gribble, P. A., Kelly, S. E., Refshauge, K. M., & Hiller, C. E. (2013). Interrater reliability of the star excursion balance test. *Journal of athletic training*, 48(5), 621-626. Available pubmed.ncbi. DOI : [10.4085/1062-6050-48.3.03](https://doi.org/10.4085/1062-6050-48.3.03)
- Heintjes, E, Berger, M.Y. Bierma-Zeinstra, S.M. Bernsen, R.M. Verhaar, J.A, Koes, B.W. (2003). Exercise therapy for patellofemoral pain syndrome. Netherlands. Cochrane Database Syst Rev. (4):CD003472. Available cochranelibrary. DOI : <https://doi.org/10.1002/14651858.CD003472>
- Hertel, J., Miller, S. J., & Denegar, C. R. (2000). Intratester and intertester reliability during the Star Excursion Balance Tests. *Journal of sport rehabilitation*, 9(2), 104-116. pubmed.ncbi. DOI : [10.4085/1062-6050-48.3.03](https://doi.org/10.4085/1062-6050-48.3.03)
- Hott, A., Brox, J. I., Pripp, A. H., Juel, N. G., Paulsen, G., & Liavaag, S. (2019). Effectiveness of isolated hip exercise, knee exercise, or free physical activity for patellofemoral pain: a randomized controlled trial. *The American journal of sports medicine*, 47(6), 1312-1322. journals.sagepub. DOI : <https://doi.org/10.1177/0363546519830644>
- Jensen, R. et al (2008). Is pain in patellofemoral pain syndrome neuropathic? *Clin J Pain* _ Volume 24(5). Available pubmed.ncbi. DOI : [10.1097/AJP.0b013e3181658170](https://doi.org/10.1097/AJP.0b013e3181658170)
- Jönhagen, S., Ackermann, P., & Saartok, T. (2009). Forward lunge: a training study of eccentric exercises of the lower limbs. *The Journal of Strength & Conditioning Research*, 23(3), 972-978. Available pubmed.ncbi. DOI : [10.1519/JSC.0b013e3181a00d98](https://doi.org/10.1519/JSC.0b013e3181a00d98)
- Kisner, C dan Colby L. A. 2007. *Therapeutic Exercise: Foundations and Techniques*. 5th Ed. Philadelphia: F. A. Davis Company. PP: 2. Akses: 13 november 2019.

- Kisner, C. dan Colby, LA. 2012. *Therapeutic Exercise Foundations and Techniques Sixth Edition*. Philadelphia: F. A. Davis Company. Akses: 15 november 2019.
- Lankhorst, N.E. Zeinstra, Sita M.A.B. Van Middelkoop, M. (2013). Factor associated with patellofemoral pain syndrome: a systematic review. Netherland. *British Journal of Sport Medicine*. 47:193-206. Available [bjsm.bmj](http://dx.doi.org/10.1136/bjsports-2011-090369). DOI : <http://dx.doi.org/10.1136/bjsports-2011-090369>
- Lankhorst, Nienke E., Sita MA Bierma-Zeinstra, and Marienke van Middelkoop (2012). "Risk factors for patellofemoral pain syndrome: a systematic review." *journal of orthopaedic & sports physical therapy* 42.2 Available JOSPT. DOI : <https://www.jospt.org/doi/10.2519/jospt.2012.3803>
- Lim, Y. T., Park, J. S., Lee, J. W., & Kwon, M. S. (2017). Effects of targeted knee flexion angle on the biomechanical factors of upward and downward phases during forward lunge. *Korean Journal of Sport Biomechanics*, 27(2), 125-132. Available [pubmed.ncbi](http://pubmed.ncbi.nlm.nih.gov/). DOI : <http://dx.doi.org/10.5103/KJSB.2017.27.2.125>
- Meira, E. P., & Brumitt, J. (2011). Influence of the hip on patients with patellofemoral pain syndrome: a systematic review. *Sports health*, 3(5), 455-465. Available [pubmed.ncbi](http://pubmed.ncbi.nlm.nih.gov/). DOI : <https://doi.org/10.1177/1941738111415006>
- Munro, A. G., & Herrington, L. C. (2010). Between-session reliability of the star excursion balance test. *Physical Therapy in Sport*, 11(4), 128-132. [pubmed.ncbi](http://pubmed.ncbi.nlm.nih.gov/). DOI : [10.1016/j.ptsp.2010.07.002](https://doi.org/10.1016/j.ptsp.2010.07.002)
- Näslund, J., Näslund, U. B., Odenbring, S., & Lundeberg, T. (2006). Comparison of symptoms and clinical findings in subgroups of individuals with patellofemoral pain. *Physiotherapy theory and practice*, 22(3), Available tandfonline. DOI : <https://doi.org/10.1080/09593980600724246>

- Pearce, E. C. (2014). *Anatomi dan Fisiologi Untuk Paramedis*. Jakarta: Gramedia Pustaka Utama. Akses: 1 april 2020
- Plisky, P. J., Rauh, M. J., Kaminski, T. W., & Underwood, F. B. (2006). Star Excursion Balance Test as a predictor of lower extremity injury in high school basketball players. *Journal of orthopaedic & sports physical therapy*, 36(12), 911-919. Available pubmed.ncbi. DOI : <https://www.jospt.org/doi/10.2519/jospt.2006.2244>
- Prins, M. R., & Van der Wurff, P. (2009). Females with patellofemoral pain syndrome have weak hip muscles: a systematic review. *Australian journal of physiotherapy*, 55(1). Available pubmed.ncbi. DOI : [10.1016/s0004-9514\(09\)70055-8](https://doi.org/10.1016/s0004-9514(09)70055-8)
- Putz, R, dan Pabst, R, 2002; Atlas Anatomi Manusia; Sobotta Anatomi, Edisi XXI, Buku Kedokteran ECG, Jakarta. Akses 23 desember 2019.
- Reiman, M. P., Bolgla, L. A., & Loudon, J. K. (2012). A literature review of studies evaluating gluteus maximus and gluteus medius activation during rehabilitation exercises. *Physiotherapy theory and practice*, 28(4), 257-268. Available pubmed.ncbi. DOI : <https://doi.org/10.3109/09593985.2011.604981>
- Roesdiyanto & Budiwanto. 2008. *Dasar-dasar Kepelatihan Olahraga*. Malang: Laboratorium Ilmu Keolahragaan Universitas Malang. Akses: 22 desember 2019.
- Sharma P, Maffulli N. 2005. Tendon Injury and Tendinopathy: Healing and Repair. *Journal of Bone and Joint Surgery*. American. Available journals. DOI : 10.2106/JBJS.D.01850
- Shaffer, S. W., Teyhen, D. S., Lorenson, C. L., Warren, R. L., Koreerat, C. M., Straseske, C. A., & Childs, J. D. (2013). Y-balance test: a reliability study involving multiple raters. *Military medicine*, 178(11), 1264-1270. Available pubmed.ncbi. DOI : <https://doi.org/10.7205/MILMED-D-13-00222>

- Smith, B. E., Selfe, J., Thacker, D., Hendrick, P., Bateman, M., Moffatt, F., & Logan, P. (2018). Incidence and prevalence of patellofemoral pain: a systematic review and meta-analysis. *PloS one*, *13*(1). Available pubmed.ncbi. DOI: <https://doi.org/10.1371/journal.pone.0190892>
- Sophia Fox AJ, Bedi A, Rodeo SA. The basic science of articular cartilage: structure, composition, and function. *Sports health*. 2009 :1(6). Available journals.sagepub.com. DOI : <https://doi.org/10.1177/1941738109350438>
- Syaifuddin (2013) *Anatomi Fisiologi Keperawatan*, Edisi 2, Buku Kedokteran EGC. Akses 23 desember 2019.
- Taunton, J. E., Ryan, M. B., Clement, D. B., McKenzie, D. C., Lloyd-Smith, D. R., & Zumbo, B. D. (2002). A retrospective case-control analysis of 2002 running injuries. *British journal of sports medicine*, *36*(2). Available bjsm.bmj. DOI : <http://dx.doi.org/10.1136/bjsm.36.2.95>
- Waryasz. G.R, McDermott, A.Y. 2008. Patellofemoral pain syndrome (PFPS): a systematic review of anatomy and potentials risk factors. USA. *Dynamic Medicine*. Akses: 20 desember 2019.
- Wilson, T. (2007). The measurement of patellar alignment in patellofemoral pain syndrome: are we confusing assumptions with evidence?. *journal of orthopaedic & sports physical therapy*, *37*(6), 330-341. Available www.jospt.org. DOI: <https://www.jospt.org/doi/10.2519/jospt.2007.2281>
- World Confederation for Physical Therapy, Updated: Wed 19 Feb 2020. Available <https://www.wcpt.org/wpt03>.