

Lampiran 1 :

Hasil Uji SPSS

Hasil Analisis Univariat

Pre-eklampsia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	22	50.0	50.0	50.0
	Tidak	22	50.0	50.0	100.0
	Total	44	100.0	100.0	

Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Berisiko (<20/>35 th)	11	25.0	25.0	25.0
	Tidak Berisiko (20-30)	33	75.0	75.0	100.0
	Total	44	100.0	100.0	

Tingkat Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Berisiko (\leq SMP)	4	9.1	9.1	9.1
	Tidak Berisiko (\geq SMA)	40	90.9	90.9	100.0
	Total	44	100.0	100.0	

Paritas

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Berisiko (<2/ \geq 4)	38	86.4	86.4	86.4
	Tidak Berisiko (2-3)	6	13.6	13.6	100.0
	Total	44	100.0	100.0	

Status Gizi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Obesitas (IMT >25)	32	72.7	72.7	72.7
	Normal (IMT ≤25)	12	27.3	27.3	100.0
	Total	44	100.0	100.0	

Riwayat Hiepertensi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	19	43.2	43.2	43.2
	Tidak	25	56.8	56.8	100.0
	Total	44	100.0	100.0	

Kepatuhan ANC

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Patuh (<4x kunjungan)	6	13.6	13.6	13.6
	Patuh (≥4x kunjungan)	38	86.4	86.4	100.0
	Total	44	100.0	100.0	

Hasil Analisis Biavariat

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Usia * Pre-eklampsia	44	100.0%	0	0.0%	44	100.0%
Tingkat Pendidikan * Pre-eklampsia	44	100.0%	0	0.0%	44	100.0%
Paritas * Pre-eklampsia	44	100.0%	0	0.0%	44	100.0%
Status Gizi * Pre-eklampsia	44	100.0%	0	0.0%	44	100.0%
Riwayat Hiepertensi * Pre-eklampsia	44	100.0%	0	0.0%	44	100.0%
Kepatuhan ANC * Pre-eklampsia	44	100.0%	0	0.0%	44	100.0%

Usia * Pre-eklampsia

Crosstab

			Pre-eklampsia		Total
			Ya	Tidak	
Usia	Berisiko (<20/>35 th)	Count	5	6	11
		Expected Count	5.5	5.5	11.0
		% within Usia	45.5%	54.5%	100.0%
		% within Pre-eklampsia	22.7%	27.3%	25.0%
		% of Total	11.4%	13.6%	25.0%
Tidak Berisiko (20-30)		Count	17	16	33
		Expected Count	16.5	16.5	33.0
		% within Usia	51.5%	48.5%	100.0%
		% within Pre-eklampsia	77.3%	72.7%	75.0%
		% of Total	38.6%	36.4%	75.0%
Total		Count	22	22	44
		Expected Count	22.0	22.0	44.0
		% within Usia	50.0%	50.0%	100.0%
		% within Pre-eklampsia	100.0%	100.0%	100.0%
		% of Total	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.121 ^a	1	.728		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.121	1	.728		
Fisher's Exact Test				1.000	.500
Linear-by-Linear Association	.118	1	.731		
N of Valid Cases	44				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (Berisiko (<20/>35 th) / Tidak Berisiko (20-30))	.784	.199	3.084
For cohort Pre-eclampsia = Ya	.882	.426	1.826

For cohort Pre-eklampsia =	1.125	.591	2.142
Tidak			
N of Valid Cases	44		

Tingkat Pendidikan * Pre-eklampsia

Crosstab

			Pre-eklampsia		Total
			Ya	Tidak	
Tingkat Pendidikan	Berisiko (\leq SMP)	Count	2	2	4
		Expected Count	2.0	2.0	4.0
		% within Tingkat Pendidikan	50.0%	50.0%	100.0%
		% within Pre-eklampsia	9.1%	9.1%	9.1%
		% of Total	4.5%	4.5%	9.1%
Tingkat Pendidikan	Tidak Berisiko (\geq SMA)	Count	20	20	40
		Expected Count	20.0	20.0	40.0
		% within Tingkat Pendidikan	50.0%	50.0%	100.0%
		% within Pre-eklampsia	90.9%	90.9%	90.9%
		% of Total	45.5%	45.5%	90.9%
Total		Count	22	22	44
		Expected Count	22.0	22.0	44.0
		% within Tingkat Pendidikan	50.0%	50.0%	100.0%

% within Pre-eclampsia	100.0%	100.0%	100.0%
% of Total	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.000 ^a	1	1.000		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.000	1	1.000		
Fisher's Exact Test				1.000	.697
Linear-by-Linear Association	.000	1	1.000		
N of Valid Cases	44				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 2.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Tingkat Pendidikan (Berisiko (\leq SMP) / Tidak Berisiko (\geq SMA))	1.000	.128	7.812
For cohort Pre-eclampsia = Ya	1.000	.358	2.795
For cohort Pre-eclampsia = Tidak	1.000	.358	2.795
N of Valid Cases	44		

Paritas * Pre-eklampsia

Crosstab

			Pre-eklampsia		Total
			Ya	Tidak	
Paritas	Berisiko (<2/≥4)	Count	21	17	38
		Expected Count	19.0	19.0	38.0
		% within Paritas	55.3%	44.7%	100.0%
		% within Pre-eklampsia	95.5%	77.3%	86.4%
		% of Total	47.7%	38.6%	86.4%
Tidak Berisiko (2-3)		Count	1	5	6
		Expected Count	3.0	3.0	6.0
		% within Paritas	16.7%	83.3%	100.0%
		% within Pre-eklampsia	4.5%	22.7%	13.6%
		% of Total	2.3%	11.4%	13.6%
Total		Count	22	22	44
		Expected Count	22.0	22.0	44.0
		% within Paritas	50.0%	50.0%	100.0%
		% within Pre-eklampsia	100.0%	100.0%	100.0%
		% of Total	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.088 ^a	1	.079		
Continuity Correction ^b	1.737	1	.188		
Likelihood Ratio	3.333	1	.068		
Fisher's Exact Test				.185	.093
Linear-by-Linear Association	3.018	1	.082		
N of Valid Cases	44				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 3.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Paritas (Berisiko (<2/≥4) / Tidak Berisiko (2-3))	6.176	.657	58.031

For cohort Pre-eklampsia = Ya	3.316	.542	20.300
For cohort Pre-eklampsia = Tidak	.537	.325	.888
N of Valid Cases	44		

Status Gizi * Pre-eklampsia

Crosstab

		Pre-eklampsia		Total	
		Ya	Tidak		
Status Gizi	Obesitas (IMT >25)	Count	20	12	32

	Expected Count	16.0	16.0	32.0
	% within Status Gizi	62.5%	37.5%	100.0%
	% within Pre-eclampsia	90.9%	54.5%	72.7%
	% of Total	45.5%	27.3%	72.7%
Normal (IMT \leq 25)	Count	2	10	12
	Expected Count	6.0	6.0	12.0
	% within Status Gizi	16.7%	83.3%	100.0%
	% within Pre-eclampsia	9.1%	45.5%	27.3%
	% of Total	4.5%	22.7%	27.3%
Total	Count	22	22	44
	Expected Count	22.0	22.0	44.0
	% within Status Gizi	50.0%	50.0%	100.0%
	% within Pre-eclampsia	100.0%	100.0%	100.0%
	% of Total	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7.333 ^a	1	.007		
Continuity Correction ^b	5.615	1	.018		
Likelihood Ratio	7.843	1	.005		

Fisher's Exact Test				.016	.008
Linear-by-Linear Association	7.167	1	.007		
N of Valid Cases	44				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Status Gizi (Obesitas (IMT >25) / Normal (IMT ≤25))	8.333	1.556	44.642
For cohort Pre-eklampsia = Ya	3.750	1.029	13.668
For cohort Pre-eklampsia = Tidak	.450	.269	.752
N of Valid Cases	44		

Riwayat Hiepertensi * Pre-eklampsia

Crosstab

	Pre-eklampsia		Total
	Ya	Tidak	

Riwayat Hiepertensi	Ya	Count	16	3	19
		Expected Count	9.5	9.5	19.0
		% within Riwayat Hiepertensi	84.2%	15.8%	100.0%
		% within Pre-eklampsia	72.7%	13.6%	43.2%
		% of Total	36.4%	6.8%	43.2%
Tidak	Tidak	Count	6	19	25
		Expected Count	12.5	12.5	25.0
		% within Riwayat Hiepertensi	24.0%	76.0%	100.0%
		% within Pre-eklampsia	27.3%	86.4%	56.8%
		% of Total	13.6%	43.2%	56.8%
Total		Count	22	22	44
		Expected Count	22.0	22.0	44.0
		% within Riwayat Hiepertensi	50.0%	50.0%	100.0%
		% within Pre-eklampsia	100.0%	100.0%	100.0%
		% of Total	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	15.655 ^a	1	.000		
Continuity Correction ^b	13.339	1	.000		
Likelihood Ratio	16.869	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	15.299	1	.000		
N of Valid Cases	44				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Riwayat Hiepertensi (Ya / Tidak)	16.889	3.631	78.560

For cohort Pre-eklampsia = Ya	3.509	1.701	7.239
For cohort Pre-eklampsia = Tidak	.208	.072	.601
N of Valid Cases	44		

Kepatuhan ANC * Pre-eklampsia

Crosstab

	Pre-eklampsia	Total
--	---------------	-------

			Ya	Tidak	
Kepatuhan ANC	Tidak Patuh (<4x kunjungan)	Count	4	2	6
		Expected Count	3.0	3.0	6.0
		% within Kepatuhan ANC	66.7%	33.3%	100.0%
		% within Pre-eklampsia	18.2%	9.1%	13.6%
		% of Total	9.1%	4.5%	13.6%
Patuh (\geq 4x kunjungan)		Count	18	20	38
		Expected Count	19.0	19.0	38.0
		% within Kepatuhan ANC	47.4%	52.6%	100.0%
		% within Pre-eklampsia	81.8%	90.9%	86.4%
		% of Total	40.9%	45.5%	86.4%
Total		Count	22	22	44
		Expected Count	22.0	22.0	44.0
		% within Kepatuhan ANC	50.0%	50.0%	100.0%
		% within Pre-eklampsia	100.0%	100.0%	100.0%
		% of Total	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.772 ^a	1	.380		

Continuity Correction ^b	.193	1	.660		
Likelihood Ratio	.785	1	.376		
Fisher's Exact Test				.664	.332
Linear-by-Linear Association	.754	1	.385		
N of Valid Cases	44				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 3.00.

b. Computed only for a 2x2 table

Risk Estimate

		95% Confidence Interval	
Value		Lower	Upper

Odds Ratio for Kepatuhan ANC (Tidak Patuh (<4x kunjungan) / Patuh (≥4x kunjungan))	2.222	.363	13.618
For cohort Pre-eklampsia = Ya	1.407	.729	2.717
For cohort Pre-eklampsia = Tidak	.633	.196	2.043
N of Valid Cases	44		

Usia * Riwayat Hiepertensi Crosstabulation

	Riwayat Hiepertensi		Total
	Ya	Tidak	

Usia	Berisiko (<20/>35 th)	Count	6	5	11
		% within Usia	54.5%	45.5%	100.0%
		% within Riwayat Hiepertensi	31.6%	20.0%	25.0%
Tidak Berisiko (20-30)		Count	13	20	33
		% within Usia	39.4%	60.6%	100.0%
		% within Riwayat Hiepertensi	68.4%	80.0%	75.0%
Total		Count	19	25	44
		% within Usia	43.2%	56.8%	100.0%
		% within Riwayat Hiepertensi	100.0%	100.0%	100.0%

Frequency Table

Paritas

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kehamilan Pertama	13	59.1	59.1	59.1
Kehamilan kedua	6	27.3	27.3	86.4
Kehamilan Ketiga	1	4.5	4.5	90.9
Kehamilan Keempat atau Lebih	2	9.1	9.1	100.0
Total	22	100.0	100.0	