

DAFTAR PUSTAKA

- Abdat AU (2010). Hubungan antara paritas ibu dengan kejadian plasenta previa di rumah sakit dr. Moewardi surakarta. Surakarta, Jawa Tengah, Universitas Sebelas Maret. Skripsi.
- Ali S, Shah O, Wani N, Shah M, Ahmed L, Mallik S. 2010. *Role of Total Leukocyte count, Neutrophil Percentage, C - reactive protein and Ultrasonography in diagnosis of acute appendicitis*. The Internet Journal of Surgery. 23 (2). ISSN: 1528-8242.
- Ambarwati, Wulandari. 2008. Asuhan Kebidanan Nifas Yogyakarta : Nuha Medika.
- Athanasiadis PK, Afors K, Dornan SM (2012). *Antepartum hemorrhage. Obstetrics Gynaecology and Reproductive Medicine*, 22(1): 21-5.
- Cantwell R, Clutton-Brock T, Cooper G et al. Saving Mothers' Lives: reviewing maternal deaths to make motherhood safer: 2006-2008. The Eighth Report of the Confidential Enquiries into Maternal Deaths in the United Kingdom. BJOG. 2011;118 01:1–203. [PubMed]
- Chalik TMA (2013). *Perdarahan pada kehamilan lanjut dan persalinan*. Dalam: Saifuddin AB, Rachimhadhi T, Wiknjosastro GH (eds). Ilmu kebidanan sarwono prawirohardjo. Edisi ke 4. Jakarta: PT Bina Pustaka Prawirohardjo, pp: 493-503. Chiu TL, Sadler L,
- Chiu TL, Sadler L, Wise MR (2013). *Placenta praevia after prior caesarean section: An exploratory case-control study*. Australia and New Zealand Journal Obstetric Gynaecologic, 53(5): 455-458.
- Cresswell JA, Ronsmans C, Calvert C, Filippi V (2013). *Prevalence of placenta previa by world region: a systematic review and meta-analysis*. Tropical Medicine and International Health. 18(6): 712-24.
- Deshpande H, Chaudhari S, Tomar S (2011). *Placenta previa*. Dalam: Deshpande H. London: Jaypee Brothers Medical Publishers, pp: 146-154.
- Dorland WAN (2012). *Kamus kedokteran dorland*. Edisi ke 31. Jakarta: EGC.
- Downes KL, Hinkle SN, Sjaarda LA, Albert PS, Grandtz KL (2015). *Previous prelabor or intrapartum cesarean delivery and risk of placenta previa*. American Journal of Obstetrics and Gynecology, 212(5): 669
- Francois KE, Foley AM (2012). Antepartum and postpartum hemorrhage. Dalam: Gabbe SG, Galan HL, Simpson JL, Landon MB (eds). *Obstetric: Normal and problem pregnancies*. London: Elsevier, pp: 421-425.

Giordano R, Cacciatore A, Cignini P, Vigna R, Romano M (2010). *Antepartum haemorrhage*. *Journal of Prenatal Medicine* 4(1): 12-16.

Gyamfi-Bannerman C, Gilbert S, Landon MB, Spong CY, Rouse DJ, Varner MW, Caritis SN et al. (2014). *Risk of uterine rupture and placenta accreta with prior uterine surgery outside of the lower segment*. *Obstet Gynecol*, 120(6): 1332-1337

Gurol-Urganci I, Cromwell DA, Edozien LC, Smith GC, Onwere C, Mahmood TA, Templeton A, et al (2011). *Risk of placenta previa in second birth after first birth caesarean section: A population-based study and meta-analysis*.

BMC Pregnancy Childbirth. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3247856/pdf/1471-2393- 11-95.pdf> - Diakses Februari 2016.

Hartono F, Wahyudi T, Tedjoyuwono (2013). *Faktor resiko kejadian plasenta previa pada ibu hamil di RSU dr. Seodarso Pontianak tahun 2009-2011*. Jurnal Mahasiswa PSPD FK Universitas Tanjungpura. <http://jurnal.untan.ac.id/index.php/jfk/article/viewFile/2910/2850> - Diakses Februari 2016.

Hull AD, Resnik R (2014). Placenta previa, placenta accreta, abruptio placenta, and vasa previa. Dalam: Creasy RK, Resnik R, Iamn JD, Lockwood CJ, Moore TR, Greene TR (eds). *Creasy and resnik's maternal-fetal medicine: Principles an practices*. Edisi ke 7. China: Elsevier, pp: 732-734.

Institute of Obstetricians and Gynaecologists, Royal College of Physicians of Ireland and Directorate of Clinical Strategy and Programmes, Health Service Executive. Clinical Practice Guideline: The Irish Maternity Early Warning System (IMEWS) <https://www.hse.ie/eng/services/publications/clinical-strategy-andprogrammes/imews-guidelines.pdf>

Johnson LG, Mueller BA, Daling JR (2003). *The relationship of placenta previa and history of induced abortion*. *Int J Gynaecol Obstet.*, (81)2: 191-8.

Joy, S. (2012). Caesarean Delivery. Diakses dari: <http://emedicine.medscape.com/article/263424-overview#a1>. Diakses pada: 1 Desember 2019.

Kemenkes RI (2013). Riset kesehatan dasar.

www.depkes.go.id/resources/download/general/Hasil%20Riskestdas%202013.pdf – diakses Desember 2018

Majeed T, Waheed F, Mahmood Z, Saba K, Mahmood H, Bukhari MH (2015). *Frequency of placenta previa in previously scarred and non scarred uterus*. *Pak J Med Sci*, 31(2): 360-363.

Manuaba, I.B.G., I.A. Chandranita Manuaba, dan I.B.G. Fajar Manuaba. *Pengantar Kuliah Obstetri*. Jakarta: Buku Kedokteran EGC, 2014

Mufdlilah, 2009. *Panduan Asuhan Kebidanan Ibu Hamil*. Yogyakarta:EGC.

Oyelese Y (2011). Third trimester bleeding. Dalam: Queenan JT, Spong CY, Lockwood CJ (eds). Queenan's management of high risk pregnancy: An evidence-based approach. Edisi ke 5. Singapore: Wiley-Blackwell, pp: 478- 484.

Potter & Perry. (2010). *Buku Ajar Fundamental Keperawatan Konsep, Proses, dan Praktik*. Edisi 4 volume 1.EGC. Jakarta

Prawirohardjo, Sarwono (2005). *Ilmu kebidanan*. Jakarta : Yayasan Bina Pustaka.

Sekiguchi A, Nakai A, Kawabata I, Hayashi M, Takeshita T (2013). *Type and location of placenta previa affect preterm delivery risk related to antepartum hemorrhage*. International Journal of Medical Science, 10(12): 1683-88.

Trianingsih I, Mardhiyah D, Duarsa ABS (2015). *Faktor-faktor yang berpengaruh pada timbulnya kejadian plasenta previa*. Jurnal Kedokteran Yarsi, 23(3): 103-113.