

DAFTAR ISI

HALAMAN PERNYATAAN KEASLIAN	i
HALAMAN PENGESAHAN TUGAS AKHIR.....	ii
HALAMAN PERSETUJUAN PUBLIKASI KARYA ILMIAH	iii
KATA PENGANTAR	iv
ABSTRAK	vi
DAFTAR ISI.....	viii
DAFTAR TABEL.....	xii
BAB I.....	1
PENDAHULUAN	1
1.1 Latar Belakang	1
1.2 Identifikasi Masalah	4
1.3 Manfaat Tugas Akhir.....	4
1.4 Tujuan Tugas Akhir.....	4
1.5 Lingkup Tugas Akhir	5
1.6 Kerangka Berpikir	5
1.6.1 Pengumpulan Data	6
1.6.2 <i>Domain Driven Design</i>	7
1.6.3 <i>Extreme Programming</i>	7
1.6.4 Implementasi.....	8
1.7 Sistematika Penulisan Tugas Akhir.....	8
BAB II.....	10
LANDASAN TEORI.....	10
2.1 Penelitian Terdahulu.....	10
2.2 Teori Umum	14
2.2.1 <i>Microservices Architecture</i>	14
2.2.2 <i>API Gateway</i>	21
2.2.3 <i>REST API</i>	22
2.2.4 <i>DevOps</i>	25
2.2.5 <i>Domain Driven Design</i>	28
2.2.6 <i>Unified Modeling Language (UML)</i>	30
2.2.7 <i>Extreme Programming</i>	36
2.2.8 <i>Software Testing</i>	37

2.3	Komputasi Awan.....	38
2.3.1	<i>Cloud SQL (Google Cloud Platform)</i>	38
2.3.2	<i>Kubernetes Engine (Google Cloud Platform)</i>	38
2.3.3	<i>Simple Email Service (Amazon Web Service)</i>	38
2.4	Teknologi Pengembangan	39
2.4.1	<i>Docker</i>	39
2.4.2	<i>Kubernetes</i>	40
2.4.3	<i>Typescript</i>	43
2.4.4	<i>MySQL</i>	43
2.4.5	<i>Nest.js</i>	44
2.4.6	<i>React.js</i>	44
BAB III	46
METODOLOGI PENELITIAN	46
3.1	Rencana Penelitian	46
3.2	Objek Penelitian	47
3.3	Analisis Kebutuhan	47
3.3.1	Kebutuhan Fungsional	47
3.3.2	Kebutuhan Non-fungsional	47
3.4	<i>Domain Driven Design</i>	48
3.4.1	Identifikasi dan Analisa Kebutuhan	48
3.4.2	<i>Bounded Context</i>	54
3.4.3	<i>Microservices</i>	54
3.5	Jadwal Penelitian	56
BAB IV	57
HASIL DAN PEMBAHASAN	57
4.1	Perancangan Sistem Aplikasi	57
4.1.1	<i>Use Case Diagram</i>	57
4.1.2	<i>Activity Diagram</i>	61
4.1.3	<i>Class Diagram</i>	62
4.2	<i>Flowchart Backend Process</i>	66
4.2.1	<i>Generate Job Email Kampanye</i>	66
4.2.2	<i>Worker Pengirim Email</i>	67
4.3	Implementasi <i>Microservices Architecture</i>	67

4.3.1	<i>API Gateway</i>	68
4.3.2	<i>Account Service</i>	69
4.3.3	<i>Audience Service</i>	70
4.3.4	<i>Campaign Service</i>	71
4.3.5	<i>Mailer Service</i>	74
4.3.6	<i>Public Service</i>	75
4.4	Implementasi <i>Docker Container</i>	77
4.4.1	<i>Dockerfile Nest.js</i>	77
4.4.2	<i>Dockerfile React.js</i>	77
4.5	Implementasi <i>CI/CD</i>	78
4.5.1	<i>Workflow Nest.js</i>	78
4.5.2	<i>Workflow React.js</i>	81
4.6	Implementasi <i>Kubernetes Orchestration</i>	84
4.6.1	Arsitektur <i>Kubernetes</i>	84
4.6.2	Konfigurasi <i>Kubernetes</i>	84
4.7	<i>User Interface</i>	106
4.7.1	<i>Sitemap</i>	106
4.7.2	<i>Wireframe</i>	107
4.8	Implementasi <i>User Interface</i>	119
4.8.1	<i>Guest</i>	119
4.8.2	<i>Auth</i>	121
4.9	<i>Integration Test</i>	130
4.9.1	<i>API Gateway ke Account Service</i>	131
4.9.2	<i>API Gateway ke Audience Service</i>	132
4.9.3	<i>API Gateway ke Campaign Service</i>	139
4.10	<i>Failure Pod Test</i>	147
4.11	<i>Scalability Test</i>	149
4.11.1	<i>Front-end Service</i>	149
4.11.2	<i>API Gateway</i>	151
4.11.3	<i>Public Service</i>	152
KESIMPULAN DAN SARAN.....		154
5.1	Kesimpulan.....	154
5.2	Saran	154
DAFTAR PUSTAKA		155

Lampiran 1 Surat Permohonan Ijin Untuk Penelitian.....158
Lampiran 2 Balasan Surat Permohonan Izin Untuk Penelitian.....159



DAFTAR TABEL

Tabel 2.1: Penelitian Terdahulu	12
Tabel 2.2: Contoh Desain <i>URI REST API</i>	23
Tabel 2.3: Penggunaan <i>HTTP Method</i>	24
Tabel 2.4: Kategori Kode <i>HTTP Response</i>	25
Tabel 2.5: Simbol <i>Use Case Diagram</i>	31
Tabel 2.6: Simbol <i>Activity Diagram</i>	33
Tabel 2.7: Simbol <i>Class Diagram</i>	34
Tabel 2.8: Perbandingan <i>Container</i> Dengan <i>Virtual Machine</i>	39
Tabel 3.1: Fungsional Bisnis.....	48
Tabel 4.1: Deskripsi Konfigurasi <i>API Gateway Deployment</i>	90
Tabel 4.2: Deskripsi Konfigurasi <i>Audience Service Deployment</i>	91
Tabel 4.3: Deskripsi Konfigurasi <i>Audience Service Deployment</i>	93
Tabel 4.4: Deskripsi Konfigurasi <i>Campaign Service Deployment</i>	95
Tabel 4.5: Deskripsi Konfigurasi <i>Mailer Service Deployment</i>	96
Tabel 4.6: Deskripsi Konfigurasi <i>Public Service Deployment</i>	97
Tabel 4.7: Deskripsi Konfigurasi <i>Front-end Service Deployment</i>	99
Tabel 4.8: Deskripsi Konfigurasi <i>API Gateway Service</i>	100
Tabel 4.9: Deskripsi Konfigurasi <i>Service Account</i>	101
Tabel 4.10: Deskripsi Konfigurasi <i>Service Audience</i>	102
Tabel 4.11: Deskripsi Konfigurasi <i>Service Campaign</i>	103
Tabel 4.12: Deskripsi Konfigurasi <i>Service Mailer</i>	104
Tabel 4.13: Deskripsi Konfigurasi <i>Public Service</i>	105
Tabel 4.14: Deskripsi Konfigurasi <i>Front-end Service</i>	106
Tabel 4.15: Rincian <i>API</i> Masuk	131
Tabel 4.16: Rincian <i>API</i> Menukar Token	132
Tabel 4.17: Rincian <i>API</i> Menampilkan Daftar <i>Contact</i>	132
Tabel 4.18: Rincian <i>API</i> Membuat <i>Contact</i>	133
Tabel 4.19: Rincian <i>API</i> Memperbarui <i>Contact</i>	134
Tabel 4.20: Rincian <i>API</i> Menghapus <i>Contact</i>	135
Tabel 4.21: Rincian <i>API</i> Menampilkan Daftar <i>Group</i>	136
Tabel 4.22: Rincian <i>API</i> Membuat <i>Group</i>	137

Tabel 4.23: Rincian API Memperbarui <i>Group</i>	138
Tabel 4.24: Rincian API Menghapus <i>Group</i>	139
Tabel 4.25: Rincian API Menampilkan Daftar <i>Email Campaign</i>	140
Tabel 4.26: Rincian API Membuat <i>Email Campaign</i>	141
Tabel 4.27: Rincian API Memperbarui <i>Email Campaign</i>	142
Tabel 4.28: Rincian API Menghapus <i>Email Campaign</i>	143
Tabel 4.29: Rincian API Menampilkan Daftar <i>Email Template</i>	144
Tabel 4.30: Rincian API Membuat <i>Email Template</i>	145
Tabel 4.31: Rincian API Memperbarui <i>Email Template</i>	146
Tabel 4.32: Rincian API Menghapus <i>Email Template</i>	147

DAFTAR GAMBAR

Gambar 1.1: Kerangka Berpikir.....	6
Gambar 2.1: <i>Microservices Architecture</i>	14
Gambar 2.2: Perbedaan <i>Monolithic Architecture, Microservices Architecture and Software Oriented Architecture</i>	16
Gambar 2.3: <i>Technology Heterogeneity</i>	16
Gambar 2.4: <i>Scaling Monolithic vs Microservices</i>	17
Gambar 2.5: Perbedaan Komunikasi antara <i>Monolithic Architecture</i> dan <i>Microservices Architecture</i>	19
Gambar 2.6: Pemanggilan Fungsi Menggunakan <i>Publisher/Subscriber</i>	20
Gambar 2.7: Pemanggilan Fungsi Menggunakan <i>REST API</i>	20
Gambar 2.8: <i>Microservices Architecture</i> Tanpa <i>API Gateway</i>	21
Gambar 2.9: <i>Microservices Architecture</i> Dengan <i>API Gateway</i>	22
Gambar 2.10: <i>Flow Request</i> Pada <i>REST API</i>	22
Gambar 2.11: Alur Kerja <i>DevOps</i>	26
Gambar 2.12: Alur Kerja <i>Continuous Integration</i>	27
Gambar 2.13: Perbedaan <i>Continuous Delivery</i> dan <i>Continuous Deployment</i>	27
Gambar 2.14: <i>Layered Domain Driven Design Architecture</i>	29
Gambar 2.15: Alur Kerja <i>Extreme Programming</i>	36
Gambar 2.16: Pengujian <i>Black Box</i>	38
Gambar 2.17: Perbandingan Penggunaan Sumber Daya <i>Server</i> Pada <i>Container</i> Dan <i>Virtual Machine</i>	40
Gambar 2.18: <i>Typescript Compiler</i>	43
Gambar 2.19: Popularitas <i>React.js, Angular, Angular.js</i> dan <i>Vue.js</i>	45
Gambar 3.1: <i>Bounded Context</i> Aplikasi Kampanye Email Marketing	54
Gambar 3.2: Usulan <i>Microservices Architecture</i>	55
Gambar 3.3: Jadwal Penelitian.....	56
Gambar 4.1: <i>Use Case</i> Aplikasi Kampanye Email Marketing	57
Gambar 4.2: <i>Use Case Abstract Authentication</i>	58
Gambar 4.3: <i>Use Case Abstract Manage Audience</i>	58
Gambar 4.4: <i>Use Case Abstract Manage Campaign</i>	59
Gambar 4.5: <i>Use Case Abstract Manage User</i>	59

Gambar 4.6: <i>Use Case Abstract Manage Role</i>	60
Gambar 4.7: <i>Use Case Abstract Manage Role</i>	60
Gambar 4.8: <i>Activity Diagram Membuat Email Campaign</i>	61
Gambar 4.9: <i>Activity Diagram Berhenti Mengikuti Kampanye</i>	62
Gambar 4.10: <i>Class Diagram Account Service</i>	63
Gambar 4.11: <i>Class Diagram Audience Service</i>	64
Gambar 4.12: <i>Class Diagram Campaign Service</i>	64
Gambar 4.13: <i>Class Diagram Mailer Service</i>	65
Gambar 4.14: <i>Class Diagram Auth Service</i>	65
Gambar 4.15: <i>Flowchart Generate Job Email Campaign</i>	66
Gambar 4.16: <i>Flowchart Worker Send Email</i>	67
Gambar 4.17: <i>Konfigurasi Audience Service Pada API Gateway</i>	68
Gambar 4.18: <i>Potongan Kode Untuk Inisialisasi Audience Service Pada ContactController API Gateway</i>	68
Gambar 4.19: <i>Request Header Dengan Access Token</i>	69
Gambar 4.20: <i>Main Konfigurasi Account Service</i>	70
Gambar 4.21: <i>Dot Env Account Service</i>	70
Gambar 4.22: <i>Main Konfigurasi Audience Service</i>	71
Gambar 4.23: <i>Dot Env Audience Service</i>	71
Gambar 4.24: <i>Main Konfigurasi Campaign Service</i>	71
Gambar 4.25: <i>Dot Env Campaign Service</i>	72
Gambar 4.26: <i>Source Code Mengirimkan Perintah Mengirim Email Untuk Mailer Service – Bagian 1 (Satu)</i>	72
Gambar 4.27: <i>Source Code Mengirimkan Perintah Mengirim Email Untuk Mailer Service – Bagian 2 (Dua)</i>	73
Gambar 4.28: <i>Source Code Fungsi Inject Pixel Tracker</i>	73
Gambar 4.29: <i>Source Code Fungsi Inject Link Tracker</i>	74
Gambar 4.30: <i>Main Konfigurasi Mailer Service</i>	74
Gambar 4.31: <i>Dot Env Campaign Service</i>	75
Gambar 4.32: <i>Source Code Mengeksekusi Perintah Mengirim Email Pada Mailer Service</i>	75
Gambar 4.33: <i>Main Konfigurasi Public Service</i>	76

Gambar 4.34: <i>Dot Env Public Service</i>	77
Gambar 4.35: <i>Dockerfile Nest.js Project</i>	77
Gambar 4.36: <i>Dockerfile React.js Project</i>	78
Gambar 4.37: <i>Github Actions Workflow Environment Nest.js</i>	78
Gambar 4.38: <i>Contoh Workflow Github Actions</i>	79
Gambar 4.39: <i>Github Actions Job app-tests</i>	79
Gambar 4.40: <i>Github Actions Job setup-build-push-deploy</i>	80
Gambar 4.41: <i>Github Actions Workflow Environment React.js</i>	81
Gambar 4.42: <i>Github Actions Job app-tests</i>	82
Gambar 4.43: <i>Github Actions Job react-build-production</i>	82
Gambar 4.44: <i>Github Actions Job setup-build-push-deploy</i>	83
Gambar 4.45: <i>Arsitektur Kubernetes Cluster</i>	84
Gambar 4.46: <i>Konfigurasi Namespace Kubernetes Cluster</i>	85
Gambar 4.47: <i>Konfigurasi Application Service</i>	85
Gambar 4.48: <i>Konfigurasi Environment API Gateway</i>	86
Gambar 4.49: <i>Konfigurasi Environment Service Account</i>	86
Gambar 4.50: <i>Konfigurasi Environment Audience Config</i>	86
Gambar 4.51: <i>Konfigurasi Environment Campaign Service</i>	87
Gambar 4.52: <i>Konfigurasi Environment Mailer Service</i>	87
Gambar 4.53: <i>Konfigurasi Environment Public Service</i>	88
Gambar 4.54: <i>Konfigurasi Secret Koneksi MySQL</i>	88
Gambar 4.55: <i>Konfigurasi Secret JWT API Gateway</i>	89
Gambar 4.56: <i>Konfigurasi Secret AWS SES Mailer Service</i>	89
Gambar 4.57: <i>Konfigurasi API Gateway Deployment</i>	90
Gambar 4.58: <i>Konfigurasi Account Service Deployment</i>	91
Gambar 4.59: <i>Konfigurasi Audience Service Deployment</i>	93
Gambar 4.60: <i>Konfigurasi Campaign Service Deployment</i>	94
Gambar 4.61: <i>Konfigurasi Deployment Mailer Service</i>	96
Gambar 4.62: <i>Konfigurasi Public Service Deployment</i>	97
Gambar 4.63: <i>Konfigurasi Front-end Deployment</i>	99
Gambar 4.64: <i>Konfigurasi Service API Gateway</i>	100
Gambar 4.65: <i>Konfigurasi Service Account</i>	101

Gambar 4.66: Konfigurasi <i>Service Audience</i>	102
Gambar 4.67: Konfigurasi <i>Service Campaign</i>	103
Gambar 4.68: Konfigurasi <i>Service Mailer</i>	104
Gambar 4.69: Konfigurasi <i>Service Public</i>	105
Gambar 4.70: Konfigurasi <i>Service Front-end</i>	106
Gambar 4.71: <i>Sitemap</i> Aplikasi Kampanye Email Marketing.....	106
Gambar 4.72: <i>Wireframe Login</i>	107
Gambar 4.73: <i>Wireframe Register</i>	108
Gambar 4.74: <i>Wireframe Forgot Password</i>	108
Gambar 4.75: <i>Wireframe Reset Password</i>	109
Gambar 4.76: <i>Wireframe Dashboard</i>	109
Gambar 4.77: <i>Wireframe Email Campaign</i>	110
Gambar 4.78: <i>Wireframe Create/Update Email Campaign - Setting</i>	110
Gambar 4.79: <i>Wireframe Create/Update Email Campaign - Design</i>	111
Gambar 4.80: <i>Wireframe Create/Update Email Campaign – Preview</i>	111
Gambar 4.81: <i>Wireframe Audience Contact</i>	112
Gambar 4.82: <i>Wireframe Audience Group</i>	112
Gambar 4.83: <i>Wireframe Create/Update Contact</i>	113
Gambar 4.84: <i>Wireframe Create/Update Group</i>	114
Gambar 4.85: <i>Wireframe Analytic</i>	115
Gambar 4.86: <i>Wireframe Detail Analytic Campaign</i>	115
Gambar 4.87: <i>Wireframe Preference</i>	115
Gambar 4.88: <i>Wireframe Preference Organization</i>	116
Gambar 4.89: <i>Wireframe Preference Role</i>	116
Gambar 4.90: <i>Wireframe Create/Update Role</i>	117
Gambar 4.91: <i>Wireframe Gate Setting</i>	117
Gambar 4.92: <i>Wireframe Create/Update Gate Setting</i>	118
Gambar 4.93: <i>Wireframe User</i>	118
Gambar 4.94: <i>Wireframe Create/Update User</i>	119
Gambar 4.95: Halaman <i>Login</i>	120
Gambar 4.96: Halaman <i>Register</i>	120
Gambar 4.97: Halaman <i>Forgot Password</i>	121

Gambar 4.98: Halaman <i>Reset Password</i>	121
Gambar 4.99: Halaman <i>Dashboard</i>	122
Gambar 4.100: Halaman <i>List Campaign</i>	122
Gambar 4.101: Halaman <i>Create/Update Campaign - Setting</i>	123
Gambar 4.102: Halaman <i>Create/Update Campaign - Design</i>	123
Gambar 4.103: Halaman <i>Create/Update Campaign - Preview</i>	124
Gambar 4.104: Halaman <i>List Audience</i>	124
Gambar 4.105: Halaman <i>Create/Update Contact</i>	125
Gambar 4.106: Halaman <i>List Group</i>	125
Gambar 4.107: Halaman <i>Create/Update Group</i>	126
Gambar 4.108: Halaman <i>List Analytic</i>	126
Gambar 4.109: Halaman <i>Detail Analytic</i>	126
Gambar 4.110: Halaman <i>Preference</i>	127
Gambar 4.111: Halaman <i>Update Organization</i>	127
Gambar 4.112: Halaman <i>List Campaign</i>	128
Gambar 4.113: Halaman <i>Create/Update Gate Setting</i>	128
Gambar 4.114: Halaman <i>List Role</i>	129
Gambar 4.115: Halaman <i>Create/Update Role</i>	129
Gambar 4.116: Halaman <i>List User</i>	129
Gambar 4.117: Halaman <i>Create/Update User</i>	130
Gambar 4.118: Halaman <i>Profile</i>	130
Gambar 4.119: Pengujian Integrasi Meminta Token pada <i>Account Service</i>	131
Gambar 4.120: Pengujian Integrasi Menukar Token Menjadi Pengguna pada <i>Account Service</i>	132
Gambar 4.121: Pengujian Integrasi Menampilkan Daftar <i>Contact</i>	132
Gambar 4.122: Pengujian Integrasi Membuat <i>Contact</i>	133
Gambar 4.123: Pengujian Integrasi Memperbarui <i>Contact</i>	134
Gambar 4.124: Pengujian Integrasi Menghapus <i>Contact</i>	135
Gambar 4.125: Pengujian Integrasi Menampilkan Daftar <i>Group</i>	136
Gambar 4.126: Pengujian Integrasi Membuat <i>Group</i>	137
Gambar 4.127: Pengujian Integrasi Memperbarui <i>Group</i>	138
Gambar 4.128: Pengujian Integrasi Menghapus <i>Group</i>	139

Gambar 4.129: Pengujian Integrasi Menampilkan Daftar <i>Email Campaign</i>	140
Gambar 4.130: Pengujian Integrasi Membuat <i>Email Campaign</i>	141
Gambar 4.131: Pengujian Integrasi Memperbarui <i>Email Campaign</i>	142
Gambar 4.132: Pengujian Integrasi Menghapus <i>Email Campaign</i>	143
Gambar 4.133: Pengujian Integrasi Menampilkan Daftar <i>Email Template</i>	144
Gambar 4.134: Pengujian Integrasi Membuat <i>Email Template</i>	145
Gambar 4.135: Pengujian Integrasi Memperbarui <i>Email Template</i>	146
Gambar 4.136: Pengujian Integrasi Menghapus <i>Email Template</i>	147
Gambar 4.137: <i>Pod Kubernetes Cluster</i>	148
Gambar 4.138: <i>Service Kubernetes Cluster</i>	148
Gambar 4.139: Pengujian <i>POD Failure Kubernetes Cluster</i>	148
Gambar 4.140: Pengujian <i>Request Pada POD Failure Kubernetes Cluster</i>	149
Gambar 4.141: Pengujian <i>1.000 Client/Detik Pada Front-end Service</i>	150
Gambar 4.142: <i>Chart Workload Pengujian 1.000 Client/Detik Pada Front-end Service</i>	150
Gambar 4.143: Pengujian <i>1.000 Client/Detik Pada API Gateway</i>	151
Gambar 4.144: <i>Chart Workload Pengujian 1.000 Client/Detik Pada API Gateway</i>	152
Gambar 4.145: Pengujian <i>10.00 Client/Detik Pada Public Service</i>	152
Gambar 4.146: <i>Chart Workload Pengujian 1.000 Client/Detik Pada Public Service</i>	153