

## LAMPIRAN

## A. Source Code

## Admin

```

<td width="16%">Nama Kategori</td>
<td width="2%">:</td>
<td width="82%"><input name="kategori" type="text" id="kategori"
size="30"></td>
</tr>
</table>
<div class="entry">
<?php submit("Simpan");
tombol("$base_url/adminShowCategory", "Kembali");?>
</div>
</form>
<?php
};
?>
<table width="100%">
<thead>
<tr>
<th width="34" scope="col">No.</th>

```

```

<th width="100" scope="col">ID Kategori</th>
<th width="225" scope="col">Nama Kategori</th>
<th width="49" scope="col">Modify</th>
</tr>
</thead>
<tbody>
<?php
$qqr = $db->getAll("category");
while ($data = $db->row($qqr)) {
?>
<tr>
<td class="align-center"><?php echo ++$no ?></td>
<td><?php echo $data->idCategory ?></td>
<td><?php echo $data->namaCategory ?></td>
<td align="center"><?php
linkEdit("$base_url/adminAddCategory/edit/$data->idCategory");
linkDelete("$base_url/adminAddCategory/delete/$data-
>idCategory"); ?>
</td>
</tr>
<?php
};

```

```
?>
</tbody>
</table>
```

```
<div class="entry">
    <?php
        submit("Simpan");
    tombol("$base_url/adminShowCategory","Kembali");?>
</div>
</form>
<?php
};
?>
<table width="100%">
<thead>
<tr>
<th width="41" scope="col">No.</th>
<th width="229" scope="col">Nama Kategori</th>
<th width="260" scope="col">Nama Jenis</th>
<th width="298" scope="col">Nama Masalah</th>
<th width="153" scope="col">Lama SLA</th>
<th width="62" scope="col">Modify</th>
</tr>
```

```

</thead>
<tbody>
<?php
    $qr = $db->
    >getWhere("category,jenis,masalah","*", "category.idCategory=jenis.idCat
    egory AND masalah.idJenis=jenis.idJenis");
    while ($data = $db->row($qr)) {
    ?>
    <tr>
    <td class="align-center"><?php echo ++$no ?></td>
    <td><?php echo $data->namaCategory ?></td>
    <td><?php echo $data->namaJenis ?></td>
    <td><?php echo $data->namaMasalah ?></td>
    <td><?php echo $data->sla ?> Hari</td>
    <td align="center"><?php
    linkEdit("$base_url/adminAddMasalah/edit/$data->idMasalah");
    linkDelete("$base_url/adminAddMasalah/delete/$data->idMasalah");
    ?>
    </td>
    </tr>
    <?php
    };

```

```

?>
</tbody>
</table>

<tr>
  <td>Lama SLA</td>
  <td>:</td>
  <td><?php echo $data->sla;?> Hari</td>
</tr>

<tr>
  <td><strong>Status Pengajuan</strong></td>
  <td><strong>:</strong></td>
  <td><strong><?php echo $data->status;?></strong></td>
</tr>

<tr>
  <td>Pilih Staff</td>
  <td>:</td>
  <td><select name="staff">
    <option value="">: Select Staff ::</option>
  <?php
    $qr2 = $db-
>get Where("userlogin","username,namaUser","levelUser='Staff'");

```

```

        while($data2 = $db->row($qr2)) {
            if ($data->staff == $data2->username ) {
                $sele = 'selected="selected"'; } else { $sele = ""; }
            ?>
            <option value="<?php echo $data2->username ?>" <?php echo $sele;
            ?><?php echo $data2->namaUser ?></option>
            <?php } ?>
        </select>
    </td>
</tr>
</table>
<div class="element">
<?php
if ($data->status == 'Menunggu Persetujuan') {
    submit("Terima");
    btnCancel("Tolak");
};
tombol("$base_url/adminStatusRequest","Kembali");
?>
</div>
</form>
<td width="2%"></td>

```

```

<td width="85%"><input name="npk" type="text" id="npk" size="30"
value="<?php echo $data->username; ?>"></td>
</tr>
<tr>
<td>Nama</td>
<td:></td>
<td><input name="nama" type="text" id="nama" size="30"
value="<?php echo $data->namaUser; ?>"></td>
</tr>
<tr>
<td>Password</td>
<td:></td>
<td><input name="password" type="text" id="password" size="30"
placeholder="kosongkan jika tidak dirubah"></td>
</tr>
<tr>
<td>Level User</td>
<td:></td>
<td><select name="level" id="select">
<option value="Karyawan" <?php if ($data->levelUser == 'Karyawan')
{ echo 'selected';}?>>Karyawan</option>

```

```

        <option value="Staff" <?php if ($data->levelUser == 'Staff') { echo
'selected';}?>>Staff</option>
        <option value="Admin" <?php if ($data->levelUser == 'Admin') {
echo 'selected';}?>>Admin</option>

    </select></td>

</tr>

<tr>

    <td>Unit Kerja</td>

    <td:></td>

    <td><input name="unit" type="text" id="unit" size="30" value="<?php
echo $data->unitKerja; ?>"></td>

</tr>

<tr>

    <td>Lokasi Kerja</td>

    <td:></td>

    <td><input name="lokasi" type="text" id="lokasi" size="30"
value="<?php echo $data->lokasiKerja; ?>"></td>

</tr>

<tr>

    <td>Telpon</td>

    <td:></td>

```



```

<td><input name="telp" type="text" id="telp" size="30" value="<?php
echo $data->telp; ?>"></td>
</tr>
</table>

<div class="entry">
    <?php
    submit("Ubah
Data");tombol("$base_url/adminShowUser","Kembali");?>
</div>
</form>
<tr>
    <td width="20%">NPK</td>
    <td width="2%">:</td>
    <td width="78%"><?php echo $data->username;?></td>
</tr>
<tr>
    <td>Nama Karyawan</td>
    <td>:</td>
    <td><?php echo $data->namaUser; ?></td>
</tr>
<tr>
    <td>Unit Kerja</td>
    <td>:</td>

```

```
<td><?php echo $data->unitKerja;?></td>
</tr>
<tr>
<td>Lokasi Kerja</td>
<td:></td>
<td><?php echo $data->lokasiKerja;?></td>
</tr>
<tr>
<td>Telpon</td>
<td:></td>
<td><?php echo $data->telp;?></td>
</tr>
<tr>
<td>Level User</td>
<td:></td>
<td><?php echo $data->levelUser;?></td>
</tr>
<tr>
<td>Last Login</td>
<td:></td>
<td><?php echo $data->lastLogin;?></td>
</tr>
```

```

</table>
</form>
<div class="h_title">SHOW ALL CATEGORY</div>

<?php
    linkAdd("$base_url/adminAddCategory","Category");
    linkAdd("$base_url/adminAddJenis","Jenis");
    linkAdd("$base_url/adminAddMasalah","Masalah"); ?>
<table width="100%">
<thead>
<tr>
<th width="58" scope="col">No.</th>
<th width="222" scope="col">Kategori</th>
<th width="301" scope="col">Jenis</th>
<th width="369" scope="col">Masalah</th>
</tr>
</thead>
<tbody>
<?php
    $qr = $db-
>getWhere("category,jenis,masalah","*", "category.idCategory=jenis.idCat
egory AND masalah.idJenis=jenis.idJenis");
    while ($data = $db->row($qr)) {

```

```

?>
<tr>
  <td class="align-center"><?php echo ++$no ?></td>
  <td><?php echo $data->namaCategory ?></td>
  <td><?php echo $data->namaJenis ?></td>
  <td><?php echo $data->namaMasalah ?></td>
</tr>
<?php
};
?>
</tbody>
</table>
<div class="h_title">STATUS REQUEST </div>
<table width="100%">
  <thead>
    <tr>
      <th width="70" scope="col">No.</th>
      <th width="194" scope="col">Nama Karyawan</th>
      <th width="197" scope="col">Tanggal</th>
      <th width="77" scope="col">SLA</th>
      <th width="172" scope="col">Sisa Waktu</th>
      <th width="260" scope="col">Status</th>

```

```

<th width="69" style="width: 65px;" scope="col">Modify</th>
</tr>
</thead>
<tbody>
<?php
    $qr = $db-
>getWhere("detailmasalah,masalah,userlogin","*","detailmasalah.idMasal
ah=masalah.idMasalah AND detailmasalah.username=userlogin.username
ORDER BY tanggal DESC");
    while ($data = $db->row($qr)) {
?>
<tr>
    <td class="align-center"><?php echo ++$no ?></td>
    <td><?php echo $data->namaUser ?></td>
    <td><?php echo tgl($data->tanggal) ?></td>
    <td><?php echo $data->sla ?> Hari</td>
    <td><?php if ($data->status == 'Permintaan ditolak' or $data->status
== 'Selesai dikerjakan') { echo '-'; } else { echo selisih($data-
>tanggal,$data->sla); }; ?></td>
    <td><?php echo $data->status ?></td>

```

```

<td align="center"><a href="<?php echo
"$base_url/adminDetailRequest/$data->idDetailMasalah";
?>"
class="table-icon archive" title="Archive"></a></td>

</tr>

<?php
};
?>

</tbody>
</table>
</table>
<div class="entry">
<?php submit("Simpan");
tombol("$base_url/adminShowCategory","Kembali");?>
</div>
</form>
<?php
};
?>

<table width="100%">

<thead>

<tr>

<th width="34" scope="col">No.</th>

```

```

<th width="100" scope="col">ID Jenis</th>
<th width="225" scope="col">Nama Kategori</th>
<th width="225" scope="col">Nama Jenis</th>
<th width="49" scope="col">Modify</th>

</tr>

</thead>

<tbody>

<?php
    $qr = $db->query("select * from jenis");
    $db->getWhere("category,jenis","*","category.idCategory=jenis.idCategory");
    while ($data = $db->row($qr)) {
        ?>
        <tr>
            <td class="align-center"><?php echo ++$no ?></td>
            <td><?php echo $data->idJenis ?></td>
            <td><?php echo $data->namaCategory ?></td>
            <td><?php echo $data->namaJenis ?></td>
            <td align="center"><?php
                linkEdit("$base_url/adminAddJenis/edit/$data->idJenis");
                linkDelete("$base_url/adminAddJenis/delete/$data->idJenis"); ?>
            </td>
        </tr>
    }
}

```

```

<?php
};
?>
</tbody>
</table>
<div class="h_title">ADD USER</div>
<?php
if (isset($_POST['simpan'])) {
    if (empty($_POST['npk']) or empty($_POST['nama']) or
empty($_POST['password']) or empty($_POST['unit']) or
empty($_POST['lokasi']) or empty($_POST['telp'])) {
        error("Semua field harus diisi!");
    } else {
        $query = $db-
>insert("userLogin", "username,password,namaUser,levelUser,unit Kerja,lo
kasiKerja,telp", "$_POST[npk]',md5('$_POST[password]'),'$_POST[nama
]','$_POST[level]','$_POST[unit]','$_POST[lokasi]','$_POST[telp]");
        if ($query) {
            go("$base_url/adminAddUser/?sukses");
        }
    }
}

```



```

if ($_SERVER['QUERY_STRING'] == 'sukses') {
    ok("User baru berhasil ditambahkan!");
};
?>

<form id="form1" name="form1" method="post" action="">

<table width="100%" border="0">

<tr>

<td width="13%">NPK</td>

<td width="2%">:</td>

<td width="85%"><input name="npk" type="text" id="npk" size="30"
value="<?php echo $_POST['npk']; ?>"></td>

</tr>

<tr>

<td>Nama</td>

<td>:</td>

<td><input name="nama" type="text" id="nama" size="30"
value="<?php echo $_POST['nama']; ?>"></td>

</tr>

<tr>

<td>Password</td>

<td>:</td>

```

```
<td><input name="password" type="text" id="password"
value="12345" size="30"></td>
</tr>
<tr>
<td>Level User</td>
<td:></td>
<td><select name="level" id="select">
<option value="Karyawan">Karyawan</option>
<option value="Staff">Staff</option>
<option value="Admin">Admin</option>
</select></td>
</tr>
<tr>
<td>Unit Kerja</td>
<td:></td>
<td><input name="unit" type="text" id="unit" size="30" value="<?php
echo $_POST['unit']; ?>"></td>
</tr>
<tr>
<td>Lokasi Kerja</td>
<td:></td>
```

```

<td><input name="lokasi" type="text" id="lokasi" size="30"
value="<?php echo $_POST['lokasi']; ?>"></td>
</tr>
<tr>
<td>Telpon</td>
<td>:</td>
<td><input name="telp" type="text" id="telp" size="30" value="<?php
echo $_POST['telp']; ?>"></td>
</tr>
</table>
<div class="entry">
<?php
submit("Simpan");tombol("$base_url/adminShowUser","Kembali"); ?>
</div>
</form>
</tr>
<tr>
<td>Nama Karyawan</td>
<td>:</td>
<td><?php echo $data->namaUser; ?></td>
</tr>
</tr>

```

```
<td>Unit Kerja</td>
<td:></td>
<td><?php echo $data->unitKerja;?></td>
</tr>

<tr>

<td>Lokasi Kerja</td>
<td:></td>
<td><?php echo $data->lokasiKerja;?></td>
</tr>

<tr>

<td>Telpon</td>
<td:></td>
<td><?php echo $data->telp;?></td>
</tr>

<tr>

<td>Level User</td>
<td:></td>
<td><?php echo $data->levelUser;?></td>
</tr>

<tr>

<td>Last Login</td>
<td:></td>
```

```

<td><?php echo $data->lastLogin;?></td>
</tr>
</table>

<div class="element">

<?php

    tombol("$base_url/adminEditUser/$data-
>username", "Edit");tombol("$base_url/adminShowUser", "Kembali");
?>

</div>

</form>

if (isset($_POST['simpan'])) {
    if (empty($_POST['lama']) or empty($_POST['baru']) or
empty($_POST['lagi'])) {
        error("Semua harus terisi!");
    } else if (md5($_POST['lama']) != $data->password){
        error("Password lama tidak sama!");
    } else if ($_POST['baru'] != $_POST['lagi']){
        error("Kedua password baru harus sama!");
    } else {

        $db-
>update("userlogin", "password=md5('$_POST[baru]')", "username='$_SE
SSION[usernameUser]'");

```

```

        ok("Password berhasil dirubah!");
    };
};
?>

<form id="form1" name="form1" method="post" action="">
<table width="100%" border="0">
<tr>
<td>Last Login</td>
<td>:</td>
<td><?php echo $data->lastLogin;?></td>
</tr>
<tr>
<td width="24%">Password lama</td>
<td width="1%">:</td>
<td width="75%"><input name="lama" type="password" id="lama"
size="30"></td>
</tr>
<tr>
<td>Password baru</td>
<td>:</td>
<td><input name="baru" type="password" id="baru" size="30"></td>
</tr>

```

```

<tr>
  <td>Ketika ulang password baru</td>
</td></td>
  <td><input name="lagi" type="password" id="lagi" size="30"></td>
</tr>
</table>
<div class="entry">
  <?php submit("Ubah Password"); ?>
</div>
</form>
<div class="h_title">REPORT REQUEST </div>
<table width="100%">
  <thead>
    <tr>
      <th width="40" scope="col">No.</th>
      <th width="218" scope="col">NPK Staff</th>
      <th width="348" scope="col">Nama Staff</th>
      <th width="262" scope="col">Belum Selesai</th>
      <th width="179" scope="col">Sudah Selesai</th>
    </tr>
  </thead>
  <tbody>

```

```

<?php
    $qr = $db-
>get Where("userlogin","username,namaUser","levelUser='Staff'");
    while ($data = $db->row($qr)) {
        $selesei = mysql_num_rows(mysql_query("SELECT staff FROM
detailmasalah WHERE staff='$data->username' AND status='Selesei
dikerjakan'"));
        $belum = mysql_num_rows(mysql_query("SELECT staff FROM
detailmasalah WHERE staff='$data->username' AND status='Sedang
dikerjakan'"));
    ?>
    <tr>
        <td class="align-center"><?php echo ++$no ?></td>
        <td><?php echo $data->username ?></td>
        <td><?php echo $data->namaUser ?></td>
        <td align="center"><?php echo $selesei; ?></td>
        <td align="center"><?php echo $belum; ?></td>
    </tr>
    <?php
};
    ?>
</tbody>

```



```

</table>
<div class="h_title">SHOW ALL USER</div>
<table width="100%">
  <thead>
    <tr>
      <th width="34" scope="col">No.</th>
      <th width="100" scope="col">NPK</th>
      <th width="225" scope="col">Nama User</th>
      <th width="147" scope="col">Level User</th>
      <th width="239" scope="col">Unit Kerja</th>
      <th width="245" scope="col">Last Login</th>
      <th width="49" scope="col">Detail</th>
    </tr>
  </thead>
  <tbody>
    <?php
    $qr = $db->getAll("userlogin");
    while ($data = $db->row($qr) {
    ?>
    <tr>
      <td class="align-center"><?php echo ++$no ?></td>
      <td><?php echo $data->username ?></td>

```

```

<td><?php echo $data->namaUser ?></td>
<td><?php echo $data->levelUser ?></td>
<td><?php echo $data->unitKerja ?></td>
<td><?php echo $data->lastLogin ?></td>

<td align="center"><?php
linkDetail("$base_url/adminDetailUser/$data->username"); ?></td>
</tr>
<?php
};
?>
</tbody>
</table>

<div class="h_title">REPORT REQUEST</div>

<table width="100%">
<thead>
<tr>
<th width="34" scope="col">No.</th>
<th width="100" scope="col">NPK</th>
<th width="225" scope="col">Nama User</th>
<th width="147" scope="col">Level User</th>
<th width="239" scope="col">Unit Kerja</th>
<th width="245" scope="col">Last Login</th>

```

```

        <th width="49" scope="col">Detail</th>
    </tr>
</thead>
<tbody>
<?php
$qqr = $db->getAll("userlogin");
while ($data = $db->row($qqr)) {
?>
    <tr>
        <td class="align-center"><?php echo ++$no ?></td>
        <td><?php echo $data->username ?></td>
        <td><?php echo $data->namaUser ?></td>
        <td><?php echo $data->levelUser ?></td>
        <td><?php echo $data->unitKerja ?></td>
        <td><?php echo $data->lastLogin ?></td>
        <td align="center"><?php linkDetail("$base_url/detailUser/$data-
>username"); ?></td>
    </tr>
    <?php
};
?>
</tbody>

```

```
</table>
```

### IT Staff

```
</tr>
```

```
<tr>
```

```
<td>Telp</td>
```

```
<td>:</td>
```

```
<td><?php echo $data->telp;?></td>
```

```
</tr>
```

```
<tr>
```

```
<td>Kategori</td>
```

```
<td>:</td>
```

```
<td><?php echo $data->namaCategory;?></td>
```

```
</tr>
```

```
<tr>
```

```
<td>Jenis</td>
```

```
<td>:</td>
```

```
<td><?php echo $data->namaJenis;?></td>
```

```
</tr>
```

```
<tr>
```

```
<td>Masalah</td>
```

```

<td>:</td>
<td><?php echo $data->namaMasalah;?></td>
</tr>
<tr>
<td>Keterangan</td>
<td>:</td>
<td><?php echo $data->keterangan;?></td>
</tr>
<tr>
<td>Lama SLA</td>
<td>:</td>
<td><?php echo $data->sla;?> Hari</td>
</tr>
<tr>
<td><strong>Status Pengajuan</strong></td>
<td><strong>:</strong></td>
<td><strong><?php echo $data->status;?></strong></td>
</tr>
</table>
<div class="element">
<?php
if ($data->status == 'Sedang dikerjakan') {

```

```

submit("Selese");
};
tombol("$base_url/staffPendingRequest","Kembali");
?>
</div>
</form>
    if (empty($_POST['lama']) or empty($_POST['baru']) or
empty($_POST['lagi'])) {
        error("Semua harus terisi!");
    } else if (md5($_POST['lama']) != $data->password){
        error("Password lama tidak sama!");
    } else if ($_POST['baru'] != $_POST['lagi']){
        error("Kedua password baru harus sama!");
    } else {
        $db-
>update("userlogin","password=md5('$_POST[baru]',"username=$_SE
SSION[usernameUser]");
        ok("Password berhasil dirubah!");
    };
};
?>
<form id="form1" name="form1" method="post" action="">

```

```
<table width="100%" border="0">
<tr>
<td>Last Login</td>
<td>:</td>
<td><?php echo $data->lastLogin;?></td>
</tr>
<tr>
<td width="24%">Password lama</td>
<td width="1%">:</td>
<td width="75%"><input name="lama" type="password" id="lama"
size="30"></td>
</tr>
<tr>
<td>Password baru</td>
<td>:</td>
<td><input name="baru" type="password" id="baru" size="30"></td>
</tr>
<tr>
<td>Ketika ulang password baru</td>
<td>:</td>
<td><input name="lagi" type="password" id="lagi" size="30"></td>
</tr>
```

```

</table>
<div class="entry">
  <?php submit("Ubah Password"); ?>
</div>
</form>
<div class="h_title">PENDING REQUEST</div>
<table width="100%">
  <thead>
    <tr>
      <th width="75" scope="col">No.</th>
      <th width="165" scope="col">NPK Karyawan</th>
      <th width="209" scope="col">Nama Karyawan</th>
      <th width="254" scope="col">Tanggal</th>
      <th width="82" scope="col">SLA</th>
      <th width="185" scope="col">Sisa Waktu</th>
      <th width="69" style="width: 65px;" scope="col">Modify</th>
    </tr>
  </thead>
  <tbody>
    <?php
      $qr = $db-
    >get Where("detailmasalah,masalah,userlogin","*", "detailmasalah.idMasal

```



```
ah=masalah.idMasalah AND detailmasalah.username=userlogin.username
AND staff='$_SESSION[usernameUser]' AND status='Sedang dikerjakan'
ORDER BY tanggal DESC");
```

```
while ($data = $db->row($qr)) {
```

```
?>
```

```
<tr>
```

```
<td class="align-center"><?php echo ++$no ?></td>
```

```
<td><?php echo $data->username ?></td>
```

```
<td><?php echo $data->namaUser ?></td>
```

```
<td><?php echo tgl($data->tanggal) ?></td>
```

```
<td><?php echo $data->sla ?> Hari</td>
```

```
<td><?php echo selisih($data->tanggal,$data->sla); ?></td>
```

```
<td align="center"><a href="<?php echo
```

```
"$base_url/staffDetailRequest/$data->idDetailMasalah"; ?>" class="table-
icon archive" title="Archive"></a></td>
```

```
</tr>
```

```
<?php
```

```
};
```

```
?>
```

```
</tbody>
```

```
</table>
```

```
<div class="h_title">REPORT REQUEST</div>
```

```

<table width="100%">
<thead>
<tr>
<th width="57" scope="col">No.</th>
<th width="183" scope="col">NPK Karyawan</th>
<th width="209" scope="col">Nama Karyawan</th>
<th width="194" scope="col">Tanggal</th>
<th width="142" scope="col">Kategori</th>
<th width="82" scope="col">Jenis</th>
<th width="82" scope="col">Masalah</th>
<th width="86" scope="col">Keterangan</th>
</tr>
</thead>
<tbody>
<?php
$qr = $db-
>getWhere("detailmasalah,masalah,userlogin,category,jenis","*","category.idCategory=jenis.idCategory AND jenis.idJenis=masalah.idJenis AND detailmasalah.idMasalah=masalah.idMasalah AND detailmasalah.username=userlogin.username AND staff='_SESSION[usernameUser]' AND status='Selesai dikerjakan'");
while ($data = $db->row($qr)) {

```

```

?>
<tr>
  <td height="21" class="align-center"><?php echo ++$no ?></td>
  <td><?php echo $data->username ?></td>
  <td><?php echo $data->namaUser ?></td>
  <td><?php echo tgl($data->tanggal) ?></td>
  <td><?php echo $data->namaCategory; ?></td>
  <td><?php echo $data->namaJenis; ?></td>
  <td><?php echo $data->namaMasalah; ?></td>
  <td><?php echo $data->keterangan; ?></td>
</tr>
<?php
};
?>
</tbody>
</table>
<tr>
  <td width="20%">NPK</td>
  <td width="2%"></td>
  <td width="78%"><?php echo $data->username;?></td>
</tr>
<tr>

```

```
<td>Nama Karyawan</td>
<td>:</td>
<td><?php echo $data->namaUser; ?></td>
</tr>
<tr>
<td>Unit Kerja</td>
<td>:</td>
<td><?php echo $data->unitKerja; ?></td>
</tr>
<tr>
<td>Lokasi Kerja</td>
<td>:</td>
<td><?php echo $data->lokasiKerja; ?></td>
</tr>
<tr>
<td>Telpon</td>
<td>:</td>
<td><?php echo $data->telp; ?></td>
</tr>
<tr>
<td>Level User</td>
<td>:</td>
```

```
<td><?php echo $data->levelUser;?></td>
</tr>
<tr>
  <td>Last Login</td>
  <td>:</td>
  <td><?php echo $data->lastLogin;?></td>
</tr>
</table>
</form>
<div class="h_title">SHOW ALL USER</div>
<table width="100%">
  <thead>
    <tr>
      <th width="34" scope="col">No.</th>
      <th width="100" scope="col">NPK</th>
      <th width="225" scope="col">Nama Karyawan</th>
      <th width="147" scope="col">Unit Kerja</th>
      <th width="239" scope="col">Lokasi Kerja</th>
      <th width="245" scope="col">Telpon</th>
    </tr>
  </thead>
  <tbody>
```

```
<?php
    $qr = $db->getWhere("userlogin", "*", "levelUser = 'Karyawan'");
    while ($data = $db->row($qr)) {
        ?>
        <tr>
            <td class="align-center"><?php echo ++$no ?></td>
            <td><?php echo $data->username ?></td>
            <td><?php echo $data->namaUser ?></td>
            <td><?php echo $data->unitKerja ?></td>
            <td><?php echo $data->lokasiKerja ?></td>
            <td><?php echo $data->telp ?></td>
        </tr>
        <?php
    };
    ?>
</tbody>
</table>
```

**Karyawan/User**

```

if ($_POST['jenis'] == $data->idJenis ) { $sele = 'selected="selected"';
} else { $sele = ""; } ?>

```

```

?>

```

```

<option value="<?php echo $data->idJenis ?>" <?php echo $sele;
?><?php echo $data->namaJenis ?></option>

```

```

<?php } ?>

```

```

</select>

```

```

<br/>

```

```

<br/>

```

```

<?php

```

```

};

```

```

if (($_POST['jenis'])

```

```

!= ") { ?>

```

```

<label for="jenis">Masalah</label>

```

```

<select name="masalah">

```

```

<option value="">: select Masalah ::</option>

```

```

<?php

```

```

        $qr = $db->getWhere("masalah.jenis", "*", "jenis.idJenis=masalah.idJenis AND
        jenis.idJenis = '$_POST[jenis]'");

```

```

        while($data = $db->row($qr)) {

            if ( $_POST['masalah'] == $data->idMasalah ) { $sele =
'selected="selected"'; } else { $sele = ""; } ?>

                ?>
                <option value="<?php echo $data->idMasalah ?>" <?php echo $sele;
?><?php echo "$data->namaMasalah"." - SLA : $data->sla Hari";
?></option>
                <?php }
                ?>
        </select>
        <br/>
        <br/>
        <?php }
        ?>
    </div>
    <div class="element">

```



```

<label for="content">Detail Masalah</label>
<textarea name="keterangan" class="textarea" id="txt_pesan"
rows="10"><?php echo $_POST['keterangan']; ?></textarea>
</div>
<div class="entry">
<?php
submit("Preview");
cancel("$base_url/userAddRequest", "Reset"); ?>
</div>
</form>
<td><?php echo $data->telp;?></td>
</tr>
<tr>
<td>Kategori</td>
<td>:</td>
<td><?php echo $data->namaCategory;?></td>
</tr>
<tr>
<td>Jenis</td>
<td>:</td>
<td><?php echo $data->namaJenis;?></td>
</tr>
<tr>

```

```

<td>Keterangan</td>
<td>:</td>
<td><?php echo $_GET[ket];?></td>
</tr>

<tr>

<td>Lama SLA</td>
<td>:</td>
<td><?php echo $data->sla;?> Hari</td>
</tr>

<?php if ($jumlah == 1 ) { ?>
<tr>
<td>Status</td>
<td>:</td>
<td><strong><?php echo $data2->status;?></strong></td>
</tr>
<?php } ?>

<tr>
<td colspan="3">
<?php if ($jumlah == 0 ) { submit("Ajukan"); };
cancel("$base_url/userAddRequest", "Kembali");?></td>
</tr>
</table>

```

```

</form>
<div class="h_title">SHOW ALL USER</div>
<table width="100%">
  <thead>
    <tr>
      <th width="40" scope="col">No.</th>
      <th width="117" scope="col">NPK</th>
      <th width="229" scope="col">Nama User</th>
      <th width="258" scope="col">Unit Kerja</th>
      <th width="243" scope="col">Lokasi</th>
      <th width="156" scope="col">Telp</th>
    </tr>
  </thead>
  <tbody>
    <?php
      $qr = $db->getWhere("userlogin", "*", "levelUser = 'Karyawan'");
      while ($data = $db->row($qr)) {
        ?>
        <tr>
          <td class="align-center"><?php echo ++$no ?></td>
          <td><?php echo $data->username ?></td>
          <td><?php echo $data->namaUser ?></td>

```

```

<td><?php echo $data->unitKerja ?></td>
<td><?php echo $data->lokasiKerja ?></td>
<td><?php echo $data->telp ?></td>
</tr>

<?php
};
?>
</tbody>
</table>

if (isset($_POST['simpan'])) {
    if (empty($_POST['lama']) or empty($_POST['baru']) or
empty($_POST['lagi'])) {
        error("Semua harus terisi!");
    } else if (md5($_POST['lama']) != $data->password){
        error("Password lama tidak sama!");
    } else if ($_POST['baru'] != $_POST['lagi']){
        error("Kedua password baru harus sama!");
    } else {
        $db-
>update("userlogin", "password=md5('$_POST[baru]')", "username='$_SE
SSION[usernameUser]");

        ok("Password berhasil dirubah!");
    }
}

```

```

};
};
?>

<form id="form1" name="form1" method="post" action="">

<table width="100%" border="0">

<tr>

<td>Last Login</td>

<td>:</td>

<td><?php echo $data->lastLogin;?></td>

</tr>

<tr>

<td width="24%">Password lama</td>

<td width="1%">:</td>

<td width="75%"><input name="lama" type="password" id="lama"

size="30"></td>

</tr>

<tr>

<td>Password baru</td>

<td>:</td>

<td><input name="baru" type="password" id="baru" size="30"></td>

</tr>

<tr>

```

```

<td>Ketika ulang password baru</td>
<td>:</td>
<td><input name="lagi" type="password" id="lagi" size="30"></td>
</tr>
</table>

<div class="entry">
  <?php submit("Ubah Password"); ?>
</div>
</form>
<tr>
  <td width="20%">NPK</td>
  <td width="2%">:</td>
  <td width="78%"><?php echo $data->username;?></td>
</tr>
<tr>
  <td>Nama Karyawan</td>
  <td>:</td>
  <td><?php echo $data->namaUser; ?></td>
</tr>
<tr>
  <td>Unit Kerja</td>
  <td>:</td>

```

```
<td><?php echo $data->unitKerja;?></td>
</tr>
<tr>
<td>Lokasi Kerja</td>
<td:></td>
<td><?php echo $data->lokasiKerja;?></td>
</tr>
<tr>
<td>Telpon</td>
<td:></td>
<td><?php echo $data->telp;?></td>
</tr>
<tr>
<td>Level User</td>
<td:></td>
<td><?php echo $data->levelUser;?></td>
</tr>
<tr>
<td>Last Login</td>
<td:></td>
<td><?php echo $data->lastLogin;?></td>
</tr>
```

```

</table>
</form>
<div class="h_title">USER STATUS REQUEST</div>
<table width="100%">
<thead>
<tr>
<th width="39" scope="col">No.</th>
<th width="136" scope="col">Kategori</th>
<th width="184" scope="col">Jenis</th>
<th width="173" scope="col">Masalah</th>
<th width="79" scope="col">SLA</th>
<th width="163" scope="col">Sisa Waktu</th>
<th width="265" scope="col">Status</th>
</tr>
</thead>
<tbody>
<?php
    $qr = $db-
>getWhere("detailmasalah,masalah,jenis,category","*", "category.idCatego
ry=jenis.idCategory AND detailmasalah.idMasalah=masalah.idMasalah
AND
    jenis.idJenis=masalah.idJenis AND
username='$_SESSION[usernameUser]");

```



```

while ($data = $db->row($qr)) {
    ?>
    <tr>
        <td class="align-center"><?php echo ++$no ?></td>
        <td><?php echo $data->namaCategory ?></td>
        <td><?php echo $data->namaJenis ?></td>
        <td><?php echo $data->namaMasalah ?></td>
        <td><?php echo $data->sla ?> Hari</td>
        <td><?php if ($data->status == 'Permintaan ditolak') { echo '-'; } else {
echo selisih($data->tanggal,$data->sla); }; ?></td>
        <td align="center"><?php echo $data->status ?></td>
    </tr>
    <?php
};
    ?>
</tbody>
</table>

```