

OUTPUT SPSS

Frequencies

Statistics

SK2

N	Valid	43
	Missing	0

SK2

	Frequency	Percent	Valid Percent	Cumulative Percent
Sedang	37	86,0	86,0	86,0
Valid Tinggi	6	14,0	14,0	100,0
Total	43	100,0	100,0	

Frequencies

Statistics

BK2

N	Valid	43
	Missing	0

BK2

	Frequency	Percent	Valid Percent	Cumulative Percent
Ringan	10	23,3	23,3	23,3
Valid Berat	33	76,7	76,7	100,0
Total	43	100,0	100,0	

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BK2 * SK2	43	100,0%	0	0,0%	43	100,0%

BK2 * SK2 Crosstabulation

		SK2		Total	
		Sedang	Tinggi		
BK2	Ringan	Count	10	0	10
		% within BK2	100,0%	0,0%	100,0%
Berat		Count	27	6	33
		% within BK2	81,8%	18,2%	100,0%
Total		Count	37	6	43
		% within BK2	86,0%	14,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,113 ^a	1	,146	,309	,182
Continuity Correction ^b	,870	1	,351		
Likelihood Ratio	3,461	1	,063		
Fisher's Exact Test					
Linear-by-Linear Association	2,064	1	,151		
N of Valid Cases	43				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 1,40.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,216	,146
N of Valid Cases		43	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
For cohort SK2 = Sedang	1,222	1,041	1,435
N of Valid Cases		43	