

LAMPIRAN

Lampiran 1. Kode Etik



DEWAN PENEGAKAN KODE ETIK UNIVERSITAS ESA
UNGGUL KOMISI ETIK PENELITIAN
Jl. Arjuna Utara No.9 Kebon Jeruk Jakarta Barat 11510
Telp. 021-5674223 email: dpke@esaunggul.ac.id

Nomor : 0324-21.324 /DPKE-KEP/FINAL-EA/UEU/IX/2021

KETERANGAN LOLOS KAJI ETIK ETHICAL APPROVAL

Komisi Etik Penelitian Universitas Esa Unggul dalam upaya melindungi hak asasi dan kesejahteraan subyek penelitian kesehatan, telah mengkaji dengan teliti protokol berjudul:

HUBUNGAN ANTARA USIA DAN JENIS KELAMIN TERHADAP INDIKATOR PARAMETER STATUS GIZI BALITA DI POSYANDU JAKARTA UTARA (ANALISIS DATA SEKUNDER RISET LKC DOMPET DHUAFa 2019)

Peneliti Utama : Intan Oemary
Pembimbing : Khairizka Citra Palupi, S.GZ, MS, RD
Nama Institusi : Universitas Esa Unggul

dan telah menyetujui protokol tersebut di atas.

Jakarta, 17 September 2021

PII Ketua

Dr. Aprieta Rina Yanti Eff, M.Biomed., Apt

- Ethical approval berlaku satu tahun dan tanggal persetujuan.
- Peneliti berkewajiban
 1. Menjaga kerahasiaan identitas subyek penelitian
 2. Memberitahukan status penelitian apabila:
 - a. Setelah masa berlakunya keterangan lolos kaji etik, penelitian masih belum selesai, dalam hal ini ethical approval harus diperpanjang
 - b. Penelitian berhenti di tengah jalan
 3. Melaporkan kejadian serius yang tidak diinginkan (serius adverse events).
 4. Peneliti tidak boleh melakukan tindakan apapun pada subyek sebelum penelitian lolos kaji etik dan informed consent

Lampiran 2. Output SPSS Analisis Univariat Karakteristik Variabel

Umur_Balita

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0-2	436	44.3	44.3	44.3
	3-5	549	55.7	55.7	100.0
Total		985	100.0	100.0	

Jenis_Kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-Laki	509	51.7	51.7	51.7
	Perempuan	476	48.3	48.3	100.0
Total		985	100.0	100.0	

SG_BB_U

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Gizi Kurang	107	10.9	10.9	10.9
	Gizi Baik	832	84.5	84.5	95.3
	Gizi Lebih	46	4.7	4.7	100.0
Total		985	100.0	100.0	

SG_TB_U

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Pendek	261	26.5	26.5	26.5
	Normal	640	65.0	65.0	91.5
	Tinggi	84	8.5	8.5	100.0
Total		985	100.0	100.0	

SG_BB_TB

		Frequency	Percent	Valid Percent	Cumulative Percent

Valid	Kurus	96	9.7	9.7	9.7
	Normal	809	82.1	82.1	91.9
	Gemuk	80	8.1	8.1	100.0
	Total	985	100.0	100.0	

Lampiran 3. Output SPSS Analisis Bivariat Usia dengan Indikator Parameter Status Gizi Bayi dan Balita

1. Usia dengan BB/U

Umur_Balita * SG_BB_U Crosstabulation

		SG_BB_U			Total	
		Gizi Kurang	Gizi Baik	Gizi Lebih		
Umur_Balita	0-2	Count	30	392	14	436
		Expected Count	47.4	368.3	20.4	436.0
		% within Umur_Balita	6.9%	89.9%	3.2%	100.0%
Umur_Balita	3-5	Count	77	440	32	549
		Expected Count	59.6	463.7	25.6	549.0
		% within Umur_Balita	14.0%	80.1%	5.8%	100.0%
Total		Count	107	832	46	985
		Expected Count	107.0	832.0	46.0	985.0
		% within Umur_Balita	10.9%	84.5%	4.7%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	17.727 ^a	2	.000
Likelihood Ratio	18.380	2	.000
Linear-by-Linear Association	3.284	1	.070
N of Valid Cases	985		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 20.36.

2. Usia dengan PB/U atau TB/U

Umur_Balita * SG_TB_U Crosstabulation

		SG_TB_U			Total	
		Pendek	Normal	Tinggi		
Umur_Balita	0-2	Count	99	283	54	436

	Expected Count	115.5	283.3	37.2	436.0
	% within Umur_Balita	22.7%	64.9%	12.4%	100.0%
3-5	Count	162	357	30	549
	Expected Count	145.5	356.7	46.8	549.0
	% within Umur_Balita	29.5%	65.0%	5.5%	100.0%
Total	Count	261	640	84	985
	Expected Count	261.0	640.0	84.0	985.0
	% within Umur_Balita	26.5%	65.0%	8.5%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	17.892 ^a	2	.000
Likelihood Ratio	17.895	2	.000
Linear-by-Linear Association	14.377	1	.000
N of Valid Cases	985		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 37.18.

3. Usia dengan BB/PB atau BB/TB

Umur_Balita * SG_BB_TB Crosstabulation

		SG_BB_TB			Total	
		Kurus	Normal	Gemuk		
Umur_Balita	0-2	Count	45	359	32	436
		Expected Count	42.5	358.1	35.4	436.0
		% within Umur_Balita	10.3%	82.3%	7.3%	100.0%
3-5	Count	Count	51	450	48	549
		Expected Count	53.5	450.9	44.6	549.0
		% within Umur_Balita	9.3%	82.0%	8.7%	100.0%
Total	Count	Count	96	809	80	985
		Expected Count	96.0	809.0	80.0	985.0
		% within Umur_Balita	9.7%	82.1%	8.1%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
--	-------	----	--

Pearson Chi-Square	.859 ^a	2	.651
Likelihood Ratio	.863	2	.650
Linear-by-Linear Association	.807	1	.369
N of Valid Cases	985		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 35.41.

Lampiran 4. Output SPSS Analisis Bivariat Jenis Kelamin dengan Indikator Parameter Status Gizi Bayi dan Balita

1. Jenis Kelamin dengan BB/U

Jenis_Kelamin * SG_BB_U Crosstabulation

			SG_BB_U			Total
			Gizi Kurang	Gizi Baik	Gizi Lebih	
Jenis_Kelamin	Laki-Laki	Count	63	423	23	509
		Expected Count	55.3	429.9	23.8	509.0
		% within Jenis_Kelamin	12.4%	83.1%	4.5%	100.0%
Jenis_Kelamin	Perempuan	Count	44	409	23	476
		Expected Count	51.7	402.1	22.2	476.0
		% within Jenis_Kelamin	9.2%	85.9%	4.8%	100.0%
Total		Count	107	832	46	985
		Expected Count	107.0	832.0	46.0	985.0
		% within Jenis_Kelamin	10.9%	84.5%	4.7%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	2.507 ^a	2	.286
Likelihood Ratio	2.522	2	.283
Linear-by-Linear Association	1.927	1	.165
N of Valid Cases	985		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 22.23.

2. Jenis Kelamin dengan PB/U atau TB/U

Jenis_Kelamin * SG_TB_U Crosstabulation

		SG_TB_U				
			Pendek	Normal	Tinggi	Total
Jenis_Kelamin	Laki-Laki	Count	131	329	49	509
		Expected Count	134.9	330.7	43.4	509.0
		% within Jenis_Kelamin	25.7%	64.6%	9.6%	100.0%
Perempuan	Perempuan	Count	130	311	35	476
		Expected Count	126.1	309.3	40.6	476.0
		% within Jenis_Kelamin	27.3%	65.3%	7.4%	100.0%
Total	Total	Count	261	640	84	985
		Expected Count	261.0	640.0	84.0	985.0
		% within Jenis_Kelamin	26.5%	65.0%	8.5%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	1.740 ^a	2	.419
Likelihood Ratio	1.749	2	.417
Linear-by-Linear Association	1.144	1	.285
N of Valid Cases	985		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 40.59.

3. Jenis Kelamin dengan BB/PB atau BB/TB

Jenis_Kelamin * SG_BB_TB Crosstabulation

		SG_BB_TB				
			Kurus	Normal	Gemuk	Total
Jenis_Kelamin	Laki-Laki	Count	55	412	42	509
		Expected Count	49.6	418.1	41.3	509.0
		% within Jenis_Kelamin	10.8%	80.9%	8.3%	100.0%
Perempuan	Perempuan	Count	41	397	38	476
		Expected Count	46.4	390.9	38.7	476.0
		% within Jenis_Kelamin	8.6%	83.4%	8.0%	100.0%

Total	Count	96	809	80	985
	Expected Count	96.0	809.0	80.0	985.0
	% within Jenis_Kelamin	9.7%	82.1%	8.1%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	1.416 ^a	2	.493
Likelihood Ratio	1.421	2	.491
Linear-by-Linear Association	.510	1	.475
N of Valid Cases	985		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 38.66.