

| | | | | |
|-------|----------------|-------|-------|--------|
| | Expected Count | 24.2 | 30.8 | 55.0 |
| | % of Total | 27.0% | 28.0% | 55.0% |
| Total | Count | 44 | 56 | 100 |
| | Expected Count | 44.0 | 56.0 | 100.0 |
| | % of Total | 44.0% | 56.0% | 100.0% |

| | Value | df | Asymptotic Significance (2-sided) |
|------------------------------|--------------------|----|-----------------------------------|
| Pearson Chi-Square | 4.574 ^a | 2 | .102 |
| Likelihood Ratio | 5.340 | 2 | .069 |
| Linear-by-Linear Association | 1.879 | 1 | .170 |
| N of Valid Cases | 100 | | |

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is .88.

| | Value | Approximate Significance |
|--------------------|------------|--------------------------|
| Nominal by Nominal | Phi | .214 |
| | Cramer's V | .214 |
| N of Valid Cases | 100 | |

Pendapatan * Kendaraan

| | | Kendaraan | | | |
|------------|-----------------------|----------------|----------|--------|-------|
| | | GoRide | GrabBike | Total | |
| Pendapatan | <1.000.000 | Count | 8 | 4 | 12 |
| | | Expected Count | 5.3 | 6.7 | 12.0 |
| | | % of Total | 8.0% | 4.0% | 12.0% |
| | 1.000.001 – 3.000.000 | Count | 1 | 2 | 3 |
| | | Expected Count | 1.3 | 1.7 | 3.0 |
| | | % of Total | 1.0% | 2.0% | 3.0% |
| | 3.000.001 – 5.000.000 | Count | 31 | 34 | 65 |
| | | Expected Count | 28.6 | 36.4 | 65.0 |
| | | % of Total | 31.0% | 34.0% | 65.0% |
| | 5.000.001 – 7.000.000 | Count | 4 | 12 | 16 |
| | | Expected Count | 7.0 | 9.0 | 16.0 |
| | | % of Total | 4.0% | 12.0% | 16.0% |
| >7.000.001 | Count | 0 | 4 | 4 | |
| | Expected Count | 1.8 | 2.2 | 4.0 | |
| | % of Total | 0.0% | 4.0% | 4.0% | |
| Total | Count | 44 | 56 | 100 | |
| | Expected Count | 44.0 | 56.0 | 100.0 | |
| | % of Total | 44.0% | 56.0% | 100.0% | |

| | Value | df | Asymptotic Significance (2-sided) |
|------------------------------|--------------------|----|-----------------------------------|
| Pearson Chi-Square | 8.487 ^a | 4 | .075 |
| Likelihood Ratio | 10.125 | 4 | .038 |
| Linear-by-Linear Association | 6.611 | 1 | .010 |
| N of Valid Cases | 100 | | |

a. 4 cells (40.0%) have expected count less than 5. The minimum expected count is 1.32.

| Symmetric Measures | | | |
|--------------------|------------|-------|--------------------------|
| | | Value | Approximate Significance |
| Nominal by Nominal | Phi | .291 | .075 |
| | Cramer's V | .291 | .075 |
| N of Valid Cases | | 100 | |

Status * Kendaraan

| | | Crosstab | | |
|--------|----------------|-----------|----------|-------|
| | | Kendaraan | | Total |
| Status | Lajang | GoRide | GrabBike | |
| | | | Count | 26 |
| | Expected Count | 23.3 | 29.7 | 53.0 |
| | % of Total | 26.0% | 27.0% | 53.0% |
| | Menikah | | | |
| | Count | 18 | 29 | 47 |
| | Expected Count | 20.7 | 26.3 | 47.0 |

| | | 18.0% | 29.0% | 47.0% |
|-------|----------------|-------|-------|--------|
| Total | Count | 44 | 56 | 100 |
| | Expected Count | 44.0 | 56.0 | 100.0 |
| | % of Total | 44.0% | 56.0% | 100.0% |

| Chi-Square Tests | | | | | |
|------------------------------------|--------------------|----|-----------------------------------|----------------------|----------------------|
| | Value | df | Asymptotic Significance (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
| Pearson Chi-Square | 1.170 ^a | 1 | .279 | | |
| Continuity Correction ^b | .774 | 1 | .379 | | |
| Likelihood Ratio | 1.174 | 1 | .279 | | |
| Fisher's Exact Test | | | | .317 | .190 |
| Linear-by-Linear Association | 1.158 | 1 | .282 | | |
| N of Valid Cases | 100 | | | | |

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 20.68.

b. Computed only for a 2x2 table

| Symmetric Measures | | | |
|--------------------|------------|-------|--------------------------|
| | | Value | Approximate Significance |
| Nominal by Nominal | Phi | .108 | .279 |
| | Cramer's V | .108 | .279 |
| N of Valid Cases | | 100 | |

Kepemilikan_kendaraan * Kendaraan

| | | Crosstab | | | |
|-----------------------|------------|-----------|----------|-------|---|
| | | Kendaraan | | Total | |
| Kepemilikan_kendaraan | Mobil | GoRide | GrabBike | | |
| | Mobil | Count | 2 | 0 | 2 |
| Expected | | .9 | 1.1 | 2.0 | |
| Count | | | | | |
| % of Total | | 2.0% | 0.0% | 2.0% | |
| Mobil, Motor | Count | 5 | 6 | 11 | |
| | Expected | 4.8 | 6.2 | 11.0 | |
| | Count | | | | |
| | % of Total | 5.0% | 6.0% | 11.0% | |
| Mobil, Motor, Sepeda | Count | 4 | 8 | 12 | |
| | Expected | 5.3 | 6.7 | 12.0 | |
| | Count | | | | |
| | % of Total | 4.0% | 8.0% | 12.0% | |
| Motor | Count | 15 | 24 | 39 | |
| | Expected | 17.2 | 21.8 | 39.0 | |
| | Count | | | | |
| | % of Total | 15.0% | 24.0% | 39.0% | |
| Motor, Sepeda | Count | 2 | 2 | 4 | |
| | Expected | 1.8 | 2.2 | 4.0 | |
| | Count | | | | |
| | Count | | | | |

| | | | | |
|----------------------------------|------------|-------|-------|--------|
| Sepeda | % of Total | 2.0% | 2.0% | 4.0% |
| | Count | 2 | 0 | 2 |
| | Expected | .9 | 1.1 | 2.0 |
| | Count | | | |
| Tidak Memiliki Kendaraan Pribadi | % of Total | 2.0% | 0.0% | 2.0% |
| | Count | 14 | 16 | 30 |
| | Expected | 13.2 | 16.8 | 30.0 |
| | Count | | | |
| Total | % of Total | 14.0% | 16.0% | 30.0% |
| | Count | 44 | 56 | 100 |
| | Expected | 44.0 | 56.0 | 100.0 |
| | Count | | | |
| | % of Total | 44.0% | 56.0% | 100.0% |
| | Count | | | |
| | Expected | | | |
| | Count | | | |

| Chi-Square Tests | | | |
|------------------------------|--------------------|----|-----------------------------------|
| | Value | df | Asymptotic Significance (2-sided) |
| Pearson Chi-Square | 6.285 ^a | 6 | .392 |
| Likelihood Ratio | 7.781 | 6 | .255 |
| Linear-by-Linear Association | .077 | 1 | .782 |
| N of Valid Cases | 100 | | |

a. 7 cells (50.0%) have expected count less than 5. The minimum expected count is .88.

| Symmetric Measures | | | |
|--------------------|------------|-------|--------------------------|
| | | Value | Approximate Significance |
| Nominal by Nominal | Phi | .251 | .392 |
| | Cramer's V | .251 | .392 |
| N of Valid Cases | | 100 | |

Kepemilikan_SIM * Kendaraan

| Crosstab | | | | | |
|-----------------|----------------|----------------|-----------|----------|-------|
| | | | Kendaraan | | Total |
| | | | GoRide | GrabBike | |
| Kepemilikan_SIM | SIM A | Count | 6 | 2 | 8 |
| | | Expected Count | 3.5 | 4.5 | 8.0 |
| | | % of Total | 6.0% | 2.0% | 8.0% |
| | SIM A, SIM C | Count | 17 | 22 | 39 |
| | | Expected Count | 17.2 | 21.8 | 39.0 |
| | | % of Total | 17.0% | 22.0% | 39.0% |
| | SIM C | Count | 10 | 16 | 26 |
| | | Expected Count | 11.4 | 14.6 | 26.0 |
| | | % of Total | 10.0% | 16.0% | 26.0% |
| | Tidak Memiliki | Count | 11 | 16 | 27 |

| SIM | | Expected Count | 11.9 | 15.1 | 27.0 |
|-------|----------------|----------------|-------|--------|-------|
| | | % of Total | 11.0% | 16.0% | 27.0% |
| Total | Count | 44 | 56 | 100 | |
| | Expected Count | 44.0 | 56.0 | 100.0 | |
| | % of Total | 44.0% | 56.0% | 100.0% | |

| Chi-Square Tests | | | |
|------------------------------|--------------------|----|-----------------------------------|
| | Value | df | Asymptotic Significance (2-sided) |
| Pearson Chi-Square | 3.563 ^a | 3 | .313 |
| Likelihood Ratio | 3.621 | 3 | .305 |
| Linear-by-Linear Association | 1.438 | 1 | .231 |
| N of Valid Cases | 100 | | |

a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 3.52.

| Symmetric Measures | | | |
|--------------------|------------|-------|--------------------------|
| | | Value | Approximate Significance |
| Nominal by Nominal | Phi | .189 | .313 |
| | Cramer's V | .189 | .313 |
| N of Valid Cases | | 100 | |

Seberapa sering * Kendaraan

| | | Crosstab | | | |
|-----------------|----------------|----------------|----------|--------|-------|
| | | Kendaraan | | | |
| | | GoRide | GrabBike | Total | |
| Seberapa sering | <1 | Count | 10 | 10 | 20 |
| | | Expected Count | 8.8 | 11.2 | 20.0 |
| | | % of Total | 10.0% | 10.0% | 20.0% |
| | 1 - 2 kali | Count | 8 | 6 | 14 |
| | | Expected Count | 6.2 | 7.8 | 14.0 |
| | | % of Total | 8.0% | 6.0% | 14.0% |
| | 3 - 4 kali | Count | 12 | 17 | 29 |
| | | Expected Count | 12.8 | 16.2 | 29.0 |
| | | % of Total | 12.0% | 17.0% | 29.0% |
| 5 - 7 kali | Count | 14 | 23 | 37 | |
| | Expected Count | 16.3 | 20.7 | 37.0 | |
| | % of Total | 14.0% | 23.0% | 37.0% | |
| Total | Count | 44 | 56 | 100 | |
| | Expected Count | 44.0 | 56.0 | 100.0 | |
| | % of Total | 44.0% | 56.0% | 100.0% | |

| Chi-Square Tests | | | |
|--------------------|--------------------|----|-----------------------------------|
| | Value | df | Asymptotic Significance (2-sided) |
| Pearson Chi-Square | 1.925 ^a | 3 | .588 |

| | | | |
|------------------------------|-------|---|------|
| Likelihood Ratio | 1.921 | 3 | .589 |
| Linear-by-Linear Association | 1.333 | 1 | .248 |
| N of Valid Cases | 100 | | |

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 6.16.

| Symmetric Measures | | | |
|--------------------|------------|-------|--------------------------|
| | | Value | Approximate Significance |
| Nominal by Nominal | Phi | .139 | .588 |
| | Cramer's V | .139 | .588 |
| N of Valid Cases | | 100 | |

Tujuan * Kendaraan

| | | Crosstab | | | |
|--------|-----------------|----------------|----------|-------|-------|
| | | Kendaraan | | | |
| | | GoRide | GrabBike | Total | |
| Tujuan | Bekerja | Count | 27 | 36 | 63 |
| | | Expected Count | 27.7 | 35.3 | 63.0 |
| | | % of Total | 27.0% | 36.0% | 63.0% |
| | Rekreasi/Wisata | Count | 9 | 11 | 20 |
| | | Expected Count | 8.8 | 11.2 | 20.0 |
| | | % of Total | 9.0% | 11.0% | 20.0% |
| | Belanja | Count | 4 | 8 | 12 |
| | | Expected Count | 5.3 | 6.7 | 12.0 |
| | | % of Total | 4.0% | 8.0% | 12.0% |

| | | | | |
|---------|----------------|-------|-------|--------|
| Lainnya | Count | 4 | 1 | 5 |
| | Expected Count | 2.2 | 2.8 | 5.0 |
| | % of Total | 4.0% | 1.0% | 5.0% |
| Total | Count | 44 | 56 | 100 |
| | Expected Count | 44.0 | 56.0 | 100.0 |
| | % of Total | 44.0% | 56.0% | 100.0% |

| Chi-Square Tests | | | |
|------------------------------|--------------------|----|-----------------------------------|
| | Value | df | Asymptotic Significance (2-sided) |
| Pearson Chi-Square | 3.225 ^a | 3 | .358 |
| Likelihood Ratio | 3.334 | 3 | .343 |
| Linear-by-Linear Association | .323 | 1 | .570 |
| N of Valid Cases | 100 | | |

a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.20.

| Symmetric Measures | | | |
|--------------------|------------|-------|--------------------------|
| | | Value | Approximate Significance |
| Nominal by Nominal | Phi | .180 | .358 |
| | Cramer's V | .180 | .358 |
| N of Valid Cases | | 100 | |

Moda * Kendaraan

| Crosstab | | | | | |
|----------|--------------|----------------|-----------|----------|--------|
| | | | Kendaraan | | |
| | | | GoRide | GrabBike | Total |
| Moda | MRT | Count | 22 | 24 | 46 |
| | | Expected Count | 20.2 | 25.8 | 46.0 |
| | | % of Total | 22.0% | 24.0% | 46.0% |
| | Transjakarta | Count | 22 | 32 | 54 |
| | | Expected Count | 23.8 | 30.2 | 54.0 |
| | | % of Total | 22.0% | 32.0% | 54.0% |
| Total | | Count | 44 | 56 | 100 |
| | | Expected Count | 44.0 | 56.0 | 100.0 |
| | | % of Total | 44.0% | 56.0% | 100.0% |

| Chi-Square Tests | | | | | |
|------------------------------------|-------------------|----|-----------------------------------|----------------------|----------------------|
| | Value | df | Asymptotic Significance (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
| Pearson Chi-Square | .506 ^a | 1 | .477 | | |
| Continuity Correction ^b | .259 | 1 | .611 | | |
| Likelihood Ratio | .506 | 1 | .477 | | |
| Fisher's Exact Test | | | | .546 | .305 |
| Linear-by-Linear Association | .501 | 1 | .479 | | |
| N of Valid Cases | 100 | | | | |

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 20.24.

b. Computed only for a 2x2 table

| Symmetric Measures | | | |
|--------------------|------------|-------|--------------------------|
| | | Value | Approximate Significance |
| Nominal by Nominal | Phi | .071 | .477 |
| | Cramer's V | .071 | .477 |
| N of Valid Cases | | 100 | |

Jarak_tujuan * Kendaraan

| | | Kendaraan | | | Total |
|--------------|----------------|----------------|----------|-------|-------|
| | | GoRide | GrabBike | | |
| Jarak_tujuan | < 1 Km | Count | 18 | 10 | 28 |
| | | Expected Count | 12.3 | 15.7 | 28.0 |
| | | % of Total | 18.0% | 10.0% | 28.0% |
| | 1 - 2 Km | Count | 12 | 18 | 30 |
| | | Expected Count | 13.2 | 16.8 | 30.0 |
| | | % of Total | 12.0% | 18.0% | 30.0% |
| | 2 - 3 Km | Count | 2 | 12 | 14 |
| | | Expected Count | 6.2 | 7.8 | 14.0 |
| | | % of Total | 2.0% | 12.0% | 14.0% |
| > 3 Km | Count | 12 | 16 | 28 | |
| | Expected Count | 12.3 | 15.7 | 28.0 | |
| | % of Total | 12.0% | 16.0% | 28.0% | |
| Total | Count | 44 | 56 | 100 | |
| | Expected Count | 44.0 | 56.0 | 100.0 | |

| % of Total | 44.0% | 56.0% | 100.0% |
|------------|-------|-------|--------|
|------------|-------|-------|--------|

| Chi-Square Tests | | | |
|------------------------------|--------------------|----|-----------------------------------|
| | Value | df | Asymptotic Significance (2-sided) |
| Pearson Chi-Square | 9.903 ^a | 3 | .019 |
| Likelihood Ratio | 10.581 | 3 | .014 |
| Linear-by-Linear Association | 3.236 | 1 | .072 |
| N of Valid Cases | 100 | | |

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 6.16.

| Symmetric Measures | | | |
|--------------------|------------|-------|--------------------------|
| | | Value | Approximate Significance |
| Nominal by Nominal | Phi | .315 | .019 |
| | Cramer's V | .315 | .019 |
| N of Valid Cases | | 100 | |

Waktu_Perjalanan * Kendaraan

| | | Kendaraan | | Total |
|-------|----------------|-----------|----------|-------|
| | | GoRide | GrabBike | |
| Total | Count | | | |
| | Expected Count | | | |

| | | | | | |
|------------------|-------------|----------------|-------|--------|-------|
| Waktu_Perjalanan | 06.00-12.00 | Count | 27 | 35 | 62 |
| | | Expected Count | 27.3 | 34.7 | 62.0 |
| | | % of Total | 27.0% | 35.0% | 62.0% |
| | 12.01-18.00 | Count | 12 | 14 | 26 |
| | | Expected Count | 11.4 | 14.6 | 26.0 |
| | | % of Total | 12.0% | 14.0% | 26.0% |
| | 18.01-23.59 | Count | 5 | 7 | 12 |
| | | Expected Count | 5.3 | 6.7 | 12.0 |
| | | % of Total | 5.0% | 7.0% | 12.0% |
| | Total | Count | 44 | 56 | 100 |
| | | Expected Count | 44.0 | 56.0 | 100.0 |
| | | Count | | | |
| % of Total | | 44.0% | 56.0% | 100.0% | |

| Chi-Square Tests | | | |
|------------------------------|-------------------|----|-----------------------------------|
| | Value | df | Asymptotic Significance (2-sided) |
| Pearson Chi-Square | .081 ^a | 2 | .961 |
| Likelihood Ratio | .081 | 2 | .961 |
| Linear-by-Linear Association | .000 | 1 | 1.000 |
| N of Valid Cases | 100 | | |

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 5.28.

| Symmetric Measures | | | |
|--------------------|------------|-------|--------------------------|
| | | Value | Approximate Significance |
| Nominal by Nominal | Phi | .028 | .961 |
| | Cramer's V | .028 | .961 |
| N of Valid Cases | | 100 | |

Biaya * Kendaraan

| | | Crosstab | | | |
|-------|------------------------|----------------|----------|--------|-------|
| | | Kendaraan | | Total | |
| | | GoRide | GrabBike | | |
| Biaya | Rp. 5.001 - Rp. 10.000 | Count | 10 | 8 | 18 |
| | | Expected Count | 7.9 | 10.1 | 18.0 |
| | | % of Total | 10.0% | 8.0% | 18.0% |
| | Rp.10.001 - Rp. 15.000 | Count | 30 | 30 | 60 |
| | | Expected Count | 26.4 | 33.6 | 60.0 |
| | | % of Total | 30.0% | 30.0% | 60.0% |
| | >Rp.15.001 | Count | 4 | 18 | 22 |
| | | Expected Count | 9.7 | 12.3 | 22.0 |
| | | % of Total | 4.0% | 18.0% | 22.0% |
| Total | Count | 44 | 56 | 100 | |
| | Expected Count | 44.0 | 56.0 | 100.0 | |
| | % of Total | 44.0% | 56.0% | 100.0% | |

| Chi-Square Tests | | | |
|------------------------------|--------------------|----|-----------------------------------|
| | Value | df | Asymptotic Significance (2-sided) |
| Pearson Chi-Square | 7.804 ^a | 2 | .020 |
| Likelihood Ratio | 8.416 | 2 | .015 |
| Linear-by-Linear Association | 6.073 | 1 | .014 |
| N of Valid Cases | 100 | | |

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.92.

| Symmetric Measures | | | |
|--------------------|------------|-------|--------------------------|
| | | Value | Approximate Significance |
| Nominal by Nominal | Phi | .279 | .020 |
| | Cramer's V | .279 | .020 |
| N of Valid Cases | | 100 | |

Waktu_Tunggu * Kendaraan

| Crosstab | | | | |
|-----------------------|----------------|-----------|----------|-------|
| | | Kendaraan | | Total |
| | | GoRide | GrabBike | |
| Waktu_Tunggu <1 Menit | Count | 2 | 4 | 6 |
| | Expected Count | 2.6 | 3.4 | 6.0 |
| | % of Total | 2.0% | 4.0% | 6.0% |

| | | | | |
|--------------|----------------|-------|-------|--------|
| 2 - 5 Menit | Count | 33 | 28 | 61 |
| | Expected Count | 26.8 | 34.2 | 61.0 |
| | % of Total | 33.0% | 28.0% | 61.0% |
| 6 - 10 Menit | Count | 9 | 22 | 31 |
| | Expected Count | 13.6 | 17.4 | 31.0 |
| | % of Total | 9.0% | 22.0% | 31.0% |
| >10 Menit | Count | 0 | 2 | 2 |
| | Expected Count | .9 | 1.1 | 2.0 |
| | % of Total | 0.0% | 2.0% | 2.0% |
| Total | Count | 44 | 56 | 100 |
| | Expected Count | 44.0 | 56.0 | 100.0 |
| | % of Total | 44.0% | 56.0% | 100.0% |

| Chi-Square Tests | | | |
|------------------------------|--------------------|----|-----------------------------------|
| | Value | df | Asymptotic Significance (2-sided) |
| Pearson Chi-Square | 7.192 ^a | 3 | .066 |
| Likelihood Ratio | 8.043 | 3 | .045 |
| Linear-by-Linear Association | 3.643 | 1 | .056 |
| N of Valid Cases | 100 | | |

a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is .88.

Symmetric Measures

| | | Value | Approximate Significance |
|--------------------|------------|-------|--------------------------|
| Nominal by Nominal | Phi | .268 | .066 |
| | Cramer's V | .268 | .066 |
| N of Valid Cases | | 100 | |

| | | | | |
|-------|----------------|-------|-------|--------|
| Total | Count | 44 | 56 | 100 |
| | Expected Count | 44.0 | 56.0 | 100.0 |
| | Count | | | |
| | % of Total | 44.0% | 56.0% | 100.0% |

Waktu_Tempuh * Kendaraan

| | | Crosstab | | |
|-----------------------|----------------|-----------|----------|-------|
| | | Kendaraan | | Total |
| | | GoRide | GrabBike | |
| Waktu_Tempuh <5 Menit | Count | 6 | 14 | 20 |
| | Expected Count | 8.8 | 11.2 | 20.0 |
| | Count | | | |
| | % of Total | 6.0% | 14.0% | 20.0% |
| 6 - 10 Menit | Count | 20 | 20 | 40 |
| | Expected Count | 17.6 | 22.4 | 40.0 |
| | Count | | | |
| | % of Total | 20.0% | 20.0% | 40.0% |
| 11 - 15 Menit | Count | 16 | 14 | 30 |
| | Expected Count | 13.2 | 16.8 | 30.0 |
| | Count | | | |
| | % of Total | 16.0% | 14.0% | 30.0% |
| >16 Menit | Count | 2 | 8 | 10 |
| | Expected Count | 4.4 | 5.6 | 10.0 |
| | Count | | | |
| | % of Total | 2.0% | 8.0% | 10.0% |

| Chi-Square Tests | | | |
|------------------------------|--------------------|----|-----------------------------------|
| | Value | df | Asymptotic Significance (2-sided) |
| Pearson Chi-Square | 5.574 ^a | 3 | .134 |
| Likelihood Ratio | 5.836 | 3 | .120 |
| Linear-by-Linear Association | .032 | 1 | .859 |
| N of Valid Cases | 100 | | |

a. 1 cells (12.5%) have expected count less than 5. The minimum expected count is 4.40.

| Symmetric Measures | | | |
|--------------------|------------|-------|--------------------------|
| | | Value | Approximate Significance |
| Nominal by Nominal | Phi | .236 | .134 |
| | Cramer's V | .236 | .134 |
| N of Valid Cases | | 100 | |

Keselamatan * Kendaraan

| | | Kendaraan | | Total | | |
|-------------|---------------------------|----------------|----------|-------|-------|-----|
| | | GoRide | GrabBike | | | |
| Keselamatan | Keselamatan Sangat Rendah | Count | 2 | 0 | 2 | |
| | | Expected Count | .9 | 1.1 | 2.0 | |
| | | % of Total | 2.0% | 0.0% | 2.0% | |
| | Keselamatan Rendah | Count | 2 | 2 | 4 | |
| | | Expected Count | 1.8 | 2.2 | 4.0 | |
| | | % of Total | 2.0% | 2.0% | 4.0% | |
| | Keselamatan Sedang | Count | 18 | 32 | 50 | |
| | | Expected Count | 22.0 | 28.0 | 50.0 | |
| | | % of Total | 18.0% | 32.0% | 50.0% | |
| | Keselamatan Tinggi | Count | 11 | 22 | 33 | |
| | | Expected Count | 14.5 | 18.5 | 33.0 | |
| | | % of Total | 11.0% | 22.0% | 33.0% | |
| | Keselamatan Sangat Tinggi | Count | 11 | 0 | 11 | |
| | | Expected Count | 4.8 | 6.2 | 11.0 | |
| | | % of Total | 11.0% | 0.0% | 11.0% | |
| | Total | | Count | 44 | 56 | 100 |

| | | | |
|----------------|-------|-------|--------|
| Expected Count | 44.0 | 56.0 | 100.0 |
| % of Total | 44.0% | 56.0% | 100.0% |

Chi-Square Tests

| | Value | df | Asymptotic Significance (2-sided) |
|------------------------------|---------------------|----|-----------------------------------|
| Pearson Chi-Square | 19.426 ^a | 4 | .001 |
| Likelihood Ratio | 24.289 | 4 | .000 |
| Linear-by-Linear Association | 2.398 | 1 | .121 |
| N of Valid Cases | 100 | | |

a. 5 cells (50.0%) have expected count less than 5. The minimum expected count is .88.

Symmetric Measures

| | | Value | Approximate Significance |
|--------------------|------------|-------|--------------------------|
| Nominal by Nominal | Phi | .441 | .001 |
| | Cramer's V | .441 | .001 |
| N of Valid Cases | | 100 | |

Keamanan * Kendaraan

Crosstab

| | Kendaraan | | Total |
|--|-----------|----------|-------|
| | GoRide | GrabBike | |
| | | | |

| | | | | | |
|-------------|-------------|------------|-------|-------|--------|
| Keamanan | Sangat Aman | Count | 4 | 4 | 8 |
| | | Expected | 3.5 | 4.5 | 8.0 |
| | | Count | | | |
| | | % of Total | 4.0% | 4.0% | 8.0% |
| Aman | Aman | Count | 20 | 20 | 40 |
| | | Expected | 17.6 | 22.4 | 40.0 |
| | | Count | | | |
| | | % of Total | 20.0% | 20.0% | 40.0% |
| Cukup Aman | Cukup Aman | Count | 17 | 26 | 43 |
| | | Expected | 18.9 | 24.1 | 43.0 |
| | | Count | | | |
| | | % of Total | 17.0% | 26.0% | 43.0% |
| Kurang Aman | Kurang Aman | Count | 3 | 6 | 9 |
| | | Expected | 4.0 | 5.0 | 9.0 |
| | | Count | | | |
| | | % of Total | 3.0% | 6.0% | 9.0% |
| Total | Total | Count | 44 | 56 | 100 |
| | | Expected | 44.0 | 56.0 | 100.0 |
| | | Count | | | |
| | | % of Total | 44.0% | 56.0% | 100.0% |

| Chi-Square Tests | | |
|------------------|----|-----------------------------------|
| Value | df | Asymptotic Significance (2-sided) |
| | | |

| | | | |
|------------------------------|--------------------|---|------|
| Pearson Chi-Square | 1.465 ^a | 3 | .690 |
| Likelihood Ratio | 1.474 | 3 | .688 |
| Linear-by-Linear Association | 1.273 | 1 | .259 |
| N of Valid Cases | 100 | | |

a. 3 cells (37.5%) have expected count less than 5. The minimum expected count is 3.52.

| Symmetric Measures | | | |
|--------------------|------------|-------|--------------------------|
| | | Value | Approximate Significance |
| Nominal by Nominal | Phi | .121 | .690 |
| | Cramer's V | .121 | .690 |
| N of Valid Cases | | 100 | |

Kenyamanan * Kendaraan

| | | Crosstab | | | |
|--------------|---------------|----------------|----------|-------|-------|
| | | Kendaraan | | Total | |
| | | GoRide | GrabBike | | |
| Kenyanaman | Sangat Nyaman | Count | 2 | 6 | 8 |
| | | Expected Count | 3.5 | 4.5 | 8.0 |
| | | % of Total | 2.0% | 6.0% | 8.0% |
| Nyaman | Nyaman | Count | 19 | 14 | 33 |
| | | Expected Count | 14.5 | 18.5 | 33.0 |
| | | % of Total | 19.0% | 14.0% | 33.0% |
| Cukup Nyaman | Cukup Nyaman | Count | 19 | 34 | 53 |
| | | Expected Count | 23.3 | 29.7 | 53.0 |
| | | | | | |

| | | | | |
|--------------|----------------|-------|-------|--------|
| | % of Total | 19.0% | 34.0% | 53.0% |
| Tidak Nyaman | Count | 4 | 2 | 6 |
| | Expected Count | 2.6 | 3.4 | 6.0 |
| | % of Total | 4.0% | 2.0% | 6.0% |
| Total | Count | 44 | 56 | 100 |
| | Expected Count | 44.0 | 56.0 | 100.0 |
| | % of Total | 44.0% | 56.0% | 100.0% |

| Chi-Square Tests | | | |
|------------------------------|--------------------|----|-----------------------------------|
| | Value | df | Asymptotic Significance (2-sided) |
| Pearson Chi-Square | 6.321 ^a | 3 | .097 |
| Likelihood Ratio | 6.393 | 3 | .094 |
| Linear-by-Linear Association | .000 | 1 | .982 |
| N of Valid Cases | 100 | | |

a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is 2.64.

| Symmetric Measures | | | |
|--------------------|------------|-------|--------------------------|
| | | Value | Approximate Significance |
| Nominal by Nominal | Phi | .251 | .097 |
| | Cramer's V | .251 | .097 |
| N of Valid Cases | | 100 | |

