

LAMPIRAN LISTING PROGRAM

1. index.php (customer)

```
<?php
session_start();
include_once "library/inc.connection.php";
include_once "library/inc.library.php";
?>
<html>
<head>
<title>Dairi Bertani</title>
<meta name="robots" content="index, follow">

<meta name="description" content=>

<meta name="keywords" content="dairi bertani, dairi, dan lainnya">

<link href="style/styles_user.css" rel="stylesheet"
type="text/css">
<link href="style/button.css" rel="stylesheet" type="text/css">
<script language="JavaScript" src="js.popupWindow.js"></script>
<style type="text/css">
<!--
.style2 {font-family: "Courier New", Courier, monospace}
.style4 {font-family: "Courier New", Courier, monospace; font-size:
9px; }
.style5 {font-size: 10px}
-->
</style>
</head>
<body>
<table width="800" border="0" align="center" cellpadding="3"
cellspacing="1">
  <tr>
    <td colspan="2" bgcolor="#F5F5F5">&nbsp;  </td>
  </tr>
  <tr>
    <td colspan="2"></td>
  </tr>
  <tr>
    <td colspan="2" align="right"><a href="?open=Home"
target="_self"><strong>HOME</strong></a> | <a href="?open=Profil"
target="_self"><strong>INFORMASI</strong></a> | <a
href="?open=Barang" target="_self"><strong>KOLEKSI</strong></a> |
<a href="?open=Panduan" target="_self"><strong>PANDUAN</strong></a>
| <a href="?open=Konfirmasi"
target="_self"><strong>KONFIRMASI</strong></a> </td>
  </tr>
  <tr>
    <td colspan="2" align="right" bgcolor="#CCCCCC"><form
name="form1" method="post" action="?open=Barang-Pencarian">
      <strong>Cari Barang :</strong>
      <input name="txtKeyword" type="text" size="30"
maxlength="100">
      <input type="submit" name="btnCari" value=" Cari ">
    </td>
  </tr>
</table>
```

```

</form> </td>
</tr>
<tr>
<td width="182" valign="top" bgcolor="#FFFFFF"><table
width="100%" border="0" cellspacing="1" cellpadding="3">
<tr>
<td bgcolor="#CCCCCC"><strong>KONTAK MAIL </strong></td>
</tr>
<tr>
<td><a href="ymsgr:sendIM?kutubuku@yahoo.com"><span
class="style4">&nbsp;<span
class="style5">dairibertani@gmail.com</span></span></a></td>
</tr>
<tr>
<td bgcolor="#CCCCCC"><strong>TELEPON</strong></td>
</tr>
<tr>
<td><span class="style2">0812345678910</span></td>
</tr>
<tr>
<td><?php if(file_exists ("login.php")) { include
"login.php"; } else { echo "file login.php belum ada"; } ?> </td>
</tr>
<tr>
<td bgcolor="#CCCCCC">&nbsp;</td>
</tr>
<?php
$mySql = "SELECT * FROM kategori ORDER BY
nm_kategori";
$myQry = mysql_query($mySql, $koneksi) or die
("Query salah : ".mysql_error());
while($myData = mysql_fetch_array($myQry)) {
$Kode = $myData['kd_kategori'];
?>
<tr>
<td>&nbsp;</td>
</tr>
<?php } ?>
</table>
</td>
<td width="603" valign="top" bgcolor="#FFFFFF"><?php include
"buka_file.php"; ?></td>
</tr>
<tr>
<td bgcolor="#FFFFFF">&nbsp;</td>
<td bgcolor="#FFFFFF">&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td colspan="2" align="center" bgcolor="#F5F5F5"><div
align="center"><span class="FOOT">Dairi Bertani </span></div></td>
</tr>
</table>
</body>
</html>

```

2. login.php (customer)

```
<form name="frmLogin" method="post" action="?open=Login-Validasi">
<table width="100%" border="0" cellspacing="1" cellpadding="3">
<?php
if (! isset($_SESSION['SES_PELANGGAN'])) {
    // Jika belum Login, maka form Login ditampilkan
?>
    <tr>
        <td bgcolor="#CCCCCC"><b>LOGIN</b></td>
    </tr>
    <tr>
        <td><strong>Username : </strong><br>
            <input name="txtUsername" type="text" size="20"
maxlength="30">
        </td>
    </tr>
    <tr>
        <td><strong>Password : </strong><br>
            <input name="txtPassword" type="password" size="20"
maxlength="30"></td>
    </tr>
    <tr>
        <td><input type="submit" name="btnLogin" value="Login" /> </td>
    </tr>
    <tr>
        <td><a href="?open=Pelanggan-Baru" target="_self">Pendaftaran
Baru </a></td>
    </tr>
<?php
}
else {
    // Jika sudah Login, maka menu Pelanggan ditampilkan
?>
    <tr>
        <td bgcolor="#CCCCCC"><b>TRANSAKSI</b></td>
    </tr>
    <tr>
        <td><a href="?open=Keranjang-Belanja" target="_self">Keranjang
Belanja </a></td>
    </tr>
    <tr>
        <td><a href="?open=Transaksi-Tampil" target="_self">Tampilkan
Transaksi </a></td>
    </tr>
    <tr>
        <td><a href="login_out.php" target="_self">Logout</a></td>
    </tr>
<?php } ?>
</table>
</form>
```

3. info_home.php (customer)

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Home</title>
</head>
<body>
<table width="100%" border="0" cellspacing="1" cellpadding="3">
  <tr>
    <td align="center"></td>
  </tr>
</table>
<?php include "barang.php"; ?>
</body>
</html>
```

4. main.php (admin)

```
<?php
if(! empty($_SESSION['SES_ADMIN'])) {
    echo "<h2 style='margin:-5px 0px 5px 0px;
padding:0px;'>Selamat datang Toko Dairi Bertani !</h2></p>";
    echo "<b> Anda login sebagai Administrator";
    exit;
}
else {
    echo "<h2 style='margin:-5px 0px 5px 0px;
padding:0px;'>Selamat Datang di Toko Dairi Bertani</h2></p>";
    echo "<b> Silahkan <a href='?open=Login' alt='Login'>Login
</a>untuk Mengakses Sistem ";
}
?>
```

5. index.php (admin)

```
<?php
session_start();
include_once "../library/inc.connection.php";
include_once "../library/inc.library.php";
?>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1" />
<title>Dairi Bertani</title>
<link href="../style/button.css" rel="stylesheet" type="text/css">
<link href="../style/style_admin.css" rel="stylesheet"
type="text/css">
<link rel="stylesheet" type="text/css"
href="../plugins/tigra_calendar/tcal.css" />
<script type="text/javascript"
src="../plugins/tigra_calendar/tcal.js"></script>
<script language="javascript" type="text/javascript"
src="../plugins/tinymce/tinymce.min.js"></script>
<script type="text/javascript">
tinymce.init({
    selector: "textarea"
});
</script>
</head>
<div id="wrap">
<body>
<table width="100%" class="table-main">
    <tr>
        <td height="103" colspan="2"></td>
    </tr>
    <tr valign="top">
        <td width="15%" style="border-right:5px solid #DDDDDD;"><div
style="margin:5px; padding:5px;"><?php include
"menu.php";?></div></td>
        <td width="69%" height="550"><div style="margin:5px;
padding:5px;"><?php include "buka_file.php";?></div></td>
    </tr>
</table>
</body>
</div>
</html>
```

6. login.php (admin)

```
<form action="?open=Login-Validasi" method="Post" name="form1"
target="_self">
  <table width="500" border="0" cellspacing="1" cellpadding="3">
    <tr>
      <th width="159" rowspan="4" scope="col">&nbsp;</th>
      <th colspan="2" scope="col">LOGIN ADMIN </th>
    </tr>
    <tr>
      <td width="117"><strong>Username</strong></td>
      <td width="202">:
      <input name="txtUsername" type="text" id="txtUsername"
size="30" maxlength="30"></td>
    </tr>
    <tr>
      <td><strong>Password</strong></td>
      <td>:
      <input name="txtPassword" type="password" id="txtPassword"
size="30" maxlength="30"></td>
    </tr>
    <tr>
      <td>&nbsp;</td>
      <td><input type="submit" name="btnLogin" value=" Login "
/></td>
    </tr>
  </table>
</form>
```

7. buka_file.php (admin)

```
<?php
if(isset($_GET['open'])) {
  switch($_GET['open']){
    case '' :
      if(!file_exists ("main.php")) die ("Empty Main
Page!");
      include "main.php"; break;
    case 'Login' :
      if(!file_exists ("login.php")) die ("Sorry Empty
Page!");
      include "login.php"; break;
    case 'Login-Validasi' :
      if(!file_exists ("login_validasi.php")) die
("Sorry Empty Page!");
      include "login_validasi.php"; break;
    case 'Logout' :
      if(!file_exists ("login_out.php")) die ("Sorry
Empty Page!");
      include "login_out.php"; break;
    case 'Halaman-Utama' :
      if(!file_exists ("main.php")) die ("Sorry Empty
Page!");
```

```

        include "main.php";        break;

        # DATA PASSWORD
        case 'Password-Admin' :
            if(!file_exists ("password_admin.php")) die
("Sorry Empty Page!");
            include "password_admin.php"; break;

        # DATA PROVINSI
        case 'Provinsi-Data' :
            if(!file_exists ("provinsi_data.php")) die
("Sorry Empty Page!");
            include "provinsi_data.php"; break;
        case 'Provinsi-Add' :
            if(!file_exists ("provinsi_add.php")) die ("Sorry
Empty Page!");
            include "provinsi_add.php"; break;
        case 'Provinsi-Delete' :
            if(!file_exists ("provinsi_delete.php")) die
("Sorry Empty Page!");
            include "provinsi_delete.php"; break;
        case 'Provinsi-Edit' :
            if(!file_exists ("provinsi_edit.php")) die
("Sorry Empty Page!");
            include "provinsi_edit.php"; break;

        # DATA KATEGORI
        case 'Kategori-Data' :
            if(!file_exists ("kategori_data.php")) die
("Sorry Empty Page!");
            include "kategori_data.php"; break;
        case 'Kategori-Add' :
            if(!file_exists ("kategori_add.php")) die ("Sorry
Empty Page!");
            include "kategori_add.php";        break;
        case 'Kategori-Delete' :
            if(!file_exists ("kategori_delete.php")) die
("Sorry Empty Page!");
            include "kategori_delete.php"; break;
        case 'Kategori-Edit' :
            if(!file_exists ("kategori_edit.php")) die
("Sorry Empty Page!");
            include "kategori_edit.php"; break;

        # DATA BARANG
        case 'Barang-Data':
            if(!file_exists ("barang_data.php")) die ("Sorry
Empty Page!");
            include "barang_data.php"; break;
        case 'Barang-Add':
            if(!file_exists ("barang_add.php")) die ("Sorry
Empty Page!");
            include "barang_add.php"; break;
        case 'Barang-Delete':
            if(!file_exists ("barang_delete.php")) die
("Sorry Empty Page!");
            include "barang_delete.php"; break;
        case 'Barang-Edit':
            if(!file_exists ("barang_edit.php")) die ("Sorry
Empty Page!");

```

```

include "barang_edit.php"; break;

# PELANGGAN
case 'Pelanggan-Data' :
    if(!file_exists ("pelanggan_data.php")) die
("Sorry Empty Page!");
    include "pelanggan_data.php"; break;
case 'Pelanggan-Add':
    if(!file_exists ("pelanggan_add.php")) die
("Sorry Empty Page!");
    include "pelanggan_add.php"; break;
case 'Pelanggan-Delete':
    if(!file_exists ("pelanggan_delete.php")) die
("Sorry Empty Page!");
    include "pelanggan_delete.php"; break;
case 'Pelanggan-Edit':
    if(!file_exists ("pelanggan_edit.php")) die
("Sorry Empty Page!");
    include "pelanggan_edit.php"; break;

# DATA
case 'Konfirmasi-Transfer' :
    if(!file_exists ("konfirmasi_transfer.php")) die
("Sorry Empty Page!");
    include "konfirmasi_transfer.php"; break;
case 'Konfirmasi-Delete' :
    if(!file_exists ("konfirmasi_delete.php")) die
("Sorry Empty Page!");
    include "konfirmasi_delete.php"; break;

# ADMIN PEMESANAN
case 'Pemesanan-Barang' :
    if(!file_exists
("laporan_pemesanan_lunas_tanggal.php")) die ("Sorry Empty Page!");
    include "laporan_pemesanan_lunas_tanggal.php";
break;
case 'Pemesanan-Lihat' :
    if(!file_exists ("pemesanan_lihat.php")) die
("Sorry Empty Page!");
    include "pemesanan_lihat.php"; break;
case 'Pemesanan-Bayar' :
    if(!file_exists ("laporan_pemesanan_lunas.php"))
die ("Sorry Empty Page!");
    include "laporan_pemesanan_lunas.php"; break;

# MASTER DATA
case 'Laporan' :
    if(!file_exists ("menu_laporan.php")) die ("Sorry
Empty Page!");
        include "menu_laporan.php"; break;

# INFORMASI DAN LAPORAN
case 'Laporan-Provinsi' :
    if(!file_exists ("laporan_provinsi.php"))
die ("Sorry Empty Page!");
    include "laporan_provinsi.php"; break;

case 'Laporan-Kategori' :

```



```

        if(!file_exists ("laporan_kategori.php"))
die ("Sorry Empty Page!");
        include "laporan_kategori.php"; break;

        case 'Laporan-Barang' :
die ("Sorry Empty Page!");
        if(!file_exists ("laporan_barang.php")) die
        include "laporan_barang.php"; break;

        case 'Laporan-Pelanggan' :
die ("Sorry Empty Page!");
        if(!file_exists ("laporan_pelanggan.php"))
        include "laporan_pelanggan.php"; break;

        case 'Laporan-Pemesanan-Periode' :
die ("Sorry Empty Page!");
        if(!file_exists
("laporan_pemesanan_periode.php")) die ("Sorry Empty Page!");
        include "laporan_pemesanan_periode.php";
break;

        case 'Laporan-Pemesanan-Lunas-Periode' :
die ("Sorry Empty Page!");
        if(!file_exists
("laporan_pemesanan_periode.php")) die ("Sorry Empty Page!");
        include "laporan_pemesanan_periode.php";
break;

        case 'Laporan-Pemesanan-Lunas-Tanggal' :

        if(!file_exists
("laporan_pemesanan_lunas_tanggal.php")) die ("Sorry Empty Page!");
        include
"laporan_pemesanan_lunas_tanggal.php"; break;

        default:
        if(!file_exists ("main.php")) die ("Empty Main
Page!");
        include "main.php";        break;
    }
}
else {
    if(!file_exists ("main.php")) die ("Empty Main Page!");
    include "main.php";
}
?>

```

8. menu.php (admin)

```
<?php
# JIKA DIKENALI YANG LOGIN ADMIN
if(isset($_SESSION['SES_ADMIN'])){
?>
    <ul>
    <li><a href='?open' title='Halaman Utama'>Home</a></li>
    <li><a href='?open=Password-Admin' title='Password
Admin'>Repassword</a></li>
    <li><a href="?open=Admin-Data" target="_self">Data Admin</a>
</li>
    <li><a href='?open=Provinsi-Data' title='Provinsi'
target="_self">Data Provinsi</a></li>
    <li><a href='?open=Kategori-Data' title='Kategori'
target="_self">Data Kategori</a></li>
    <li><a href='?open=Barang-Data' title='Barang'
target="_self">Data Barang</a></li>
    <li><a href='?open=Pelanggan-Data' title='Pelanggan'
target="_self">Data Pelanggan</a></li>
    <li><a href='?open=Pemesanan-Barang' title='Pemesanan Barang'
target="_self">Pemesanan Barang</a></li>
    <li><a href='?open=Konfirmasi-Transfer' title='Konfirmasi
Transfer' target="_self">Konfirmasi Transfer</a></li>
    <li><a href='?open=Laporan' title='Laporan'
target="_self">Laporan</a></li>
    <li><a href='?open=Logout' title='Logout
(Exit) ' >Logout</a></li>
    </ul>
<?php
}
else {
// JIKA BELUM ADA YANG LOGIN
?>
    <ul>
    <li><a href='?open=Login' title='Login'
target="_self">Login</a></li>
    </ul>
<?php } ?>
```