

## LAMPIRAN 2

### OUTPUT DATA VARIABEL YANG DIGUNAKAN DALAM PENELITIAN

#### Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
PBV	48	.0240	9.7582	2.329481	2.0855102
r	48	.0000	2.6953	.294590	.6149605
DPR	48	.0000	1.2048	.205425	.3548962
SIZE	48	11.8089	17.6295	14.311050	1.4914900
INST	48	.3293	.9720	.691369	.2129336
Valid N (listwise)	48				

## Regression

#### Correlations

		PBV	r	DPR	SIZE	INST
Pearson Correlation	PBV	1.000	.300	.338	.077	.317
	r	.300	1.000	-.136	-.143	-.039
	DPR	.338	-.136	1.000	.243	.245
	SIZE	.077	-.143	.243	1.000	-.387
	INST	.317	-.039	.245	-.387	1.000
Sig. (1-tailed)	PBV	.	.019	.009	.302	.014
	r	.019	.	.178	.165	.395
	DPR	.009	.178	.	.048	.047
	SIZE	.302	.165	.048	.	.003
	INST	.014	.395	.047	.003	.
N	PBV	48	48	48	48	48
	r	48	48	48	48	48
	DPR	48	48	48	48	48
	SIZE	48	48	48	48	48
	INST	48	48	48	48	48

**Variables Entered/Removed<sup>a</sup>**

Model	Variables Entered	Variables Removed	Method
1	INST, r, DPR, SIZE <sup>b</sup>	.	Enter

- a. Dependent Variable: PBV  
 b. All requested variables entered.

**Model Summary<sup>b</sup>**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics		
					R Square Change	F Change	df1
1	.570 <sup>a</sup>	.325	.262	1.7912721	.325	5.177	4

**Model Summary<sup>b</sup>**

Model	Change Statistics		Durbin-Watson
	df2	Sig. F Change	
1	43 <sup>a</sup>	.002	1.925

- a. Predictors: (Constant), INST, r, DPR, SIZE  
 b. Dependent Variable: PBV

**ANOVA<sup>a</sup>**

Model	Sum of Squares	df	Mean Square	F	Sig.
1 Regression	66.447	4	16.612	5.177	.002 <sup>b</sup>
Residual	137.972	43	3.209		
Total	204.420	47			

- a. Dependent Variable: PBV  
 b. Predictors: (Constant), INST, r, DPR, SIZE

Coefficients<sup>a</sup>

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	
	B	Std. Error	Beta			
1	(Constant)	-4.798	3.514		-1.365	.179
	r	1.280	.433	.378	2.959	.005
	DPR	1.492	.822	.254	1.815	.077
	SIZE	.285	.207	.204	1.378	.175
	INST	3.413	1.442	.348	2.368	.022

Coefficients<sup>a</sup>

Model	95.0% Confidence Interval for B		Correlations			Collinearity Statistics	
	Lower Bound	Upper Bound	Zero-order	Partial	Part	Tolerance	
1	(Constant)	-11.884	2.289				
	r	.408	2.153	.300	.411	.371	.964
	DPR	-.166	3.151	.338	.267	.227	.802
	SIZE	-.132	.703	.077	.206	.173	.716
	INST	.506	6.320	.317	.340	.297	.725

Coefficients<sup>a</sup>

Model	Collinearity Statistics	
	VIF	
1	(Constant)	
	r	1.038
	DPR	1.247
	SIZE	1.397
	INST	1.380

a. Dependent Variable: PBV

**Coefficient Correlations<sup>a</sup>**

Model		INST	r	DPR	SIZE	
1	INST	1.000	.070	-.372	.479	
	Correlations	r	.070	1.000	.072	.134
		DPR	-.372	.072	1.000	-.364
		SIZE	.479	.134	-.364	1.000
		INST	2.078	.044	-.441	.143
	Covariances	r	.044	.187	.025	.012
		DPR	-.441	.025	.676	-.062
		SIZE	.143	.012	-.062	.043

a. Dependent Variable: PBV

**Collinearity Diagnostics<sup>a</sup>**

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions			
				(Constant)	r	DPR	SIZE
1	1	3.496	1.000	.00	.02	.02	.00
	2	.891	1.981	.00	.58	.23	.00
	3	.542	2.539	.00	.38	.60	.00
	4	.067	7.212	.01	.00	.02	.03
	5	.003	33.374	.99	.02	.14	.97

**Collinearity Diagnostics<sup>a</sup>**

Model	Dimension	Variance Proportions
		INST
1	1	.00
	2	.00
	3	.01
	4	.61
	5	.38


a. Dependent Variable: PBV

**Residuals Statistics<sup>a</sup>**

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	.608587	5.300073	2.329481	1.1890224	48
Std. Predicted Value	-1.447	2.498	.000	1.000	48
Standard Error of Predicted Value	.315	1.105	.544	.197	48
Adjusted Predicted Value	.493359	5.478939	2.292553	1.1896372	48
Residual	-2.8443663	4.4780455	.0000000	1.7133531	48
Std. Residual	-1.588	2.500	.000	.957	48
Stud. Residual	-1.835	3.028	.009	1.061	48
Deleted Residual	-3.7968392	6.8935437	.0369283	2.1333036	48
Stud. Deleted Residual	-1.889	3.374	.028	1.114	48
Mahal. Distance	.475	16.921	3.917	3.923	48
Cook's Distance	.000	1.128	.057	.186	48
Centered Leverage Value	.010	.360	.083	.083	48

a. Dependent Variable: PBV

Charts



### Scatterplot

Dependent Variable: PBV

