

**UNIVERSITAS ESA UNGGUL
FAKULTAS ILMU-ILMU KESEHATAN
PROGRAM STUDI ILMU KEPERAWATAN**

Skripsi, Maret 2014

Donatus Sunu Natalis

2012-33-137

**“PENGARUH PROGRAM LATIHAN BRANDT DARROF DENGAN
KEJADIAN VERTIGO PADA PASIEN DI RUMAH SAKIT EKA BSD”**

xii + 7 Bab + 60 Halaman + 7 Tabel + 3 Gambar + 14 Lampiran

ABSTRAK

Latar Belakang: Vertigo merupakan sebuah gejala dari gangguan koordinasi tubuh, dan bukan merupakan penyakit vertigo dapat berlangsung hanya beberapa saat atau berlanjut hingga beberapa jam, bahkan sehari. Kejadian vertigo di Rumah Sakit Eka BSD dari bulan Oktober 2012–Oktober 2013 sejumlah 223 kasus. Jumlah kasus vertigo bisa dikatakan meningkat di setiap bulannya. Kejadian vertigo juga menempati 10 penyakit teratas yang ada di Rumah Sakit Eka BSD.

Tujuan: Penelitian ini bertujuan untuk mengetahui pengaruh program latihan Brandt Daroff dengan kejadian vertigo pada pasien di Rumah Sakit Eka BSD.

Metode : Metode penelitian ini adalah analitik Pre Eksperimental, one group pre and post test dengan teknik *probability sampling* dan jenis *purposive sampling* dan subyek penelitian adalah semua pasien yang mengalami vertigo baik itu laki-laki maupun perempuan yang datang akhir Eka BSD berjumlah 31 responden. Dengan menggunakan Kai Kuadrat.

Hasil Penelitian : Sebagian besar responden adalah berusia 30-39 tahun yaitu 11 responden (35.5%), responden terbanyak berjenis kelamin perempuan yaitu 24 responden (77.4%) responden berpendidikan perguruan tinggi sebanyak 23 responden (74.2%), responden beragama Islam yaitu 21 responden (67.7%). Hasil uji statistik mengatakan bahwa responden yang melakukan program latihan Brandt Daroff sebanyak 17 responden (54.8 %) dan yang tidak melakukan sebanyak 14 responden (45.2%). Menunjukkan tidak ada pengaruh program latihan Brandt Daroff terhadap kejadian vertigo.

Kesimpulan : Perawat harus mampu memberikan intervensi pendidikan kesehatan mengenai program latihan Brandt Daroff terhadap pasien yang mengalami vertigo.

Kata kunci : Program Latihan Brandt Daroff, Kejadian Vertigo.
Daftar Pustaka : (2005-2012)

**ESA UNGGUL UNIVERSITY
FACULTY OF HEALTH SCIENCES-
NURSING SCIENCE PROGRAM**

Thesis, March 2014

Donatus Sunu Natalis

2012-33-137

"EFFECT OF EXERCISE PROGRAM EVENTS WITH VERTIGO DARROF BRANDT IN PATIENTS IN HOSPITAL EKA BSD".

Chapter xii + 7 + 7 + 60 Page Table + 3 + 14 Appendix Figure

ABSTRACT

Background: Vertigo is a symptom of body coordination disorder and not a disease. Vertigo may last only a few moments or continued for several hours, even a day. Genesis vertigo at Eka Hospital BSD from October 2012-October 2013 some 223 cases. The number of cases of vertigo can be said to be increasing in each month. Genesis vertigo also occupy the top 10 diseases that exist in Eka Hospital BSD.

Objective: This study aimed to determine the effect of Brandt Daroff exercise program with the incidence of vertigo in patients at Eka Hospital BSD.

Methods: This study is an analytical method Experimental Pre, one group pre and post test with probability sampling techniques and types of purposive sampling and the study subjects were all patients who experienced vertigo patients both men and women who came to Eka Hospital amounted to 31 respondents. By using Chi-Square

Results: Most respondents were aged 30-39 years ie 11 respondents (35.5%), most female respondents ie 24 respondents (77.4%) of respondents have some college education were 23 respondents (74.2%), Muslim respondents ie 21 respondents (67.7%). The results of chi-square test respondents Brandt Daroff exercise program by 17 respondents (54.8%) and that did not do as much as 14 respondents (45.2%). Showed no effect Brandt Daroff exercise program on the incidence of vertigo.

Conclusion : Nurses should be able to provide health education intervention on Brandt Daroff exercise programs to patients with vertigo.

Keywords: Providing music therapy, pain scale

References: (2005-2012)