

## DAFTAR PUSTAKA

- Almatsier, S. 2003. *Prinsip Dasar Ilmu Gizi*, Jakarta; PT. Gramedia Pustaka Utama.
- Baik, I. et al. 2000. Adiposity and Mortality in Men. *Am J Epidemiol.* 152:264-71.
- Barbagallo, C.M. et al. 2001. Prevalence of Overweight and Obesity in a Rural Southern Italy Population and Relationships with Total and Cardiovascular Mortality: The Ventimiglia di Sicilia Project. *Int J Obes.* 25 :185-190.
- Besson H et al. 2009. A cross-sectional analysis of physical activity and obesity indicators in European participants of the EPIC-PANACEA study. *Int J Obes.* 33:497-506.
- Bowman, B.A; Russell, R.M, (2001). *Present Knowledge in Nutrition*, 8<sup>th</sup>. Ed., USA: International Life Science Institute.
- Bray, GA et.al. 2004. Consumption of high-fructose corn syrup in beverages may play a role in the epidemic of obesity. *Am J Clin Nutr* 79(4): 537-43.
- Canoy D et al. 2005. Cigarette smoking and fat distribution in 21.828 British men and women: a population-based study. *Obesity*. 13: 1466-1475.
- Chang CJ, Wu CH, Yao WJ, Yang YC, Wu JS, Lu FH. 2000. Relationships of age, menopause and central obesity on cardiovascular disease risk factors in Chinese women. *Int J Obes Relat Metab Disord.* 24:1699-1704.
- Chaniago, Arman Y.S. 2002. *Kamus Lengkap Bahasa Indonesia*, Cetakan V. Bandung : CV Pustaka Setia.
- David, J. 2000. *Wellness Concepts and Applications*, 3rd.ed., United States of America: Hoffman Press.

- Dekkers JC et al. 2004. Development of general and central obesity from childhood into early adulthood in African American and European American males and females with a family history of cardiovascular disease. *Am J Clin Nutr.* 79:661-668.
- Demerath EW et al. 2007. Anatomical patterning of visceral adipose tissue: race, sex, and age variation. *Obesity.* 15:2984-2993.
- Departemen Kesehatan. Laporan Nasional Riset Kesehatan Dasar (Riskesdas) 2007. Jakarta: Badan Litbangkes, 2008.
- Dorn JM et al. 2003. Alcohol drinking patterns differentially affect central adiposity as measured by abdominal height in women and men. *J. Nutr.* 133:2655-2662.
- Drapeau V et al. 2004. Modifications in food-group consumption are related to long-term body-weight changes. *Am J Clin Nutr.* 80:29-37.
- Erem C et al. 2004. Prevalence of obesity and associated risk factors in a Turkish population (Trabzon City, Turkey). *Obesity.* 12:1117–1127.
- Foster DW. Diabetes Melitus. Dalam: Braunwald Eugene et al, eds. Harrison,s principles of internal medicine edisi 13. Vol 5. McGraw-Hill 2000. Editor; Ahmad H, Asdie. Dalam: Harrison: *Prinsip-prinsip ilmu penyakit dalam* volume 5. Jakarta; EGC.2000.
- Garaulet, M et al. 2001. Endocrine, metabolic and nutritional factors in obesity and their relative significance as studied by factor analysis. *Int J Obes.* 25:243-251.
- Gotera, W, dkk. 2006. Hubungan antara Obesitas Sentral dengan Adiponektin pada Pasien Geriatri dengan Penyakit Jantung Koroner. *Jurnal Penyakit Dalam.* Vol. 7.

- Guallar-Castillon, P. et al. 2007. Intake of fried foods is associated with obesity in the cohort of Spanish adults from the European prospective investigation into cancer and nutrition. *Am J Clin Nutr.* 86:198–205.
- Hanley, AJ, et al. 2000. Overweight Among Children And Adolescent In Native Canadian Community : Prevalence And Assosiated Factor, Am. Journal Clinical Nutrition 2000.
- Hill, J.O, et al. (2006). Obesity: *Etiology*. Dalam Shils ME (editor). *Modern Nutrition In Health and Disease*. 10th .ed., USA: Lippincott Williams and Wilkins.
- Jakicic JM, Otto AD. 2005. Physical activity considerations for the treatment and prevention of obesity. *Am J Clin Nutr.* 82(suppl):226S-9S.
- Janghorbani M et al. 2007. First nationwide survey of prevalence of overweight, underweight, and abdominal obesity in Iranian adults. *Obesity.* 15:2797-2808.
- Jeffrey, A, et al., (2009). *Stronger Relationship Between Central Adiposity and C Reactive Protein in Older Women Than Men*; Source Menopause, 16, 84-89 (online) July 10, 2009. :<http://www.altavista.com/centraladiposity/>
- Klein S et al. 2007. Waist circumference and cardiometabolic risk: a consensus statement from Shaping America's Health: Association for Weight Management and Obesity Prevention; NAASO, the Obesity Society; the American Society for Nutrition; and the American Diabetes Association. *Diabetes Care.* 30:1647-1652.
- Krishnan, S., L. Rosenberg, L. Djousse, A. Cupples, J.R. Palmer. 2007. Overall and central obesity and risk of type-2 diabetes in U.S. black women. *Obesity.* 15 : 1860-1886.

Krisno A, Moch., 2002. *Gizi dan Kesehatan*. Edisi Pertama, Desember 2002, Jakarta.

Krotkiewski, M. et al. Impact of obesity on metabolism in men and women. *J. Clin Invest* 1983; 72:1150-62.

Lee, C.D., D.R. Jacobs, P.J. Schreiner, C. Iribarren, A. Hankinson. 2007. Abdominal obesity and coronary artery calcification in young adults: The coronary artery risk development in young adults (CARDIA) study. *Am J Clin Nutr.* 86:48 – 54.

Lilysari, O. Hipertensi Dengan Obesitas: Adakah Peran Endotelin. *Jurnal Kardiologi Indonesia.* [online] 28(6), 460-475.  
<http://indonesia.digitaljournals.org>. [Diakses 19 Februari 2014]; 2007.

Liu L, Ikeda K, Chen M, Yin W, Mizushima S, Miki T, Nara Y, Yamori Y. Obesity, emerging risk in China: trend of increasing prevalence of obesity and its association with hypertension and hypercholesterolaemia among the Chinese. *Clin Exp Pharmacol Physiol.* 2004, 31 (Suppl 2):S8-10.

Low S, Chin MC, Deurenberg-Yap M. Review on epidemic of obesity. *Ann Acad Med Singapore.* 2009; 38: 57-65.

Madanjah, S. 2004. *Pendidikan dalam Pengantar Pengadaan Pangan dan Gizi*. Swadaya. Jakarta.

Malik VS, Schulze MB, Hu FB. 2006. Intake of sugar-sweetened beverages and weight gain: a systematic review. *Am J Clin Nutr.* 84:274-288.

Martins IS, Marinho SP. 2003. The potential of central obesity antropometric indicators as diagnostic tools. *Rev Saúde Pública.* 37(6).

Mohsen, Rezaeian dan Ziant, Salem. 2007. Prevalence Of Obesity And Abdominal Obesity In A Sample Of Urban Adult Population Within South East Of Iran. *Journal Of Medical Science*, Vol. 23, No 2.

- Mustelin, L, et al. 2009. Physical activity reduces the influence of genetic effects on BMI and waist circumference: a study in young adult twins. *Int J Obes.* 33:29-36.
- Newby, PK, et al. 2003. Dietary patterns and changes in body mass index and waist circumference in adults. *Am J Clin Nutr.* 77:1417-1425.
- Notoatmodjo, S. 2005. *Metode Penelitian Kesehatan, Cetakan ketiga.* PT Rineka Cipta. Jakarta.
- Nugroho H. 2002. *Gerontik dan Geriatik Karakteristik Lansia.* Jakarta: Penerbit Buku Kedokteran EGC. Hal 24-31.
- Nurhayati, T.K. 2005. *Kamus Lengkap Bahasa Indonesia.* Eska Media : Jakarta.
- Nurmalina, L. 2011. Panduan untuk Keluarga Pencegahan & Manajemen Obesitas. Bandung Valley : Elex Media Komputindo.
- Purwati, S, dkk. 2007. *Perencanaan Menu untuk Penderita Kegemukan,* Cetakan VIII. Penebar Swadaya, Jakarta.
- Reynolds K et al. 2007. Prevalence and risk factors of overweight and obesity in China. *Obesity.* 15:10-18.
- Rimbawan dan Albiner S, 2004. *Indeks Glikemik Pangan,* Cetakan I. Penebar Swadaya, Jakarta.
- Risérus U, Ingelsson E. 2007. Alcohol intake, insulin resistance, and abdominal obesity in elderly men. *Obesity.* 15:1766 -1773.
- Riset Dasar Kesehatan. 2007. *Badan Penelitian dan Pengembangan Kesehatan Depkes.* Jakarta.
- Rose Stamler, et.all. Weight and blood pressure (findings in hypertension Screening of 1 Million Americans. *JAMA,* 1978,240(15):1607-1610.

- Saifuddin, S, et al. 2012. Hubungan Pengetahuan, Pola Konsumsi Makanan Sumber Natrium, Obesitas, dan Aktivitas Fisik dengan Kejadian Hipertensi di Kelurahan Bila Kecamatan Lalabata Kabupaten Soppeng Tahun 2012. *Media Gizi Pangan*. Vol. XIV, Edisi 2.
- Sanusi. Harsinen. Patogenesis hiperglikemia diabetes melitus tipe-2. *J Med Nus.* 2001; 22: 431-7.
- Shen W et al. 2006. Waist circumference correlates with metabolic syndrome indicators better than percentage fat. *Obesity*. 14:727-736.
- Slentz CA et al. 2004. Effects of the amount of exercise on body weight, body composition, and measures of central obesity. *Arch Intern Med.* 164:31-39.
- Soegih, R. 2004. BMI and waist circumference cut-off for the risk of comorbidities of obesity in populastion in Indonesia. *Departement of Nutrition Faculty of Medicine UI*, Vol. 13, No. 4.
- Sonmez K et al. 2003. Which method should be used to determinate the obesity, in patients with coronary artery disease? (body mass index, waist circumference or waist-hip ratio). *Int J Obes Relat Metab Disord.* 27:341-346.
- Sugiyono. 2010. *Metode Penelitian Kuantitatif Kualitatif dan RND*. Bandung: Alfabeta.
- Sugondo, S. 2007. Obesitas. Dalam : *Buku Ajar Ilmu Penyakit Dalam Jilid III Edisi IV*. Jakarta : Pusat Penerbitan IPD FKUI, 1919-1923.
- Sukaton U, Soegondo S, Oemardi M. Obesitas, Dalam: Noer Sjaifoellah, Waspadji S, eds. Buku ajar ilmu penyakit dalam jilid 1 Edisi 3. Jakarta: FKUI, 1996.
- Trisna, I, Hamid, S. Faktor-Faktor yang Berhubungan dengan Obesitas Sentral pada Wanita Dewasa (30-50 Tahun) di Kecamatan. Lubuk Sikaping Tahun 2008. *Jurnal Kesehatan Masyarakat*. 2009; 3(2).

- Wang, Y., Rimm, E.B. Stampfer, M.J. Willett, W.C. Hu, F.B. 2005. Comparison of abdominal adiposity and overall obesity in predicting risk of type-2 diabetes among men. *Am J Clin Nutr.* 81:556-63.
- WHO. 2000. *Obesity: Preventing and Managing the Global Epidemic. Report of a WHO consultation.* Geneva, Switzerland.
- \_\_\_\_\_. Western Pacific Region. 2000. *International Association for the Study of Obesity and the International Obesity Task Force. The Asia-Pacific Perspective: Redefining Obesity and its Treatment.* Crows Nest, Nsw, Australia: Health Communications Australia.
- \_\_\_\_\_. 2005. *Obesity and Overweight*, [Online]. Dari : <http://www.who.int>.
- \_\_\_\_\_. *The Challenge of Obesity in the WHO European Region and the Strategies for Response.* Di dalam Low S, Chin MC, Deurenberg-Yap M. 2009. Review on epidemic of obesity. *Ann Acad Med Singapore.* 38:57-65.
- \_\_\_\_\_. 2010; *Physical Activity. In Guide to Community Preventive Services Web site*, 2008.
- Wild, S., Roglic, G., Green, A., Sicree, R., King, H. Global Prevalence of Diabetes Estimates for the year 2000 and projections for 2030. *Diabetes Care.* 2004; 27.
- Wildman, R.P. et al. 2004. Appropriate body mass index and waist circumference cut-offs for categorization of overweight and central adiposity among Chinese adults. *Am J Clin Nutr.* 80:1129-36.
- Williams PT, Satariano WA. 2005. Relationships of age and weekly running distance to BMI and circumferences in 41 582 physically active women. *Obesity.* 13:1370-1380.

Wilson PW, D'Agostino RB, Sullivan L, Parise H, Kannel WB. Overweight and obesity as determinants of cardiovascular risk: the Framingham experience. Arch Intern Med. 2002; 162:1867-72.

Wittchen HU et al. 2006. International day for the evaluation of abdominal obesity: rationale and design of a primary care study on the prevalence of abdominal obesity and associated factors in 63 countries. Eur Heart J. 8 (suppl B): B26-B33.

<http://www.jakarta.go.id/web/news/2008/01/Geografis-Jakarta> diakses tanggal 17/02/14

Xu F, Yin XM, Wang Y. 2007. The Association between amount of cigarettes smoked and overweight, central obesity among Chinese adults in Nanjing, China. Asia Pac J Clin Nutr. 16 (2):240-247.