

DAFTAR PUSTAKA

- Ahmad, N., Ahmad, R., Al-Qudaihi, A., Alaseel, S. E., Fita, I. Z., Khalid, M. S., Pottoo, F. H., & Bolla, S. R. (2019). A novel self-nanoemulsifying drug delivery system for curcumin used in the treatment of wound healing and inflammation. *3 Biotech*, *9*(10), 1–20. <https://doi.org/10.1007/s13205-019-1885-3>
- Aisy, Z. H. R., Puspita, O. E., & Shalas, A. F. (2021). Optimasi Formula Nanoemulsi Nifedipin Dengan Metode Self-Nanoemulsifying Drug Delivery System (SNEDDS). *Pharmaceutical Journal of Indonesia*, *6*(2), 85–95. <https://doi.org/10.21776/ub.pji.2021.006.02.3>
- Akiladevi, D., Prakash, H., Biju, G., & Madumitha, N. (2020). Nano-novel approach: Self nano emulsifying drug delivery system (SNEDDS) - Review article. *Research Journal of Pharmacy and Technology*, *13*(2), 983–990. <https://doi.org/10.5958/0974-360X.2020.00183.3>
- Anand David, A. V., Arulmoli, R., & Parasuraman, S. (2016). Overviews of Biological Importance of Quercetin: A Bioactive Flavonoid. *Pharmacognosy Reviews*, *10*(20), 84–89. <https://doi.org/10.4103/0973-7847.194044>
- Andriani, R., Nurrahmah, I. A., Sahidin, I., Ode, L., Nur, A., Aspadiah, V., Indalifiany, A., Ode, L., Julian, M., Malaka, M. H., & Fristiody, A. (2020). PREPARATION Of Self-Nanoemulsifying Drug Delivery System (SNEDDS) Of Etlingera elatior or Wualae has the potential antiinflammation activity , due to lack of solubility the ethanolic extract of Wualae fruit are prepared into Self-Nanoemulsifying Drug Del. *International Conference of Pharmacy and Health Sciences 2020*, November. <https://doi.org/10.13140/RG.2.2.26827.41763>
- Annisa, R., Dewi, T. J. D., Mutiah, R., & Nurjanah, S. (2020). Formulation and Characterization on Self Nanoemulsifying Drug Delivery System of Eleutherine Palmifolia Extract Employing Short, Medium, and Long Chain Triglyceride. *Journal of Tropical Pharmacy and Chemistry*, *5*(1), 1–14.
- Anonim. (2020). *Farmakope Indonesia* (Ed VI). Kementrian Kesehatan Republik Indonesia.
- Anonim. (2022). *Mixture Design*. Statease. <https://www.statease.com/docs/v11/contents/mixture-designs/mixture-designs/>
- Baloch, J., Sohail, M. F., Sarwar, H. S., Kiani, M. H., Khan, G. M., Jahan, S., Rafay, M., Chaudhry, M. T., Yasinzai, M., & Shahnaz, G. (2019). Self-nanoemulsifying drug delivery system (Snedds) for improved oral bioavailability of chlorpromazine: In vitro and in vivo evaluation. *Medicina (Lithuania)*, *55*(5), 1–13. <https://doi.org/10.3390/medicina55050210>
- Banerjee, D. (2017). Nanofluids and Applications to Energy Systems. In *Encyclopedia of Sustainable Technologies* (Vol. 4, Issue 2013). Elsevier. <https://doi.org/10.1016/B978-0-12-409548-9.10144-7>

- Beaucage, S. L. (1999). Attachment of Reporter and Conjugate Groups to DNA. *Comprehensive Natural Products Chemistry*, 153–249. <https://doi.org/10.1016/b978-0-08-091283-7.00061-8>
- Bhosle, V. K., Altit, G., Autmizguine, J., & Chemtob, S. (2017). Basic Pharmacologic Principles. In *Fetal and Neonatal Physiology* (Fifth Edit). Elsevier Inc. <https://doi.org/10.1016/b978-0-323-35214-7.00018-4>
- Borhan, F. P., Abd Gani, S. S., & Shamsuddin, R. (2014). The Use of D-optimal Mixture Design in Optimising Okara Soap Formulation for Stratum Corneum Application. *Scientific World Journal*, 2014. <https://doi.org/10.1155/2014/173979>
- Buya, A. B., Beloqui, A., Memvanga, P. B., & Pr at, V. (2020). Self-Nanoemulsifying Drug-Delivery Systems: From The Development to The Current Applications and Challenges in Oral Drug Delivery. *Pharmaceutics*, 12(12), 1–52. <https://doi.org/10.3390/pharmaceutics12121194>
- Chavda, V. P. (2018). Nanobased Nano Drug Delivery: A Comprehensive Review. In *Applications of Targeted Nano Drugs and Delivery Systems: Nanoscience and Nanotechnology in Drug Delivery*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-814029-1.00004-1>
- Coltescu, A. R., Butnariu, M., & Sarac, I. (2020). The importance of solubility for new drug molecules. *Biomedical and Pharmacology Journal*, 13(2), 577–583. <https://doi.org/10.13005/BPJ/1920>
- D, S., & Prasanna J, L. (2021). A Literature Review on Self Nanoemulsifying Drug Delivery System (SNEDDS). *International Journal of Pharmaceutical Sciences Review and Research*, 70(1), 85–94. <https://doi.org/10.47583/ijpsrr.2021.v70i01.011>
- Dajas, F. (2012). Life or death: Neuroprotective and anticancer effects of quercetin. *Journal of Ethnopharmacology*, 143(2), 383–396. <https://doi.org/10.1016/j.jep.2012.07.005>
- Dash, R. N., Mohammed, H., Humaira, T., & Ramesh, D. (2015). Design, Optimization and Evaluation of Glipizide Solid Self-Nanoemulsifying Drug Delivery for Enhanced Solubility and Dissolution. *Saudi Pharmaceutical Journal*, 23(5), 528–540. <https://doi.org/10.1016/j.jsps.2015.01.024>
- Date, A. A., Desai, N., Dixit, R., & Nagarsenker, M. (2010). Self-nanoemulsifying drug delivery systems: Formulation insights, applications and advances. *Nanomedicine*, 5(10), 1595–1616. <https://doi.org/10.2217/nnm.10.126>
- Dwi, S., Febrianti, S., Zainul, A., & Retno, S. (2018). PEG 8000 increases solubility and dissolution rate of quercetin in solid dispersion system. *Marmara Pharmaceutical Journal*, 22(2), 259–266. <https://doi.org/10.12991/mpj.2018.63>
- El-Saber Batiha, G., Beshbishy, A. M., Ikram, M., Mulla, Z. S., Abd El-Hack, M. E., Taha, A. E., Algammal, A. M., & Ali Elewa, Y. H. (2020). The Pharmacological Activity, Biochemical Properties, and Pharmacokinetics of The Major Natural Polyphenolic Flavonoid: Quercetin. *Foods*, 9(3). <https://doi.org/10.3390/foods9030374>
- Fitria, A., Hanifah, S., Chabib, L., Uno, A. M., Munawwarah, H., Atsil, N., Pohara, H. A., Weuanggi, D. A., & Syukri, Y. (2021). Design and characterization of

- propolis extract loaded self-nano emulsifying drug delivery system as immunostimulant. *Saudi Pharmaceutical Journal*, 29(6), 625–634. <https://doi.org/10.1016/j.jsps.2021.04.024>
- Gohel, M., Purohit, A., Patel, A., & Hingorani, L. (2016). Optimization of bacoside a loaded snedds using d-optimal mixture design for enhancement insolubility and bioavailability. *International Journal of Pharmacy and Pharmaceutical Sciences*, 8(12), 213–220. <https://doi.org/10.22159/ijpps.2016v8i12.13488>
- Goos, P., Jones, B., & Syafitri, U. (2016). I-Optimal Design of Mixture Experiments. *Journal of the American Statistical Association*, 111(514), 899–911. <https://doi.org/10.1080/01621459.2015.1136632>
- Handoyo Sahumena, M., Ryan Prasetya Putrawansya, L., Nafisah Tendri Adjeng, A., & Aswan, M. (2019). The Self-nanoemulsifying Drug Delivery System Formulation of Mefenamic Acid. *Asian Journal of Pharmaceutics*, 13(4), 287. <https://doi.org/https://dx.doi.org/10.22377/ajp.v13i04.3399>
- Hassan, B. A. R., Yusoff, Z. B. M., Othman, M. A. H., & Bin, S. (2017). Flavonoids: Important Biocompounds in Food. In J. Justino (Ed.), *Flavonoids From Biosynthesis to Human Health* (p. 354). IntechOpen. <http://dx.doi.org/10.1039/C7RA00172J%0Ahttps://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics%0Ahttp://dx.doi.org/10.1016/j.colsurfa.2011.12.014>
- Jones, D. (2008). *FASTtrack: Pharmaceuticals Dosage Form and Design*. Pharmaceutical Press.
- Kazi, M., Al-Swairi, M., Ahmad, A., Raish, M., Alanazi, F. K., Badran, M. M., Khan, A. A., Alanazi, A. M., & Hussain, M. D. (2019). Evaluation of Self-Nanoemulsifying Drug Delivery Systems (SNEDDS) for Poorly Water-Soluble Talinolol: Preparation, In Vitro and In Vivo Assessment. *Frontiers in Pharmacology*, 10(MAY), 1–13. <https://doi.org/10.3389/fphar.2019.00459>
- Khan, A. W., Kotta, S., Ansari, S. H., Sharma, R. K., & Ali, J. (2015). Self-Nanoemulsifying Drug Delivery System (SNEDDS) of The Poorly Water Soluble Grapefruit Flavonoid Naringenin: Design, Characterization, In Vitro and In Vivo Evaluation. *Drug Delivery*, 22(4), 552–561. <https://doi.org/10.3109/10717544.2013.878003>
- Khan, S., Baboota, S., Ali, J., Khan, S., Narang, R. S., & Narang, J. K. (2015). Nanostructured lipid carriers: An emerging platform for improving oral bioavailability of lipophilic drugs. *International Journal of Pharmaceutical Investigation*, 5(4), 182–191. <https://doi.org/10.4103/2230-973X.167661>
- Komaiko, J., & McClements, D. J. (2015). Food-grade nanoemulsion filled hydrogels formed by spontaneous emulsification and gelation: Optical properties, rheology, and stability. *Food Hydrocolloids*, 46, 67–75. <https://doi.org/10.1016/j.foodhyd.2014.12.031>
- Kumar, M., Bishnoi, R. S., Shukla, A. K., & Jain, C. P. (2019). Techniques for formulation of nanoemulsion drug delivery system: A review. *Preventive Nutrition and Food Science*, 24(3), 225–234. <https://doi.org/10.3746/pnf.2019.24.3.225>
- Kumar, S., & Pandey, A. K. (2013). Chemistry and Biological Activities of Flavonoids: An Overview. *The Scientific World Journal*, 2013, 162750.

- <https://doi.org/10.1155/2013/162750>
- Lystiyaningsih, R., Dian, D., & Ermawati, E. (2018). *Formulasi Sediaan Moisturizer Gel SNEDDS Ekstrak Etanol Kulit Buah Salak Pondoh (Salacca zalacca (Gaertn.) Voss)*. 1–13.
- Mai, Y., Dou, L., Madla, C. M., Murdan, S., & Basit, A. W. (2019). Sex-Dependence in the Effect of Pharmaceutical Excipients: Polyoxyethylated Solubilising Excipients Increase Oral Drug Bioavailability in Male but Not Female Rats. *Pharmaceutics*, 11(5). <https://doi.org/10.3390/pharmaceutics11050228>
- Mazonde, P., Khamanga, S. M. M., & Walker, R. B. (2020). Design, optimization, manufacture and characterization of Efavirenz-loaded flaxseed oil nanoemulsions. *Pharmaceutics*, 12(9), 1–22. <https://doi.org/10.3390/pharmaceutics12090797>
- Miao, Y., Zhao, S., Zuo, J., Sun, J., & Wang, J. (2022). Reduced the Food Effect and Enhanced the Oral Bioavailability of Ivacaftor by Self-Nanoemulsifying Drug Delivery System (SNEDDS) Using a New Oil Phase. *Drug Design, Development and Therapy*, Volume 16(May), 1531–1546. <https://doi.org/10.2147/dddt.s356967>
- Miranda, C., Aceituno, A., Fernández, M., Mendes, G., Rodríguez, Y., Llauró, V., & Cabrera-Pérez, M. Á. (2021). ICH Guideline for Biopharmaceutics Classification System Based Biowaiver (M9): Toward Harmonization in Latin American Countries. *Pharmaceutics*, 13(3), 1–17. <https://doi.org/10.3390/pharmaceutics13030363>
- Mohamad Zen, N. I., Abd Gani, S. S., Shamsudin, R., & Fard Masoumi, H. R. (2015). The use of D-optimal mixture design in optimizing development of okara tablet formulation as a dietary supplement. *Scientific World Journal*, 2015. <https://doi.org/10.1155/2015/684319>
- Montgomery, D. C. (2017). Experimenta Design. In *Mycological Research* (Vol. 106, Issue 11).
- Morakul, B. (2020). Self-nanoemulsifying drug delivery systems (SNEDDS): An advancement technology for oral drug delivery. *Pharmaceutical Sciences Asia*, 47(3), 205–220. <https://doi.org/10.29090/psa.2020.03.019.0121>
- Mudalige, T., Qu, H., Van Haute, D., Ansar, S. M., Paredes, A., & Ingle, T. (2018). Characterization of Nanomaterials: Tools and Challenges. In *Nanomaterials for Food Applications*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-814130-4.00011-7>
- Nadiah, M., Izham, M., Hussin, Y., Nazirul, M., Aziz, M., Yeap, S. K., Rahman, H. S., & Ja, M. (2019). Preparation and Characterization of Self Nano-Emulsifying Drug Delivery System Loaded with Citraland Its Antiproliferative Effect on Colorectal Cells in Vitro. *Nanomaterials*, 9(1028), 1–18.
- Narkhede, R., Gujar, K., & Gambhire, V. (2014). Design and Evaluation of Self-Nanoemulsifying Drug Delivery Systems for Nebivolol Hydrochloride. *Asian Journal of Pharmaceutics*, 8(3), 200–209. <https://doi.org/10.4103/0973-8398.139190>
- Nasr, A., Gardouh, A., Ghonaim, H., Abdelghany, E., & Ghorab, M. (2016). Effect

- of oils, surfactants and cosurfactants on phase behavior and physicochemical properties of self-nanoemulsifying drug delivery system (Snedds) for irbesartan and olmesartan. *International Journal of Applied Pharmaceutics*, 8(1), 13–24.
- Nasr, A., Gardouh, A., & Ghorab, M. (2016). Novel solid self-nanoemulsifying drug delivery system (S-SNEDDS) for oral delivery of olmesartan medoxomil: Design, formulation, pharmacokinetic and bioavailability evaluation. *Pharmaceutics*, 8(3). <https://doi.org/10.3390/pharmaceutics8030020>
- Nugroho, B. H., & Sari, N. P. (2018). Formulation of Self Nano Emulsifying Drug Delivery System (SNEDDS) Karamunting Leaf Extract (*Rhodomyrtus tomentosa* (Ait.) Hassk). *Jurnal Ilmiah Farmasi*, 14(1), 1–8.
- Papich, M. G., & Martinez, M. N. (2015). Applying Biopharmaceutical Classification System (BCS) Criteria to Predict Oral Absorption of Drugs in Dogs: Challenges and Pitfalls. *AAPS Journal*, 17(4), 948–964. <https://doi.org/10.1208/s12248-015-9743-7>
- Pratiwi, L., Fudholi, A., Martien, R., & Pramono, S. (2017). Self-nanoemulsifying Drug Delivery System (Snedds) for Topical Delivery of Mangosteen Peels (*Garcinia Mangostana* L.): Formulation Design and In vitro Studies. *Journal of Young Pharmacists*, 9, 341–346.
- Priani, S. E., Maulidina, S. S., Darusman, F., Purwanti, L., & Mulyanti, D. (2020). Development of self nanoemulsifying drug delivery system for black seed oil (*Nigella sativa* L.). *Journal of Physics: Conference Series*, 1469(1). <https://doi.org/10.1088/1742-6596/1469/1/012022>
- Priani, Sani Ega, Nurrayyan, N., & Darusman, F. (2017). Formulation self nano emulsifying drug delivery system glimepiride using oleic acid as oil phase. *Pharmaciana*, 7(2), 267. <https://doi.org/10.12928/pharmaciana.v7i2.7387>
- Priani, Sani Ega, Somantri, S. Y., & Aryani, R. (2020). Formulasi dan Karakterisasi SNEDDS (Self Nanoemulsifying Drug Delivery System) Mengandung Minyak Jintan Hitam dan Minyak Zaitun. *Jurnal Sains Farmasi & Klinis*, 7(1), 31. <https://doi.org/10.25077/jsfk.7.1.31-38.2020>
- Rachmawati, H., Rasaputri, D. H., Susilowidodo, R. A., Darijanto, S. T., & Sumirtapura, Y. C. (2011). The Influence of Oils and Surfactants on The Formation of Self-Nanoemulsifying Drug Delivery Systems (SNEDDS) Containing Therapeutic Protein. *Proceedings of The International Conference on Materials Science and Technology ICMST: Materials Science and Technology*, 5(1), 247–252.
- Rahayu, W. D., Syafitri, U. D., & Soleh, A. M. (2019). D-optimal design for ordinal responses in mixture experiments. *Journal of Physics: Conference Series*, 1317(1). <https://doi.org/10.1088/1742-6596/1317/1/012017>
- Rahman, M. A., Hussain, A., Hussain, M. S., Mirza, M. A., & Iqbal, Z. (2013). Role of Excipients in Successful Development of Self-Emulsifying/Microemulsifying Drug Delivery System (SEDDS/SMEDDS). *Drug Development and Industrial Pharmacy*, 39(1), 1–19. <https://doi.org/10.3109/03639045.2012.660949>
- Rowe, R., Sheskey, P. J., & Quinn, M. E. (2009). Handbook of Pharmaceutical Excipients. In *American Pharmaceutical Association* (6th ed.).

- Pharmaceutical Press.
- Rwahwire, S., Tomkova, B., Periyasamy, A. P., & Kale, B. M. (2019). Green Thermoset Reinforced Biocomposites. In *Green Composites for Automotive Applications* (pp. 61–80). Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-102177-4.00003-3>
- Savjani, K. T., Gajjar, A. K., & Savjani, J. K. (2012). Drug Solubility: Importance and Enhancement Techniques. *ISRN Pharmaceutics*, 2012(100 mL), 1–10. <https://doi.org/10.5402/2012/195727>
- Schmied, F. P., Bernhardt, A., Engel, A., & Klein, S. (2022). A Customized Screening Tool Approach for the Development of a Self-Nanoemulsifying Drug Delivery System (SNEDDS). *AAPS PharmSciTech*, 23(1), 10–12. <https://doi.org/10.1208/s12249-021-02176-7>
- Shaposhnik, Z., & Tamanoi, F. (2014). Smart-Drug Delivery and Target-Specific Therapy. In *Comprehensive Biomedical Physics* (Vol. 10). Elsevier B.V. <https://doi.org/10.1016/B978-0-444-53632-7.01022-4>
- Sulkhan, A. A. R., Artanti, A. N., Ermawati, D. E., & Prihapsara, F. (2019). Optimization of Self-Nanoemulsifying Drug Delivery System (SNEDDS) of *Annona muricata* L. leaves chloroform extract using VCO (Virgin Coconut Oil) as an oil phase. *IOP Conference Series: Materials Science and Engineering*, 578(1). <https://doi.org/10.1088/1757-899X/578/1/012046>
- Syukri, Y., Fitriani, H., Pandapotan, H., & Nugroho, B. H. (2019). Formulation, characterization and stability of ibuprofen-loaded Self-Nano Emulsifying Drug Delivery System (SNEDDS). *Indonesian Journal of Pharmacy*, 30(2), 105–113. <https://doi.org/10.14499/indonesianjpharm30iss2pp105>
- Taufik, Y., & Widiyantara, T. (2018). Optimalisasi Formulasi Minuman Jelly Lidah Buaya (*Aloe vera* L.) dan Daun Black Mulberry (*Morus nigra* L.) menggunakan Design Expert Metode Mixture D-Optimal. *Pasundan Food Technology Journal*, 4(3), 176. <https://doi.org/10.23969/pftj.v4i3.669>
- Tran, T. H., Guo, Y., Song, D., Bruno, R. S., & Lu, X. (2014a). Quercetin-containing self-nanoemulsifying drug delivery system for improving oral bioavailability. *Journal of Pharmaceutical Sciences*, 103(3), 840–852. <https://doi.org/10.1002/jps.23858>
- Tran, T. H., Guo, Y., Song, D., Bruno, R. S., & Lu, X. (2014b). Quercetin Containing Self-Nanoemulsifying Drug Delivery System for Improving Oral Bioavailability. *Journal of Pharmaceutical Sciences*, 103(3), 840–852. <https://doi.org/10.1002/jps.23858>
- Truzzi, F., Tibaldi, C., Zhang, Y., Dinelli, G., & D'Amen, E. (2021). An overview on dietary polyphenols and their biopharmaceutical classification system (Bcs). *International Journal of Molecular Sciences*, 22(11). <https://doi.org/10.3390/ijms22115514>
- Viswanathan, P., Muralidaran, Y., & Ragavan, G. (2017). Challenges in oral drug delivery: A nano-based strategy to overcome. In *Nanostructures for Oral Medicine*. Elsevier Inc. <https://doi.org/10.1016/B978-0-323-47720-8.00008-0>
- Wang, W., Sun, C., Mao, L., Ma, P., Liu, F., Yang, J., & Gao, Y. (2016a). The biological activities, chemical stability, metabolism and delivery systems of quercetin: A review. *Trends in Food Science and Technology*, 56, 21–38.

- <https://doi.org/10.1016/j.tifs.2016.07.004>
- Wang, W., Sun, C., Mao, L., Ma, P., Liu, F., Yang, J., & Gao, Y. (2016b). The Biological Activities, Chemical Stability, Metabolism and Delivery Systems of Quercetin: A review. *Trends in Food Science and Technology*, 56, 21–38. <https://doi.org/10.1016/j.tifs.2016.07.004>
- Waterbeemd, H. van de, & Testa, B. (2009). *Drug Bioavailability* (2nd ed.). Wiley VCH.
- Weerapol, Y., Limmatvapirat, S., Nunthanid, J., & Sriamornsak, P. (2014). Self-nanoemulsifying drug delivery system of nifedipine: Impact of hydrophilic-lipophilic balance and molecular structure of mixed surfactants. *AAPS PharmSciTech*, 15(2), 456–464. <https://doi.org/10.12249-014-0078-y>
- Winarti, L., Suwaldi, Martien, R., & Hakim, L. (2016). Formulation of Self-Nanoemulsifying Drug Delivery System of Bovine Serum Albumin Using HLB (Hydrophilic-Lypophilic Balance) Approach. *Indonesian Journal of Pharmacy*, 27(3), 117–127. <https://doi.org/10.14499/indonesianjpharm27iss3pp117>
- Wulandari, W., Ermawati, D. E., & Yugatama, A. (2019). Optimization SNEDDS (Self-Nano Emulsifying Drug Delivery System) of ZnO that dispersed into Hydrogel Matrix as UV-Protective. *IOP Conference Series: Materials Science and Engineering*, 578(1). <https://doi.org/10.1088/1757-899X/578/1/012058>
- Yulistianti, E. R. (2017). *Pengantar Radikal Bebas dan Antioksidan*. Deepublish.
- Zhao, T., Maniglio, D., Chen, J., Chen, B., Motta, A., & Migliaresi, C. (2015). Design and optimization of self-nanoemulsifying formulations for lipophilic drugs. *Nanotechnology*, 26(12), 125102. <https://doi.org/10.1088/0957-4484/26/12/125102>