

## DAFTAR PUSTAKA

- Aguero-Hernandez, A. L., Rosales-Lopez, C., Herrera, C., Vargas-Picado, A., Munoz, R., & Abdelnour-Esquivel, A. (2020). Hypoglycemic effect of *Kalanchoe pinnata* (Lam) Pers. leaf extract. *Pharmacognosy Journal*, *12*(3), 557–561. <https://doi.org/10.5530/pj.2020.12.84>
- Ahmed, M. M., & Ali, M. M. (2016). Semisolid Dosage Form: Topical Gel Formulation A Review. *World Journal of Pharmaceutical Research*, *5*(12), 1256–1268. <https://doi.org/10.20959/wjpr201612-7515>
- Akbar, M. H., & Harmita Suryadi, H. (2020). Preparation and Characterization of Hydroxypropyl Methylcellulose Produced From A-Cellulose Betung Bamboo (*Dendrocalamus Asper*) and It'S Evaluation on Gel Formulation. *International Journal of Pharmacy and Pharmaceutical Sciences*, *12*(8), 156–165. <https://doi.org/10.22159/ijpps.2020v12i8.38066>
- Amala, S. E., Nweke, S. N., Nwalozie, R., & Monsi, T. P. (2021). Antimicrobial Properties and Phytochemical Composition of *Garcinia kola*, *Bryophyllum pinnatum*, and *Allium sativum* Juices on Some Clinical Pathogens. *Advances in Bioscience and Biotechnology*, 388–406. <https://doi.org/10.4236/abb.2021.1211025>
- Amdoun, R., Khelifi, L., Khelifi-slaoui, M., Amroune, S., Asch, M., & Gontier, E. (2018). The Desirability Optimization Methodology ; a Tool to Predict Two Antagonist Responses in Biotechnological Systems : Case of Biomass Growth and Hyoscyamine Content in Elicited *Datura starmonium* Hairy Roots. *Iranian J Biotech*, *16*(1). <https://doi.org/10.21859/ijb.1339>
- Anderson, M. J., Whitcomb, P. J., Kraber, S. L., & Adams, W. (2017). Stat-Ease Handbook for Experimenters. *Stat-Ease, Inc.*, *11*(27), 1–5.
- Andini, T., Yusriadi, Y., & Yuliet, Y. (2017). Optimasi Pembentuk Film Polivinil Alkohol dan Humektan Propilen Glikol pada Formula Masker Gel Peel off Sari Buah Labu Kuning (*Cucurbita moschata* Duchesne) sebagai Antioksidan. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, *3*(2), 165–173. <https://doi.org/10.22487/j24428744.0.v0.i0.8773>
- Anief. (1997). Ilmu Meracik Obat. In *Gadja Mada University Press: Yogyakarta*.
- Anonim. (1979). *Farmakope Indonesia Edisi (III)*. Departemen Kesehatan Republik Indonesia.
- Anonim. (1995). *Farmakope Indonesia (IV)*. Departemen Kesehatan Republik Indonesia.
- Anonim. (2000). *Inventaris Tanaman Obat Indonesia (I) Jilid I* (pp. 147–148). Departemen Kesehatan dan Kesejahteraan Sosial RI Badan Penelitian dan Pengembangan Kesehatan. <https://kupdf.net/download/inventaris-tanaman->

- obat-indonesia-i-jilid-1\_5906338cdc0d602942959e7d\_pdf
- Anonim. (2011). *Farmakope Herbal Indonesia Edisi I* (p. 151). Kementerian Kesehatan Republik Indonesia.
- Anonim. (2012). *Pedoman Teknologi Formulasi Sediaan Berbasis Ekstrak*. BADAN POM RI.
- Anonim. (2017). *Farmakope Herbal Indonesia* (Edisi 2). Kementerian Kesehatan Republik Indonesia. <https://doi.org/10.1201/b12934-13>
- Anonim. (2019). Tanaman obat warisan tradisi nusantara untuk kesejahteraan rakyat. In *Balai Penelitian Tanaman Rempah dan Obat*. Balai Penelitian Tanaman Rempah dan Obat.
- Anonim. (2020). *Farmakope Indonesia* (VI). Kementrian Kesehatan Republik Indonesia.
- Anonim. (2022). *Technical Guideline on the Evaluation of Extraction Efficiency of Residue Analytical Methods* (4th ed., pp. 1–30). European Commision Directorate-General For Health and Food Safety.
- Ansel, H. C. (2008). *Pengantar Bentuk Sediaan Farmasi*. Jakarta: UI Press.
- Aprioku, J. S. (2017). Effects of Aqueous Bryophyllum pinnatum Leaf Extract on Haematological , Renal and Sperm Indices in Wistar Rats. *Indian Journal of Pharmaceutical Sciences*, 79(January), 521–526.
- Ardana, M., Aeyni, V., & Ibrahim, A. (2015). Formulasi dan Optimasi Basis Gel HPMC (Hidroxy Propy Methyl Celullose) Dengan Berbagai Variasi Konsentrasi. *Journal of Tropical Pharmacy and Chemistry*, 3(2), 101–108.
- Astuti, I. Y., Marchaban, M., Martien, R., & Nugroho, A. E. (2017). Design and optimization of self nano-emulsifying drug delivery system containing a new anti-inflammatory agent pentagamavunon-0. *Indonesian Journal of Chemistry*, 17(3), 365–375. <https://doi.org/10.22146/ijc.22640>
- Aulton, M. E. (2007). *Aulton's pharmaceuitics: The design and manufacture of medicines*. Edinburgh: Churchill Livingstone.
- Balentine, D., Wiseman, S., & Bouwens, L. (1997). *The chemistry of tea flavonoids. Critical reviews in food science and nutrition*. <https://doi.org/10.1080/10408399709527797>
- Bhatti, M., Kamboj, A., Saluja, A., & Jain, U. (2012). In vitro evaluation and comparison of antioxidant activities of various extracts of leaves and stems of Kalanchoe pinnatum. *International Journal of Green Pharmacy*, 6(4), 340–347. <https://doi.org/10.4103/0973-8258.108255>
- Biswas, K., & Sinha, S. N. (2015). Antibacterial Activity of Bryophyllum pinnatum Against Pseudomonas Aeruginosa Isolated from UTI. *International Journal of Life Sciences Biotechnology and Pharma Research*, 4(4), 184–188.
- Bogucka-Kocka, A., Zidorn, C., Kasprzycka, M., Szymczak, G., & Szewczyk, K. (2018). Phenolic acid content, antioxidant and cytotoxic activities of four

- Kalanchoe species. *Saudi Journal of Biological Sciences*, 25(4), 622–630. <https://doi.org/10.1016/j.sjbs.2016.01.037>
- Bolton, S., & Bon, C. (2010). *Pharmaceutical Statistics Practical and Clinical Applications* (Fifth Edit). CRC Press.
- Buana, A. K. (2017). *Anatomi Fisiologi & Biokimia Keperawatan*. Pustakabaru Press.
- Casmir, E. (2018). Department of Biochemistry Faculty of Biological Sciences Department of Biochemistry Faculty of Biological Sciences. In *Virtual Library University of Nigeria* (pp. 1–85).
- Danby, S. G., Draelos, Z. D., Gold, L. F. S., Cha, A., Aikman, L., Sanders, P., Wu-linhares, D., Cork, M. J., Danby, S. G., Draelos, Z. D., Gold, L. F. S., Cha, A., Aikman, L., Sanders, P., Wu-linhares, D., Cork, M. J., & Group, F. (2022). Vehicles for atopic dermatitis therapies : more than just a placebo. *Journal of Dermatological Treatment*, 33(2), 685–698. <https://doi.org/10.1080/09546634.2020.1789050>
- Daramola, Thabadira, Olajide, Daniyan, Sadiku, Masuk, & VanStaden. (2019). Process Optimal Minimization of Resultant Cutting Force during the Machining of Ti-6Al-4V : Response Surface Method and Desirability Function Analysis. *Procedia CIRP, Science Direct*, 84, 854–860. <https://doi.org/10.1016/j.procir.2019.04.185>
- Destandau, E., Krolikiewicz-Renimel, I., El Abdellaoui, S., Cancellieri, P., Fougere, L., Toribio, A., Landemarre, L., Andre, P., & Elfakir, C. (2014). Bio-guided targeting for preservative and anti-ageing cosmetic ingredient development. *Cosmetics*, 1(1), 14–28. <https://doi.org/10.3390/cosmetics1010014>
- Devi, F. A. (2016). Pengaruh Pemberian Berbagai Konsentrasi dan Frekuensi Ekstrak Daun Cocor Bebek (*Kalanchoe pinnata*) Untuk Menyembuhkan Luka Sayat Pada Tikus Putih (*Rattus Norvegicus* L). *Jurnal Biologi Murni*, 1–11.
- Eden, W. T., Alighiri, D., Supardi, K. I., & Cahyono, E. (2020). The Mosquito Repellent Activity of the Active Component of Air Freshener Gel from Java Citronella Oil (*Cymbopogon winterianus*). *Journal of Parasitology Research*, 2020. <https://doi.org/10.1155/2020/9053741>
- Fernandes, J. M., Cunha, L. M., Azevedo, E. P., Lourenço, E. M. G., Fernandes-Pedrosa, M. F., & Zucolotto, S. M. (2019). *Kalanchoe laciniata* and *Bryophyllum pinnatum*: an updated review about ethnopharmacology, phytochemistry, pharmacology and toxicology. *Revista Brasileira de Farmacognosia*, 29(4), 529–558. <https://doi.org/10.1016/j.bjp.2019.01.012>
- Forestryana, D., Surur Fahmi, M., & Novyra Putri, A. (2020). Pengaruh Jenis dan Konsentrasi Gelling Agent pada Karakteristik Formula Gel Antiseptik Ekstrak Etanol 70% Kulit Buah Pisang Ambon. *Lambung Farmasi: Jurnal Ilmu*

- Kefarmasian*, 1(2), 1–45. <https://doi.org/10.31764/lf.v1i2.2303>
- Garg, A., Aggarwal, D., Garg, S., & Singla, A. K. (2002). Spreading of semisolid formulations: An update. In *Pharmaceutical Technology North America*.
- Gawkrodger, D. J., & Ardern-Jones, M. R. (2021). *Dermatology: An Illustrated Colour Text 7th Edition* (pp. 1–3). Elsevier.
- Gooch, J. W. (2015). Gelling Agent. *Encyclopedic Dictionary of Polymers*, 338–338. [https://doi.org/10.1007/978-1-4419-6247-8\\_5470](https://doi.org/10.1007/978-1-4419-6247-8_5470)
- Gupta, A., Naraniwal, M., & Kothari, V. (2012). Modern extraction methods for preparation of bioactive plant extracts. *International Journal of Applied and Natural Sciences*, 1(1), 8–26.
- Hamburger, M., Poterat, O., Furer, K., Simoes-Wust, P., & Mandach, U. von. (2017). Bryophyllum pinnatum – Reverse Engineering of an Anthroposophic Herbal Medicine. *Journal NPC Natural Product Communications*, 5(6), 1359–1364. <https://doi.org/10.1177/1934578X1701200847>
- Handa, S., Khanuja, S., Longo, G., & Rakesh, D. (2008). *Extraction Technologies for Medical and Aromatic Plants* (p. 22). United Nations Industrial Development Organization and The International Centre for Science and High Technology.
- Hani, R. C., & Milanda, T. (2016). Review: Manfaat Antioksidan Pada Tanaman Buah Di Indonesia. *Farmaka*, 14(1), 184–190.
- Harbone, J. . (1987). *METODE FITOKIMIA Penuntun cara modern menganalisis tumbuhan*.
- Herawati, E., Ramadhan, R., Ariyani, F., Marjenah, Kusuma, I. W., Suwinarti, W., Mardji, D., Amirta, R., & Arung, E. T. (2021). Phytochemical screening and antioxidant activity of wild mushrooms growing in tropical regions. *Biodiversitas*, 22(11), 4716–4721. <https://doi.org/10.13057/biodiv/d221102>
- Hidayat, I. R., Zuhrotun, A., & Sopyan, I. (2020). Design-Expert Software sebagai Alat Optimasi Formulasi Sediaan Farmasi. *Majalah Farmasetika*, 6(1), 99–120. <https://doi.org/10.24198/mfarmasetika.v6i1.27842>
- Husnani, & Muazham, M. F. Al. (2017). Optimasi Parameter Fisik Viskositas, Daya Sebar dan Daya Lekat Pada Basis Natrium CMC Dan Carbopol 940 Pada Gel Madu Dengan Metode Simplex Lattice Design. *Jurnal Ilmu Farmasi Dan Farmasi Klinik*, 14(1), 11–18.
- Islam, A., & Alam, R. (2018). Multiresponse optimization based on statistical response surface methodology and desirability function for the production of particleboard. *Elsevier*. <https://doi.org/10.1016/j.compositesb.2011.11.033>
- Iyan, S., Wulan, I., Insan, S. K. S., & Cikra, I. N. H. S. (2020). The Advantages of In situ Gel from Every Different Formulation. *International Journal of Research in Pharmaceutical Sciences*, 11(4), 7198–7206. <https://doi.org/10.26452/ijrps.v11i4.3845>

- James, W., Elston, D., Treat, J., Rosenbach, M., & Micheletti, R. (2019). Andrews' Diseases of the Skin. In *Clinical Dermatology* (13th ed., pp. 1–5). Elseiver.
- Jawetz, E., Melnick, J. L., Adelberg, E. A., Brooks, G. F., J.S, B., & L. N, O. (1995). *Mikrobiologi Kedokteran* (20th ed.). Buku Kedokteran EGC.
- Julianto, T. S. (2019). *Fitokimia Tinjauan Metabolit Sekunder dan Skrining Fitokimia* (I, Vol. 53, Issue 9, pp. 1689–1699). Universitas Islam Indonesia.
- Kalangi, S. J. R. (2014). Histofisiologi Kulit. *Jurnal Biomedik (Jbm)*, 5(3), 12–20. <https://doi.org/10.35790/jbm.5.3.2013.4344>
- Kassia, P. M. F., Grecco, S. S., Figueredo, R. C., Hosomi, K. J., Nakamura, U. M., & Henrique, G. L. J. (2018). Chemical Composition and Cytotoxicity of Kalanchoe pinnata Leaves Extracts prepared using Accelerated System Extraction (ASE). *NPC Natural Product Communications*, 13(2), 163–166. <https://doi.org/10.1177/1934578X1801300213>
- Kibbe, A., Sheskey, P. J., & Quinn, M. E. (2009). *Handbook of Phamaceutical Excipients*.
- Kinate, B. B., & Cornelius, W. (2019). Open Access Preparation and Characterization of Carboxymethyl Cellulose ( CMC ) from Cassava peels , Irish Potato , Yam peels. *American Journal of Engineering Research (AJER)*, VIII(3), 133–137.
- Klimowicz, A., Prowans, P., Czaplá, N., Bargiel, P., & Petriczko, J. (2021). In Vitro Human Skin Penetration , Antioxidant and Antimicrobial Activity of Ethanol-Water Extract of Fireweed (Epilobium angustifolium L.). *MDPI*, II(26), 1–19. <https://doi.org/https://doi.org/10.3390/molecules26020329>
- Kolodziejczyk-czepas, J., & Stochmal, A. (2017). Bufadienolides of Kalanchoe species : an overview of chemical structure , biological activity and prospects for pharmacological use. *Phytochemistry Reviews*, 16(6), 1155–1171. <https://doi.org/10.1007/s11101-017-9525-1>
- Kremslehner, C., Miller, A., Nica, R., Nagelreiter, I., Narzt, M., Golabi, B., Vorstandlechner, V., Mildner, M., Lachner, J., Tschachler, E., Ferrara, F., Klavins, K., Schosserer, M., Grillari, J., Haschemi, A., & Gruber, F. (2020). Redox Biology Imaging of metabolic activity adaptations to UV stress , drugs and di ff erentiation at cellular resolution in skin and skin equivalents – Implications for oxidative UV damage. *Redox Biology*, 37(February), 101583. <https://doi.org/10.1016/j.redox.2020.101583>
- Kumar, S., & Pandey, A. K. (2013). *Chemistry and Biological Activities of Flavonoids : An Overview. 2013*.
- Kumarahadi, Y. K., Arifin, M. Z., Pambudi, S., Prabowo, T., & Kusrini, K. (2020). Sistem Pakar Identifikasi Jenis Kulit Wajah Dengan Metode Certainty Factor. *Jurnal Teknologi Informasi Dan Komunikasi (TIKOMSiN)*, 8(1), 21–27. <https://doi.org/10.30646/tikomsin.v8i1.453>

- Kuncari, E. S. (2014). Evaluasi, Uji Stabilitas Fisik dan Sineesis Sediaan Gel yang Mengandung Minoksidil, apigenin dan perasan herba seledri (*Apium graveolens L.*). *Buletin Penelitian Kesehatan*, 42(4), 213–222.
- Kuncari, E. S., Iskandarsyah, & Praptiwi. (2014). Evaluasi, Uji Stabilitas Fisik dan Sineresis Sediaan Gel yang Mengandung Minoksidil, Apigenin dan Perasan Herba Seledri (*Apium graveolens L.*). *Buletin Penelit. KesehatanPenelit. Kesehatan*, 42(4), 213–222.
- Kurniawati, I., Maftuch, & Martinah Harianti, A. (2016). *Penentuan Pelarut dan Lama Ekstraksi Terbaik Pada Teknik Maserasi Gracilaria sp . Serta Pengaruhnya terhadap Kadar Air dan Rendemen*. 7(2), 72–77.
- Lachman, L., Lieberman, H. A., & Kanig, J. L. (1994). *Teori dan Praktek Farmasi Industri* (2nd ed.). UI Press.
- Lawtan, S. (2019). The Structure and Functions of the Skin. *The American Journal of the Medical Sciences*, 29(1), 198. <https://doi.org/10.1097/00000441-183411000-00032>
- Lieberman, Rieger, & Banker. (1989). *Pharmaceutical Dosage Form : Disperse System. Vol ke-2*.
- Marjoni, R. (2016). *Dasar-Dasar Fitokimia untuk Diploma III Farmasi*. CV Trans Info Media.
- Martin, Alfred, Swarbrick, James, & Cammarata. (2012). *Farmasi Fisik Edisi ketiga Jilid 5*.
- Maulia, A., Safitri, A. T., & Perdana, A. F. (2020). Uji Aktifitas Antiinflamasi Estrak Daun Cocor Bebek ( *Kalanchoe pinnata L* ) Terhadap Kaki Tikus ( *Rattus novergicus* ). *Jurnal Ilmu Kefarmasian Indonesia*, 18(2), 164–168. <https://doi.org/10.35814/jifi.v18i2.738>
- Medeiros, L., Fernandes, M., Fe, J., Gomes, S., Michell, E., Gimenes, P., Lopes, N. P., Alberto, L., Soares, L., De, M., Fernandes-pedrosa, F., & Zucolotto, S. M. (2016). Inhibitory Effects of Hydroethanolic Leaf Extracts of *Kalanchoe brasiliensis* and *Kalanchoe pinnata* ( *Crassulaceae* ) against Local Effects Induced by Bothrops jararaca Snake Venom. *PLOS ONE*, 1–20. <https://doi.org/10.1371/journal.pone.0168658>
- Monteiro e Silva, S., Leonardi, G. R., & Michniak-Kohn, B. (2017). An overview about oxidation in clinical practice of skin aging. *Anais Breasileiros de Dermatologia*, 92(3), 367–374. <https://doi.org/http://dx.doi.org/10.1590/abd1806-4841.20175481>
- Moreira, N. S., Nascimento, L. B. S., Leal-Costa, M. V., & Tavares, E. S. (2012). Comparative anatomy of leaves of *Kalanchoe pinnata* and *K. crenata* in sun and shade conditions, as a support for their identification. *Research Gate*, 22(5), 929–936. <https://doi.org/10.1590/S0102-695X2012005000056>
- Nakhil, U., Kaltsum, U., Purwojati, N., & Latifah, E. (2018). Test of Stability and

- Determination of Optimum Formula on Gel Madam " Gel Adam Hawa Leaf Extracts ( Rheo Discolor ) as Antiinflammation Gel " for Advanced Research. *Prosiding APC (Annual Pharmacy Conference)*, 3, 14–24.
- Niah, R., Ariani, N., & Rizki, D. F. (2021). Formulasi dan Uji Evaluasi Fisik Sediaan Gel Handsanitizer Ekstrak Etanol 96% Daun Cocor Bebek (*Kalanchoe blossfeldiana* Poelln.). *Insan Farmasi Indonesia*, IV(1), 129–138. <https://doi.org/10.36387/jifi.v4i1.702>
- Noviyanti. (2016). Pengaruh kepolaran pelarut terhadap aktivitas antioksidan ekstrak etanol daun jambu brazil batu (*Psidium guineense* L.) dengan metode DPPH. *Jurnal Farmako Bahari*, 7(1), 29–35.
- Nurmalawati, S., & Hartanto, C. (2021). PERBANDINGAN UNJUK KINERJA BERBAGAI TIPE pH METER. *Jurnal Pengelolaan Laboratorium Sains Dan Teknologi*, 1(1), 1–9.
- Nurman, S., Yulia, R., Noor, E., & Sunarti, T. C. (2019). *The Optimization of Gel Preparations Using the Active Compounds of Arabica Coffee Ground Nanoparticles*.
- Octavia, N. (2016). Formulasi Sediaan Gel Hand Sanitizer Minyak Atsiri Pala (*Myristica fragrans*Houtt.) : Uji Stabilitas Fisik Dan Uji Aktivitas Antibakteri Terhadap Bakteri *Staphylococcus aureus*. *Publikasi Ilmiah*.
- Okoye, E. I., Anyaegbunam, L. C., Obi, Z. C., & Ibemenuga, K. N. (2015). Pharmaceutical Constituents of Stem of *Bryophyllum Pinnatum*. *Journal of Health, Medicine and Nursing*, 16, 37–42.
- Onoja, S. O., Ihejirika, G. Q., Nwankudu, O. N., Omeh, Y. N., & Ezeja, M. I. (2018). Antidiarrheal and Antioxidant Activities of Methanol Extract of *Bryophyllum pinnatum* Leaf Harvested from South-Eastern Nigeria in Mice. *Hindawi Journal of Pharmaceutics*, 2018, 1–6.
- Parhi, R. (2017). Cross-linked hydrogel for pharmaceutical applications: A review. *Advanced Pharmaceutical Bulletin*, 7(4), 515–530. <https://doi.org/10.15171/apb.2017.064>
- Petruk, G., Giudice, R. Del, Rigano, M. M., & Monti, D. M. (2018). *Review Article Antioxidants from Plants Protect against Skin Photoaging*. 2018. <https://doi.org/10.1155/2018/1454936>
- Pourzand, C., Albieri-borges, A., & Raczek, N. N. (2022). *Shedding a New Light on Skin Aging , Iron- and Redox-Homeostasis and Emerging Natural Antioxidants*.
- Prabudi, M., Nurtama, B., Purnomo, E. H., Magister, S., Teknologi, P., Pascasarjana, S., & Pertanian, F. T. (2018). Aplikasi Response Surface Methodology ( RSM ) dengan Historical Data pada Optimasi Proses Produksi Burger. *Jurnal Mutu Pangan*, 5(2), 109–115.
- Pratiwi, & Dewi, N. P. (2022). Screening of Phytochemical Secondary Metabolites

- of *Muntingia Calabura*: a Potential as Hepatoprotector. *Journal of Fundamental and Applied Pharmaceutical Science*, 2(2), 59–65. <https://doi.org/10.18196/jfaps.v2i2.12364>
- Pratiwi, R. N. (2018). *Formulasi dan Uji Efektivitas Gel Ekstrak Etanol Daun Cocor Bebek (Kalanchoe pinnata L.) yang dikombinasikan dengan Propolis Trigona spp Terhadap Penyembuhan Luka Bakar pada Kelinci*.
- Priawanto, P. G., & Hadning, I. (2017). *Formulasi dan Uji Kualitas Fisik Sediaan Gel Getah Jarak (Jatropha curcas)*.
- Purgiyanti, I. T. (2019). Pembuatan dan Uji Sifat Fisik Gel Antinyeri Kombinasi Minyak Atsiri Bunga Cengkeh (*Syzygium aromaticum*(L.) Merr.&Perry) Dan Sereh (*Cymbopogon nardus* L. Rendle). *Jurnal Ilmiah Manuntung*, 5(1), 38–41.
- Purwanti, N. U., Luliana, S., & Sari, N. (2018). Pengaruh Cara Pengeringan Simplisia Daun Pandan (*Pandanys amarylifolius*) Terhadap Aktivitas Penangkal. *Pharmacy Medical Journal*, 1(2), 63–72.
- Purwitasari, H., Yuliet, Y., & Ihwan, I. (2017). Efek Antipiretik Kombinasi Ekstrak Daun Cocor Bebek (*Kalanchoe pinnata* L.) Dan Ekstrak Daun Tembelean (*Lantana camara* L.) Pers. Terhadap Marmut (*Cavia porcellus*) Dengan Demam Yang Diinduksi Pepton. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 3(1), 43–48. <https://doi.org/10.22487/j24428744.2017.v3.i1.8138>
- Putra, V. G. P. G. (2015). Optimasi Gelling Agent CMC-NA dan Humektan Gliserin dalam Sediaan Gel Anti-Inflamasi Ekstrak Daun Cocor Bebek (*Kalanchoe pinnata* (Lam.)) : Aplikasi Desain Faktorial. *Universitas Sanata Dharma*, 1–93.
- Putri, V., & Nur, H. A. (2013). Profiling Senyawa Kuersetin Dari Tanaman Cocor Bebek (*Kalanchoe pinnata*) Dengan Menggunakan Berbagai Metode Analisis. *Farmaka*, 15(1), 1–15.
- Rahayu, T., Fudholi, A., & Fitria, A. (2016). Optimasi Formulasi Gel Ekstrak Daun Tembakau (*Nicotiana Tabacum*) Dengan Variasi Kadar Karbopol940 Dan Tea Menggunakan Metode Simplex Lattice Design (Sld). *Jurnal Ilmiah Farmasi*, 12(1), 22–34. <https://doi.org/10.20885/jif.vol12.iss1.art3>
- Rahmani, S., Ningrum, S. K., Wardhani, W. D., Ermawati, D. E., & Kundarto, W. (2022). Effect of Various Consentration of Iselux Ultra Mild Surfactant on the Formulation of Hydrating Facial Wash Potassium Azeloyl Diglycate. *Indonesian Pharmaceutical Journal*, 12(1), 58–68. <https://doi.org/https://doi.org./10.22435/jki.v12i1.4969>
- Rahrovan, S., Fanian, F., Mehryan, P., Humbert, P., & Firooz, A. (2018). International Journal of Women ' s Dermatology Male versus female skin : What dermatologists and cosmeticians should know. *International Journal of*



- Women's Dermatology*, 4(3), 122–130.  
<https://doi.org/10.1016/j.ijwd.2018.03.002>
- Rajsekhar, P. B., Arvind Bharani, R. S., Ramachandran, M., Jini Angel, K., & Rajsekhar, S. P. V. (2016). The “wonder plant” *Kalanchoe pinnata* (linn.) pers.: A review. *Journal of Applied Pharmaceutical Science*, 6(3), 151–158.  
<https://doi.org/10.7324/JAPS.2016.60326>
- Rezani, M. I., Safira, D., Khalidah, Sholahuddin, A., & Analita, R. N. (2020). Tanaman Herbal Cocor Bebek (*Kalanchoe pinnata* (lam.) pers.) Sebagai Kompres Dingin Untuk Menurunkan Demam : Sebuah Tinjauan. *Seminar Nasional Pendidikan Fisika*, 65–70.
- Richwagen, N., Lyles, J. T., Dale, B. L. F., & Quave, C. L. (2019). Antibacterial Activity of *Kalanchoe mortagei* and *K. fedtschenkoi* Against ESKAPE Pathogens. *Frontiers in Pharmacology*, 10(February), 1–13.  
<https://doi.org/10.3389/fphar.2019.00067>
- Rowe, Sheskey, P. J., & Quinn, M. E. (2009). *Handbook of Pharmaceutical Excipients* (6th ed., pp. 257–262).
- Sagi, F., Bagu, F., & Pembengo, W. (2017). Pengaruh Umur Panen dan Waktu Penjemuran Terhadap Rendemen Minyak Nilam (*Pogostemon cablin Benth*) Varietas Sidikalang. 6(1), 56–63.
- Saladin, K. S. (2018). Anatomy & Phisiology The Unity of Form and Function Eight Edition. In *McGraw-Hill Education, 2 Penn Plaza, New York, NY 10121*. (pp. 200–202). McGraw Hill.
- Sannino, A., Demitri, C., & Madaghiele, M. (2009). Biodegradable cellulose-based hydrogels: Design and applications. *Materials*, 2(2), 353–373.  
<https://doi.org/10.3390/ma2020353>
- Santos, S., Zur, L., Mennet, M., Potterat, O., & Simões-wüst, A. P. (2021). *Bryophyllum pinnatum* Compounds Inhibit Oxytocin-Induced Signaling Pathways in Human Myometrial Cells. 12(February), 1–10.  
<https://doi.org/10.3389/fphar.2021.632986>
- Sarah, I. (2016). Formulasi sediaan gel basis Na-CMC ekstrak etanol daun cocor bebek (*Kalanchoe pinnata* (Lmk.) Pers.) sebagai penyembuh luka bakar pada kelinci. *Universitas Muhammadiyah Surakarta*, 1–12.
- Sari, R., Nurbaeti, S. N., & Pratiwi, L. (2016). Optimasi Kombinasi Karbopol 940 dan HPMC Terhadap Sifat Fisik Gel Ekstrak dan Fraksi Metanol Daun Kesum (*Polygonum minus* Huds.) dengan metode Simplex Lattice Design. *Pharmaceutical Sciences and Research*, 3(2), 72–79.  
<https://doi.org/10.7454/psr.v3i2.3288>
- Sayuti, N. A. (2015). Formulasi dan Uji Stabilitas Fisik Sediaan Gel Ekstrak Daun Ketepeng Cina (*Cassia alata* L.). *Jurnal Kefarmasian Indonesia*, 5(2), 74–82.  
<https://doi.org/10.22435/jki.v5i2.4401.74-82>

- Sharma, B., & Singh, L. R. (2018). Pharmaceutical gels for topical drug delivery: An overview. *International Journal of Research in Pharmacy and Pharmaceutical Sciences*, 3(2), 2455–2698. [www.pharmacyjournal.in](http://www.pharmacyjournal.in)
- Sherwood, L. (2018). *Fisiologi Manusia Dari Sel ke Sistem* (9th ed.). EGC.
- Shintia, C., Endah, S. R. N., & Nofriyaldi, A. (2021). Pengaruh Variasi Konsentrasi HPMC dan Gliserin Terhadap Sifat Fisik Gel Hand Sanitizer Ekstrak Etanol Daun Pala (*Myristica fragrans* Houtt.). *Pharmacoscript*, 4(1), 58–69. <https://doi.org/10.36423/pharmacoscript.v4i1.603>
- Shruti, B., Bhavita, D., Maitreyi, Z., Divya, C., & Chandel Divya, C. (2018). A Comparative Pharmacognostical and Phytochemical Analysis of *Kalanchoe pinnata* (Lam.) Pers. Leaf Extracts. *Journal of Pharmacognosy and Phytochemistry*, 7(5), 1519–1527. <https://www.phytojournal.com/archives/?year=2018&vol=7&issue=5&ArticleId=5762>
- Silalahi, M. (2013). Peningkatan Kandungan Metabolit Sekunder Tumbuhan Melalui Penambahan Prekursor Pada Media Kultur in Vitro. *Jurnal Dinamika Pendidikan (JDP)*, 6(1), 17–23.
- Singh, S. K., Patel, J. R., & Dangi, A. (2019). Physicochemical, Qualitative and Quantitative Determination of Secondary Metabolites and Antioxidant Potential of *Kalanchoe Pinnata* (Lam.) Pers. Leaf Extracts. *Journal of Drug Delivery and Therapeutics*, 9(1), 220–224. <https://doi.org/10.22270/jddt.v9i1.2225>
- Slamet, S., Anggun, B. D., & Pambudi, D. B. (2020). Uji Stabilitas Fisik Formula Sediaan Gel Ekstrak Daun Kelor (*Moringa Oleifera* Lamk.). *Jurnal Ilmiah Kesehatan*, 13(2), 115–122. <https://doi.org/10.48144/jiks.v13i2.260>
- Sloane, E. (2003). *Anatomi dan Fisiologi Manusia Untuk Pemula*. Jakarta: EGC.
- Stevani, H., Hanapi, A., & Prayitno, S. (2016). Uji Daya Hambat Ekstrak metanol, Eter, n-Butanol Daun Cocor Bebek (*Kalanchoe pinnata*) Terhadap Pertumbuhan *Staphylococcus aureus*. *Media Farmasi*, XV(24), 141–145.
- Sulastri, L., & Zamzam, M. Y. (2020). *Formulasi Gel Hand Sanitizer Ekstak Etanol dan Kemangi Konsentrasi 1 , 5 % , 3 % , dan 6 % dengan Gelling Agent Carbopol 940*. 1(1), 31–44.
- Susianti, N., Juliantoni, Y., & Hanifa, N. I. (2021). Optimasi Sediaan Gel Ekstrak Buah Belimbing Wuluh (*Averrhoa bilimbi* L.) Dengan Variasi Basis Karbopol 940 dan CMC-Na. *Acta Pharmaciae Indonesia : Acta Pharm Indo*, 9(1), 44. <https://doi.org/10.20884/1.api.2021.9.1.3669>
- Syahputra, A., Sutiani, A., Silitonga, P. M., Rani, Z., & Kudadiri, A. (2016). Extraction And Phytochemical Screening Of Ethanol Extract And Simplicia Of *Moringa* Leaf ( *Moringa Oleifera* Lam .) From Sidikalang, Nort Sumatera. *International Journal of Science, Technology & Management*, 2072–2076.

<https://doi.org/2722-4015>

- Syaifuddin. (2011). *Anatomi Fisiologi Kurikulum Berbasis Kompetensi* (4th ed.). Buku Kedokteran EGC.
- Sylvia, D., Fatimah, & Pratiwi, D. (2020). Comparison of Antioxidant Activity of Some Cocor Bebek Leaf Extract (*Kalanchoe pinnata*) Using The DPPH Method. *Jurnal Ilmiah Farmako Bahari*, *11*(1), 21–31.
- Tambun, R., Alexander, V., & Ginting, Y. (2021). Performance Comparison of Maceration Method, Soxhletation Method, and Microwave-Assisted Extraction in Extracting Active Compounds From Soursop Leaves (*Annona muricata*): A review. *IOP Conference Series: Materials Science and Engineering*, *1122*(1), 012095. <https://doi.org/10.1088/1757-899x/1122/1/012095>
- Tambunan, S., & Sulaiman, T. N. S. (2018). Formulasi Gel Minyak Atsiri Sereh dengan Basis HPMC dan Karbopol. *Majalah Farmaseutik*, *14*(2), 87–95.
- Tsabitah, A. F., Zulkarnain, A. K., Wahyuningsih, M. S. H., & Nugrahaningsih, D. A. A. (2020). Optimasi Carbomer, Propilen Glikol, dan Trietanolamin Dalam Formulasi Sediaan Gel Ekstrak Etanol Daun Kembang Bulan (*Tithonia diversifolia*). *Majalah Farmaseutik*, *16*(2), 111. <https://doi.org/10.22146/farmaseutik.v16i2.45666>
- Utami, R. D., Yuliawati, K. M., & Syafnir, L. (2015). Pengaruh Metode Ekstraksi terhadap Aktivitas Antioksidan Daun Sukun (. *Prosiding Penelitian SpeSIA Unisba 2015*, 280–286.
- Verma, P. J. (2016). Data Analysis in Management with SPSS Software. In *Springer* (Vol. 4, Issue 1, pp. 1–23).
- Voight, R. (1994). Buku Pengantar Teknologi Farmasi. *Yogyakarta, Universitas Gadjah Mada Press*.
- Voigt. (1995). *Buku Pelajaran Teknologi Farmasi*. Universitas Gadjah Mada Press.
- Wirajana, I. N. (2014). Studi Interaksi Ion Logam Mn 2+ Dengan Selulosa dan Serbuk Kayu. *Journal of Chemistry*, *8*, 1–8.
- Zahra, E. H. R., Maifritrianti, & Harsodjo, S. (2017). Aktivitas Penyembuhan Luka Bakar Fraksi Ekstrak Etanol 96% Daun Cocor Bebek (*Kalanchoe pinnata*). *Jurnal Farmasi*, *4*(1), 1–7.
- Zakaria, M. R., Febrina, L., & Rusli, R. (2017). Formulasi Gel Ekstrak Buah Libo (*Ficus variegata* BLUME). *Mulawarman Pharmaceutical Conference*, *2*, 185–190.
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)*, *13*(1). <https://doi.org/10.1186/s13020-018-0177-x>