









































Lampiran 6. Output Analisis SPSS Univariat Resep Manual

**Nama Pasien**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	245	100.0	100.0	100.0

**Umur Pasien**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	224	91.4	91.4	91.4
	Tidak Sesuai	21	8.6	8.6	100.0
	Total	245	100.0	100.0	

**Jenis Kelamin**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	225	91.8	91.8	91.8
	Tidak Sesuai	20	8.2	8.2	100.0
	Total	245	100.0	100.0	

**Nama Dokter**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	230	93.9	93.9	93.9
	Tidak Sesuai	15	6.1	6.1	100.0
	Total	245	100.0	100.0	

**SIP Dokter**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	58	23.7	23.7	23.7
	Tidak Sesuai	187	76.3	76.3	100.0
	Total	245	100.0	100.0	

**Paraf Dokter**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	154	62.9	62.9	62.9
	Tidak Sesuai	91	37.1	37.1	100.0

Total	245	100.0	100.0	
-------	-----	-------	-------	--

#### Tanggal Resep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	211	86.1	86.1	86.1
	Tidak Sesuai	34	13.9	13.9	100.0
	Total	245	100.0	100.0	

#### Poli Resep

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	2	.8	.8	.8
	Tidak Sesuai	243	99.2	99.2	100.0
	Total	245	100.0	100.0	

#### Nama Obat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	245	100.0	100.0	100.0

#### Bentuk Sediaan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	245	100.0	100.0	100.0

#### Kekuatan Sediaan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	97	39.6	39.6	39.6
	Tidak Sesuai	148	60.4	60.4	100.0
	Total	245	100.0	100.0	

#### Jumlah Obat

		Frequency	Percent	Valid Percent	Cumulative Percent
--	--	-----------	---------	---------------	--------------------

Valid	Sesuai	245	100.0	100.0	100.0
-------	--------	-----	-------	-------	-------

**Aturan Penggunaan**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	245	100.0	100.0	100.0

Lampiran 7. Output Analisis Univariat Resep Elektronik

**Nama Pasien**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	245	100.0	100.0	100.0

**Umur Pasien**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	245	100.0	100.0	100.0

**Jenis Kelamin**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	245	100.0	100.0	100.0

**Nama Dokter**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	245	100.0	100.0	100.0

**SIP Dokter**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	172	70.2	70.2	70.2
	Tidak Sesuai	73	29.8	29.8	100.0
	Total	245	100.0	100.0	

**Paraf Dokter**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Sesuai	245	100.0	100.0	100.0

**Tanggal Resep**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	245	100.0	100.0	100.0

**Poli Resep**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Sesuai	245	100.0	100.0	100.0

**Nama Obat**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	245	100.0	100.0	100.0

**Bentuk Sediaan**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	245	100.0	100.0	100.0

**Kekuatan Sediaan**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	245	100.0	100.0	100.0

**Jumlah Obat**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	245	100.0	100.0	100.0

**Aturan Penggunaan**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sesuai	245	100.0	100.0	100.0

Lampiran 8. Uji Chi-Square

**Case Processing Summary**

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Nama pasien	490	100.0%	0	0.0%	490	100.0%
Umur pasien	490	100.0%	0	0.0%	490	100.0%
Jenis kelamin	490	100.0%	0	0.0%	490	100.0%
Nama dokter	490	100.0%	0	0.0%	490	100.0%
SIP dokter	490	100.0%	0	0.0%	490	100.0%
Paraf dokter	490	100.0%	0	0.0%	490	100.0%
Tanggal resep	490	100.0%	0	0.0%	490	100.0%
Poli resep	490	100.0%	0	0.0%	490	100.0%
Nama obat	490	100.0%	0	0.0%	490	100.0%
Bentuk sediaan	490	100.0%	0	0.0%	490	100.0%
Kekuatan sediaan	490	100.0%	0	0.0%	490	100.0%
Jumlah obat	490	100.0%	0	0.0%	490	100.0%
Aturan penggunaan resep	490	100.0%	0	0.0%	490	100.0%



## Uji Chi-Square

### Nama pasien

#### Crosstab

Count

		resep		Total
		Resep manual	Resep elektronik	
Nama pasien	Ada	245	245	490
Total		245	245	490

#### Chi-Square Tests

	Value
Pearson Chi-Square	. <sup>a</sup>
N of Valid Cases	490

a. No statistics are computed because nama\_pasien is a constant.

### Umur pasien

#### Crosstab

Count

		resep		Total
		Resep manual	Resep elektronik	
Umur pasien	Ada	224	245	469
	Tidak ada	21	0	21
Total		245	245	490

#### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	21.940 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	19.900	1	.000		
Likelihood Ratio	30.053	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	21.896	1	.000		
N of Valid Cases	490				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 10.50.

b. Computed only for a 2x2 table

**Jenis kelamin**

**Crosstab**

Count

		resep		Total
		Resep manual	Resep elektronik	
Jenis kelamin	Ada	225	245	470
	Tidak ada	20	0	20
Total		245	245	490

**Chi-Square Tests**

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	20.851 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	18.818	1	.000		
Likelihood Ratio	28.577	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	20.809	1	.000		
N of Valid Cases	490				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 10.00.

b. Computed only for a 2x2 table

**Nama dokter**

**Crosstab**

Count

		resep		Total
		Resep manual	Resep elektronik	
Nama dokter	Ada	230	245	475
	Tidak ada	15	0	15
Total		245	245	490

**Chi-Square Tests**

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
--	-------	----	-----------------------------------	----------------------	----------------------

Pearson Chi-Square	15.474 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	13.479	1	.000		
Likelihood Ratio	21.268	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	15.442	1	.000		
N of Valid Cases	490				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.50.

b. Computed only for a 2x2 table

### SIP dokter

#### Crosstab

Count

		resep		Total
		Resep manual	Resep elektronik	
SIP dokter	Ada	58	172	230
	Tidak ada	187	73	260
Total		245	245	490

#### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	106.489 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	104.629	1	.000		
Likelihood Ratio	110.804	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	106.272	1	.000		
N of Valid Cases	490				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 115.00.

b. Computed only for a 2x2 table

### Paraf dokter

#### Crosstab

Count

		resep		Total
		Resep manual	Resep elektronik	
paraf_dokter	Ada	154	0	154

Tidak ada	91	245	336
Total	245	245	490

#### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	224.583 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	221.676	1	.000		
Likelihood Ratio	286.778	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	224.125	1	.000		
N of Valid Cases	490				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 77.00.

b. Computed only for a 2x2 table

#### Tanggal resep

#### Crosstab

Count

		resep		Total
		Resep manual	Resep elektronik	
tanggal_resep	Ada	211	245	456
	Tidak ada	34	0	34
Total		245	245	490

#### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	36.535 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	34.418	1	.000		
Likelihood Ratio	49.671	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	36.461	1	.000		
N of Valid Cases	490				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 17.00.

b. Computed only for a 2x2 table

**Poli resep**

**Crosstab**

Count

		resep		Total
		Resep manual	Resep elektronik	
poli_resep	Ada	2	0	2
	Tidak ada	243	245	488
Total		245	245	490

**Chi-Square Tests**

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.008 <sup>a</sup>	1	.156		
Continuity Correction <sup>b</sup>	.502	1	.479		
Likelihood Ratio	2.781	1	.095		
Fisher's Exact Test				.499	.249
Linear-by-Linear Association	2.004	1	.157		
N of Valid Cases	490				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.00.

b. Computed only for a 2x2 table

**Nama obat**

**Crosstab**

Count

		resep		Total
		Resep manual	Resep elektronik	
nama_obat	Ada	245	245	490
Total		245	245	490

**Chi-Square Tests**

	Value
Pearson Chi-Square	. <sup>a</sup>
N of Valid Cases	490

a. No statistics are computed because nama\_obat is a constant.

### Bentuk sediaan

#### Crosstab

Count

		resep		Total
		Resep manual	Resep elektronik	
bentuk_sediaan	Ada	245	245	490
Total		245	245	490

#### Chi-Square Tests

	Value
Pearson Chi-Square	. <sup>a</sup>
N of Valid Cases	490

a. No statistics are computed because bentuk\_sediaan is a constant.

### Kekuatan sediaan

#### Crosstab

Count

		resep		Total
		Resep manual	Resep elektronik	
kekuatan_sediaan	Ada	97	245	342
	Tidak ada	148	0	148
Total		245	245	490

#### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	212.047 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	209.191	1	.000		
Likelihood Ratio	271.384	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	211.614	1	.000		
N of Valid Cases	490				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 74.00.

b. Computed only for a 2x2 table

### Jumlah obat

#### Crosstab

Count

		resep		Total
		Resep manual	Resep elektronik	
jumlah_obat	Ada	245	245	490
Total		245	245	490

#### Chi-Square Tests

	Value
Pearson Chi-Square	. <sup>a</sup>
N of Valid Cases	490

a. No statistics are computed because jumlah\_obat is a constant.

### Aturan penggunaan

#### Crosstab

Count

		resep		Total
		Resep manual	Resep elektronik	
aturan_penggunaan	Ada	245	245	490
Total		245	245	490

#### Chi-Square Tests

	Value
Pearson Chi-Square	. <sup>a</sup>
N of Valid Cases	490

a. No statistics are computed because aturan\_penggunaan is a constant