


INSTALASI UBUNTU DEKSTOP


1.




2.



3.




4.



5.




6. instalasi selesai



Coding Database

1. Database Replikasi



2. Koneksi database



3. Koneksi database survey ke database Replikasi

```
$connect2 = mysql_connect("localhost", "root", ""); // localhost
// $database2 = "survey"; // source database
$connect2 = mysql_connect("mysql.idhostinger.com", "u918565377_dina", "skripsi2014");
$database2 = "u918565377_dina";
mysql_select_db($database2, $connect2);
set_time_limit(0);

$today = date('Y-m-d h:i:s');
$query = "UPDATE status SET status_date='".$today.'" WHERE status_no='1'";
mysql_query($query) or die('Query "' . $query . '" failed: ' . mysql_error());
mysql_close($query);
```

4. Status date database Replikasi

```

$connect2 = mysql_connect("localhost", "root", ""); // localhost
// $database2 = "survey"; // source database
$connect2 = mysql_connect("mysql.idhostinger.com", "u918565377_dina", "skripsi2014");
$database2 = "u918565377_dina";
mysql_select_db($database2, $connect2);
set_time_limit(0);

$today = date('Y-m-d h:i:s');
$query = "UPDATE status SET status_date='".$today.'" WHERE status_no='1'";
mysql_query($query) or die('Query "' . $query . '" failed: ' . mysql_error());
mysql_close($query);

```

5. Status Replikasi

status

Column	Type	Null	Default	Comments	MIME
status_no	int(11)	No			
status_date	datetime	No			

Indexes							
Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null Comment
PRIMARY	BTREE	Yes	No	status_no	1	A	No

6. Table Input Form

The screenshot shows the phpMyAdmin interface for a database named 'tbl_login'. The table structure is as follows:

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	idtbl	int(11)			No		AUTO_INCREMENT	Change Drop Browse distinct values Primary U Lic
2	nama_user	varchar(100)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
3	alamat	varchar(250)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
4	longitude	decimal(8,5)			No			Change Drop Browse distinct values Primary U Lic
5	latitude	decimal(8,5)			No			Change Drop Browse distinct values Primary U Lic
6	contact_person	varchar(100)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
7	gpp	varchar(1)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
8	pmp	varchar(1)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
9	fo	varchar(1)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
10	lainnya	varchar(1)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
11	lainnya_keterangan	varchar(50)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
12	tanggal	date			No			Change Drop Browse distinct values Primary U Lic
13	surveyor1	varchar(100)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
14	surveyor2	varchar(100)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
15	vendor_jp	varchar(100)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
16	raungan	varchar(1)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
17	air_conditioner	varchar(1)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
18	pin	varchar(1)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
19	geset	varchar(1)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
20	ups_regulator	varchar(1)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic
21	racx	varchar(1)	latin1_swedish_ci		No			Change Drop Browse distinct values Primary U Lic

7. Table Log in Replikasi

tbl_login

Column	Type	Null	Default	Comments	MIME
kd_login	int(11)	No			
nama_user	varchar(20)	No			
password	varchar(20)	No			
lv_user	varchar(5)	No			

Indexes							
Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null Comment
PRIMARY	BTREE	Yes	No	kd_login	4	A	No
nama_user	BTREE	Yes	No	nama_user	4	A	No