

## DAFTAR PUSTAKA

- Arnold, R. (2015). *Comparative study of antioxidant activity of methanolic and ethanolic extracts of stevia*. 4(1), 1474–1488.
- Carbonell-Capella, J. M., Šic Žlabur, J., Rimac Brnčić, S., Barba, F. J., Grimi, N., Koubaa, M., Brnčić, M., & Vorobiev, E. (2017). Electrotechnologies, microwaves, and ultrasounds combined with binary mixtures of ethanol and water to extract steviol glycosides and antioxidant compounds from *Stevia rebaudiana* leaves. *Journal of Food Processing and Preservation*, 41(5), 1–8. <https://doi.org/10.1111/jfpp.13179>
- Chairunnisa, S., Wartini, N. M., & Suhendra, L. (2019). Pengaruh suhu dan waktu maserasi terhadap karakteristik ekstrak daun bidara (*Ziziphus mauritiana* L.) sebagai sumber saponin. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 7(4), 551. <https://doi.org/10.24843/jrma.2019.v07.i04.p07>
- Chan, C. H., Yusoff, R., Ngoh, G. C., & Kung, F. W. L. (2011). Microwave-assisted extractions of active ingredients from plants. *Journal of Chromatography A*, 1218(37), 6213–6225. <https://doi.org/10.1016/j.chroma.2011.07.040>
- Chandra, A. (2015). *Studi awal ekstraksi batch daun stevia rebaudiana dengan variabel jenis pelarut dan temperatur ekstraksi*. 1(Luqman 2007), 114–119. <https://doi.org/10.13057/psnmbi/m010119>
- Chandra, A., & Witono, J. R. B. (2018). Pengaruh berbagai proses dehidrasi pada pengeringan daun *Stevia Rebaudiana*. *Jurusan Teknik Kimia*, April, 1–6.
- Chatsudhipong, V., & Muanprasat, C. (2009). Stevioside and related compounds: therapeutic benefits beyond sweetness. *Pharmacology and Therapeutics*, 121(1), 41–54. <https://doi.org/10.1016/j.pharmthera.2008.09.007>
- Ciulu, M., Quirantes-piné, R., Spano, N., Sanna, G., Borrás-linares, I., & Segura-carretero, A. (2017). Industrial crops & products evaluation of new extraction approaches to obtain phenolic compound-rich extracts from *Stevia rebaudiana* bertonii leaves. *Industrial Crops & Products*, 108(April), 106–112. <https://doi.org/10.1016/j.indcrop.2017.06.024>
- Delazar, A., Nahar, L., Hamedeyazdan, S., & Sarker, S. D. (2012). Microwave-assisted extraction in natural products isolation. *Methods in Molecular Biology*, 864, 89–115. [https://doi.org/10.1007/978-1-61779-624-1\\_5](https://doi.org/10.1007/978-1-61779-624-1_5)
- Depkes. (2000). *Inventaris tanaman obati ndonesia I jilid 1* (Depkes RI (ed.); Jilid 1).
- Depkes RI. (2017). Farmakope Herbal Indonesia. In *Pocket Handbook of Nonhuman Primate Clinical Medicine*. <https://doi.org/10.1201/b12934-13>
- Dewi, S., Sumarni, N., Izza, N., Putranto, A., & Susilo, B. (2019). Studi Variasi Kuat Medan Listrik PEF dan Metode Pengeringan Bahan Terhadap Senyawa Antioksidan Ekstrak Daun Torbangun (*Coleus amboinicus* L.) Study. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Fauziah, L., & Wakidah, M. (2019). Extraction of papaya leaves (*Carica papaya* L.) using ultrasonic cleaner. *EKSAKTA: Journal of Sciences and Data Analysis*, 19, 35–45. <https://doi.org/10.20885/eksakta.vol19.iss1.art4>
- Halimu, R. B., S.Sulistijowati, R., & Mile, L. (2017). Identifikasi Kandungan Tanin pada *Sonneratia alba*. *Jurnal Ilmiah Perikanan Dan Kelautan*, 5(4), 93–97.

- Hani, R. C., & Milanda, T. (2016). Manfaat antioksidan pada tanaman buah di Indonesia. *Farmaka*, 14(1), 184–190.
- Husna, F. K., Budiyo, S., & Sutarno, D. (2018). Pertumbuhan dan produksi tanaman stevia (*Stevia rebaudiana* b.) pada persentase naungan dan umur panen berbeda di dataran rendah (*Growth and production of Stevia rebaudiana* B.) on shade percentage and different harvest time in lowland. *J. Agro Complex*, 2(3), 269–274. <http://ejournal2.undip.ac.id/index.php/joac>
- Kennelly, E. J. (2002). Sweet and non-sweet constituents of *Stevia rebaudiana*. In A. D. Kinghorn (Ed.), *Stevia* (pp. 68–85). Taylor & Francis. <https://doi.org/10.1201/9780203165942-12>
- Khaira, K. (2010). Menangkal radikal bebas dengan antioksidan. *STAIN Batusangkar Sumatera Barat*, 2, 184.
- Kinghorn, A. D. (2002). *Medicinal and aromatic plants* (D. R. Hardman (ed.); Volume 19).
- Kusumaningrum, I., & Suprayatmi, M.-. (2019). Pemanfaatan sereh (*Cymbopogon citratus*) dan stevia (*Stevia rebaudiana* Bertoni) untuk meningkatkan kandungan antioksidan produk cokelat yang rendah gula. *Jurnal Agroindustri Halal*, 5(1), 075–084. <https://doi.org/10.30997/jah.v5i1.1586>
- Latarissa, I. R., Barliana, M. I., & Lestari, K. (2020). A comprehensive review of stevia rebaudiana bertoni effects on human health and its mechanism. *Journal of Advanced Pharmacy Education & Research*, 10(2), 91–95.
- Lung, J. P. ., & Destiani, D. . (2018). Uji aktivitas antioksidan vitamin A, C, E dengan Metode DPPH. *Farmaka*, 15(1), 53–62.
- Mandal, B., & Madan, S. (2013). Preliminary phytochemical screening and evaluation of free radical scavenging activity of stevia rebaudiana bertoni from different geographical sources. *Journal of Pharmacognosy and Phytochemistry*, 2(1), 14–19.
- Marliana, S. D., Suryanti, V., & Suyono. (2005). Skrining Fitokimia dan Analisis Kromatografi Lapis Tipis Komponen Kimia Buah Labu Siam ( *Sechium edule* Jacq . Swartz .) dalam Ekstrak Etanol The phytochemical screenings and thin layer chromatography analysis of. *Biofarmasi*, 3(1), 26–31.
- Molyneux P. (2004). The use of the stable free radical diphenylpicryl-hydrazyl (DPPH) for estimating anti-oxidant activity. *Songklanakarinn Journal of Science and Technology*, 26(May), 211–219.
- Muanda, F. N., Soulimani, R., Diop, B., & Dicko, A. (2011). Study on chemical composition and biological activities of essential oil and extracts from *Stevia rebaudiana* Bertoni leaves. *LWT - Food Science and Technology*, 44(9), 1865–1872. <https://doi.org/10.1016/j.lwt.2010.12.002>
- Mukhtarini. (2011). Ekstraksi, pemisahan senyawa, dan identifikasi senyawa aktif. *Jurnal of Pharmacy*, VII(2), 361.
- Myint, K. zar, Wu, K., Xia, Y., Fan, Y., Shen, J., Zhang, P., & Gu, J. (2020). Polyphenols from *Stevia rebaudiana* (Bertoni) leaves and their functional properties. *Journal of Food Science*, 85(2), 240–248. <https://doi.org/10.1111/1750-3841.15017>
- Periche, A., Castelló, M. L., Heredia, A., & Escriche, I. (2015). Influence of drying method on steviol glycosides and antioxidants in *Stevia rebaudiana* leaves.

- Food Chemistry*, 172, 1–6. <https://doi.org/10.1016/j.foodchem.2014.09.029>
- Prasetya, M. H. E., Maghfoer, M. D., & Santoso, M. (2014). Pengaruh macam dan kombinasi bahan organik terhadap pertumbuhan dan hasil tanaman stevia (*Stevia rebaudiana B.*). *J. Prod Tan*, 2(6), 503–509.
- Purwati, & Verryanti. (2016). Aktivitas antioksidan dan evaluasi fisik sediaan masker gel peel off dari ekstrak kulit terung ungu (*Solanum melongena L.*). *Indonesia Natural Research Pharmaceutical Journal*, 1(2), 10–21.
- Radić, S., Vujčić, V., Glogoški, M., & Radić-Stojković, M. (2016). Influence of ph and plant growth regulators on secondary metabolite production and antioxidant activity of *Stevia rebaudiana* (Bert). *Periodicum Biologorum*, 118(1), 9–19. <https://doi.org/10.18054/pb.2016.118.1.3420>
- Ratnani, R. D., & Anggraeni, D. R. (1985). *Ekstraksi gula stevia dari tanaman (stevia rebaudiana bertonii)*.
- Rivai, H., Nurdin, H., Suyani, H., & Amri Bakhtiar, D. (2010). EFFECTS OF DRYING METHODS IN GAINING OF EXTRACTIVE, PHENOLIC CONTENT AND ANTIOXIDANT ACTIVITY IN *Gynura pseudochina* (Lour.). *Majalah Obat Tradisional*, 15(1), 2010.
- Rohmatussolihat, P., & Si, S. (2009). *Penyelamat sel-sel tubuh manusia*. 4(1), 5–9.
- Sari, G. N. F., & Rejeki, E. S. (2021). Uji sitotoksik ekstrak etanol daun stevia (*Stevia Rebaudiana Bertonii*) pada kultur sel hela. *Jurnal Farmasi Indonesia*, 18(2), 189–199. <https://doi.org/10.31001/jfi.v18i2.875>
- Shaily, M., & Shamim, A. (2012). *Stevia rebaudiana bertonii*. 1(September), 689–692.
- Simanjutak, P., Parwati, T., Lenny, L. E., Tamat, S. R., & Murwani, R. (2004). Isolasi dan identifikasi senyawa antioksidan dari ekstrak benalu teh (*Scurrula oortiana (Korth) Danser*). *Ilmu Kefarmasian Indonesia*, 2(1), 19–24. <http://jifi.farmasi.univpancasila.ac.id/index.php/jifi/article/view/639/450>
- Singh, S., Garg, V., Yadav, D., & Sharma, N. (2012). In vitro antioxidative and antibacterial activities of various parts of *Stevia rebaudiana* (Bertonii). *International Journal of Pharmacy and Pharmaceutical Sciences*, 4(3), 468–473.
- Tambun, R., Limbong, H. P., Pinem, C., & Manurung, E. (2016). Influence of particle size, time and temperature to extract phenol from galangal. *Teknik Kimia Universitas Sumatera Utara*, 5(4), 53–56.
- Three, A., Latifah, W., Hidayati, N., Sofyan, A., Fuadi, A. M., & Harismah, K. (2015). *Preparation of modified agar by using sweet potato and stevia(Stevia rebaudiana BERTONI) as non calorie sweetener*. 171–175.
- Yahaya, W. A. W., Almajano, M. P., Yazid, N. A., & Azman, N. A. M. (2019). Antioxidant activities and total phenolic content of Malaysian herbs as components of active packaging film in beef patties. *Antioxidants*, 8(7). <https://doi.org/10.3390/antiox8070204>
- Yildiz-Ozturk, E., Nalbantsoy, A., Tag, O., & Yesil-Celiktas, O. (2015). A comparative study on extraction processes of *Stevia rebaudiana* leaves with emphasis on antioxidant, cytotoxic and nitric oxide inhibition activities. *Industrial Crops and Products*, 77, 961–971. <https://doi.org/10.1016/j.indcrop.2015.10.010>

Yulianti, D., Susilo, B., Yulianingsih, R., Keteknikan, J., Fakultas, P., Pertanian, T., Brawijaya, U., Veteran, J., & Korespondensi, P. (2014). Pengaruh lama ekstraksi dan konsentrasi pelarut etanol terhadap sifat fisika-kimia ekstrak daun stevia (*Stevia Rebaudiana Bertoni M.*) dengan metode *Microwave Assisted Extraction*(MAE). *Jurnal Bioproses Komoditas Tropis*, 2(1), 35–41.