

DAFTAR PUSTAKA

- Alamelumangai, M., Dhanalakshmi, J., Mathumitha, M., Renganayaki, R. S., Muthukumar, P., & Saraswathy, N. (2014). In vitro studies on phytochemical evaluation and antimicrobial activity of *Borassus flabellifer* Linn against some human pathogens. *Asian Pacific Journal of Tropical Medicine*, 7(S1), S182–S185. [https://doi.org/10.1016/S1995-7645\(14\)60228-5](https://doi.org/10.1016/S1995-7645(14)60228-5)
- Apriyanti, I. R. (2018). Studi Potensi Pemanfaatan Limbah Serat Batok Siwalan (*Borassus Flabellifer* L) sebagai Bahan Baku Kerajinan Lokal (Benang) Gresik. *Jurnal Teknologia*, 1(1), 81–88. <https://aperti.e-journal.id/teknologia/article/view/10>
- Athinarayanan, J., Periasamy, V. S., Qasem, A. A., & Alshatwi, A. A. (2018). *Borassus flabellifer* biomass lignin: Isolation and characterization of its antioxidant and cytotoxic properties. *Sustainable Chemistry and Pharmacy*, 10(July), 89–96. <https://doi.org/10.1016/j.scp.2018.10.001>
- Azizah, D. N., Kumolowati, E., & Faramayuda, F. (2017). PENETAPAN KADAR FLAVONOID METODE AIC3 PADA EKSTRAK METANOL KULIT BUAH KAKAO (*Theobroma cacao* L.). *Kartika Jurnal Ilmiah Farmasi*, 2(2), 45–49. <https://doi.org/10.26874/kjif.v2i2.14>
- Bernhard, M. R. (2007). Budidaya Lontar (*Borassus sundaicus* Becc) Cultivation of Palmyra Palm (*Borassus sundaicus* Becc). *Buletin Palma*, 32, 81–91.
- Bösenberg, L. H., & Van Zyl, D. G. (2008). The mechanism of action of oral antidiabetic drugs: A review of recent literature. *Journal of Endocrinology, Metabolism and Diabetes of South Africa*, 13(3), 80–89. <https://doi.org/10.1080/22201009.2008.10872177>
- Buanasari, Febrianto, Y., Cholifah, & Chakim, A. (2019). Potensi Metode Ultrasonic-Assisted Extraction (UAE) dalam Mengekstrak Senyawa Aktif dari Bahan Alam. *Jurnal Farmasi Dan Sains Indonesia*, 2(1), 106–111.
- Candra, L. M. M., Andayani, Y., & Wirasisya, D. G. (2021). Pengaruh Metode Ekstraksi Terhadap Kandungan Fenolik Total dan Flavonoid Total Pada Ekstrak Etanol Buncis (*Phaseolus vulgaris* L.). *Jurnal Pijar Mipa*, 16(3), 397–405. <https://doi.org/10.29303/jpm.v16i3.2308>
- Champe, P. C., Harvey, R. A., & Ferrier, D. R. (2005). *Biochemistry* (3rd ed.).
- Das, S., Das, S., & De, B. (2012). *In Vitro Inhibition of Key Enzymes Related to Diabetes by the Aqueous Extracts of Some Fruits of West Bengal, India*. 19–24.
- Debnath, T., Radhakrishnan, R., Gopal, M., Talwar, S., & Nandakumar, K. (2013). Hypoglycaemic effects of alcoholic root extract of *Borassus flabellifer* (Linn.) in normal and diabetic rats. *Pakistan Journal of Pharmaceutical Sciences*, 26(4), 673–679.
- Decroli, E. (2019). *Diabetes Melitus Tipe 2*. Fakultas Kedokteran Universitas Andalas.
- Departemen Farmakologi dan Terapeutik FKUI. (2016). Departemen Farmakologi dan Terapeutik FKUI. In *Farmakologi dan Terapi Edisi 6* (6th ed.). Badan Penerbit FKUI.

- Departemen Kesehatan RI. (2005). Pharmaceutical Care Untuk Penyakit Diabetes Mellitus. *Departemen Kesehatan RI*, 1–89.
- Departemen Kesehatan RI. (2017). *Farmakope Herbal Indonesia* (2nd ed.).
- DepKes RI. (1985). Cara Pembuatan Simplisia. *Cara Pembuatan Simplisia*, Departemen Kesehatan Republik Indonesia.
- Dipiro, J. T., Talbert, R. I., Yee, G. C., Matzke, G. L., Well, B. G., & Posey, L. M. (2005). Pharmacotherapy sixth edition. In *Archives of internal medicine* (sixth, p. 2500). McGraw-Hill. <https://doi.org/10.1001/archinte.1980.00040020897004>
- Dirjen POM Depkes RI. (2000). *Parameter Standar Umum Ekstrak Tumbuhan Obat*.
- Dona, R., Furi, M., & Suryani, F. (2020). Penentuan Kadar Total Fenolik, Total Flavonoid dan Uji Aktivitas Antioksidan Dari Ekstrak dan Fraksi Daun Karamunting (*Rhomomyrtus tomentosa* (Aiton) Hassk.). 9(2).
- Duraipandiyani, V., Balamurugan, R., Al-dhabi, N. A., Raja, T. W., Ganesan, P., Ahilan, B., Arasu, M. V., Ignacimuthu, S., & Ali, G. (2020). The down regulation of PTP1B expression and attenuation of disturbed glucose and lipid metabolism using *Borassus flabellifer* (L.) fruit methanol extract in high fat diet and streptozotocin induced diabetic rats. *Saudi Journal of Biological Sciences*, 27(1), 433–440. <https://doi.org/10.1016/j.sjbs.2019.11.004>
- Fajeriadi, H., Dharmono, & Anwar, M. R. (2019). Density of Lontar (*Borassus flabellifer*) in The Coastal Forest of Tabanio Village, South Kalimantan. 15(2), 190–194.
- Fatimah, R. N. (2015). *Diabetes Melitus Tipe 2*. 4(5), 93–101.
- Fatmawati, Susilawati, Oswari, Fadiya, & Nadya. (2021). Uji Aktivitas Penghambatan Enzim alfa-glucosidase Ekstrak Air dan Ekstrak Etanol Kayu Kuning (*Arcangelisia flava*). 8(1). <https://doi.org/10.32539/JKK.V8I1.13118>
- Gul, M. Z., Attuluri, V., Qureshi, A., & Ahmad, I. (2012). Antioxidant and α -glucosidase inhibitory activities of *Murraya koenigii* leaf extracts. *Pharmacognosy Journal*, 4(32), 65–72. <https://doi.org/10.5530/pj.2012.32.12>
- Gummadi, V. P., Battu, G. R., Keerthana Diyya, M. S., & Manda, K. (2016). A review on palmyra palm (*Borassus flabellifer*). *International Journal of Current Pharmaceutical Review and Research*, 8(2), 17–20.
- Harborne, J. B. (1987). *Metode Fitokimia Penuntun Cara Modern Menganalisis Tumbuhan*.
- Harian, A. (2013). *Tumbuhan Obat dan Khasiatnya* (S. Nugroho (ed.)). Penebar Swadaya. https://www.google.co.id/books/edition/262_Tumbuhan_Obat_dan_Khasiatnya/bp-0CAAQBAJ?hl=id&gbpv=1&dq=kementerian+kehutanan+ri+tanaman+obat&printsec=frontcover
- Hasnaeni, Wisdawati, & Usman, S. (2019). Pengaruh Metode Ekstraksi Terhadap Rendemen Dan Kadar Fenolik Ekstrak Tanaman Kayu Beta-Beta (*Lunasia amara Blanco*). *Galenika Journal of Pharmacy*, V(2), 175–182.
- Hong, E. H., Heo, E. Y., Song, J. H., Kwon, B. E., Lee, J. Y., Park, Y., Kim, J., Chang,

- S. Y., Chin, Y. W., Jeon, S. M., & Ko, H. J. (2017). Trans-scirpusin A showed antitumor effects via autophagy activation and apoptosis induction of colorectal cancer cells. *Oncotarget*, 8(25), 41401–41411. <https://doi.org/10.18632/oncotarget.17388>
- Idayati, E., Suparmo, & Darmadji, P. (2014). *Potensi Senyawa Bioaktif Mesocarp Buah Lontar (Borassus flabelifer l.) Sebagai Sumber Antioksidan Alami*. 34(3), 277–284.
- Jamkhande, P. G., Suryawanshi, V. A., Kaylankar, T. M., & Patwekar, S. L. (2016). Biological activities of leaves of ethnomedicinal plant, *Borassus flabellifer* Linn. (Palmyra palm): An antibacterial, antifungal and antioxidant evaluation. *Bulletin of Faculty of Pharmacy, Cairo University*, 54(1), 59–66. <https://doi.org/10.1016/j.bfopcu.2016.01.002>
- Jerry, A. (2018). A Comprehensive Review on the Medicinal Properties of *Borassus flabellifer*. *Journal of Academia and Industrial Research (JAIR)*, 7(7), 93–97.
- Junaidi, L. (2019). *Teknologi Ekstraksi Bahan Aktif Alami*. Percetakan IPB.
- Kurniasari, L., Hartati, I., Ratnani, R. D., & Sumantri, I. (2008). Kajian Ekstraksi Minyak Jahe Menggunakan Microwave Assisted Extraction (MAE). *Momentum*, 4(2), 47–52.
- Lam, S. H., Chen, J. M., Kang, C. J., Chen, C. H., & Lee, S. S. (2008). α -Glucosidase inhibitors from the seeds of *Syagrus romanzoffiana*. *Phytochemistry*, 69(5), 1173–1178. <https://doi.org/10.1016/j.phytochem.2007.12.004>
- Lenggu, C. (2020). Uji Aktivitas Ekstrak Etanol Kulit Dagging Buah. *Cendana Medical*, 19(1).
- Maria, I. (2021). *Asuhan keperawatan Diabetes Mellitus dan Asuhan Keperawatan Stroke* (Y. W. Avinda (ed.); 1st ed.). cv Budi Utama. www.shutterstock.com
- Masruri, A. A. M., & Rumhayati, B. (2018). Characteristic of Cellulose Isolated From Papyrus Fibers (*Borassus flabelifer* L) And Its Citrate Ester. *The Journal of Pure and Applied Chemistry Research*, 7(3), 239–246. <https://doi.org/10.21776/ub.jpacr.2018.007.03.410>
- Masyudi, Hanafiah, M., Rinidar, Usman, S., & Marlina. (2022). Phytochemical screening and GC-MS analysis of bioactive compounds of *Blumea balsamifera* leaf extracts from South Aceh, Indonesia. *Biodiversitas*, 23(3), 1346–1354. <https://doi.org/10.13057/biodiv/d230319>
- Matsumoto, K., Takemata, K., Takayama, K., Abesundara, K. J. M., Matsui, T., & Katayama, H. (2002). A novel method for the assay of α -glucosidase inhibitory activity using a multi-channel oxygen sensor. *Analytical Sciences*, 18(12), 1315–1319. <https://doi.org/10.2116/analsci.18.1315>
- Morina, I., Tnunay, Y., & Hanas, D. F. (2021). *Ethnobotany of Lontar (Borassus flabellifer L.) in Tuamese Village , East Nusa Tenggara (Etnobotani Lontar (Borassus flabellifer L.) di Desa Tuamese , Nusa Tenggara Timur)*. 26(4), 555–561. <https://doi.org/10.18343/jipi.26.4.555>
- Mukhriani. (2014). *Ekstraksi, pemisahan senyawa, dan identifikasi senyawa aktif*. VII(2).

- Oboh, M. O., Osunsanmi, F. O., Zharare, G. E., Mosa, R. A., Ojo, M. C., & Opoku, A. R. (2020). In vitro antioxidant and antidiabetic potential of crude extracts from the seed coat and fruit pulp of *strychnos madagascariensis*. *Pharmacognosy Journal*, 12(6), 1504–1511. <https://doi.org/10.5530/pj.2020.12.206>
- Puspitasari, A. D., & Proyogo, L. S. (2019). Perbandingan Metode Ekstraksi Maserasi dan Sokletasi Terhadap Kadar Flavonoid Total Ekstrak Etanol Daun Kersen (*Muntingia calabura*). *Pharmacon*, 8(2), 371. <https://doi.org/10.35799/pha.8.2019.29303>
- Rahma, N. L., wulandari, S. I., & Nisa, C. H. (2019). Produksi Glukosamin Biji Buah Siwalan (*Borassus Flabellifer*) Menggunakan Pre-Treatment Mae (Microwave Assisted Extraction). *Jurnal Teknologi Pertanian*, 20(2), 139–144. <https://doi.org/10.21776/ub.jtp.2019.020.02.7>
- Ramayani, S. L., Nugraheni, D. H., & Evan, A. R. (2021). Pengaruh Metode Ekstraksi Terhadap Fenolik dan Kadar Total Flavonoid (*Colocasia esculenta L.*) Kadar Total Daun Talas The influence of a method of the extraction of against the level of the total content of phenolic and total flavonoid leaves taro (*Colo.* 10(1), 11–16.
- Rosidah, I., Bahua, H., Mufidah, R., & Pongtuluran, O. B. (2015). pengaruh kondisi proses ekstraksi batang brotowali (*tinospora crispa (l) hook.f & thomson*) terhadap aktivitas hambatan enzim alfa glukosidase influence of extraction process of *tinospora crispa (l) hook.f & thomson* on alpha-glucosidase inhibitory activity.
- Sancayaningsih, R. P., Santosa, S. H. M. B., & Utami, A. V. (2016). natural sustainability of toddy palm (*borassus flabellifer l.*) in linamnutu, timor tengah selatan, nusa tenggara timur. *Jurnal Manusia Dan Lingkungan*, 23(1), 76. <https://doi.org/10.22146/jml.18776>
- Sancheti, S., Sancheti, S., & Seo, S.-Y. (2009). Chaenomeles Sinensis : A Potent α - and β -Glucosidase Inhibitor Korean Collection of Herbal Extract. *American Journal of Pharmacology and Toxicology*, 4(1), 8–11. <https://doi.org/https://doi.org/10.3844/ajtpsp.2009.8.11>
- Sargenti, S. R., & Vichnewski, W. (2000). *Sonication and Liquid Chromatography as a Rapid Technique for Extraction and Fractionation of Plant Material*. 73(October 1998), 69–73.
- Sembiring, E. N., Elya, B., Sauriasari, R., Sembiring, E. N., Elya, B., & Sauriasari, R. (2018). *Phytochemical Screening , Total Flavonoid and Total Phenolic Content and Antioxidant Activity of Different Parts of Caesalpinia bonduc (L .) Roxb.* 10(1), 123–127.
- Septiana, E., Simanjuntak, P., Penelitian Bioteknologi LIPI, P., & Raya Bogor, J. (2020). *Aktivitas Antidiabetes Ekstrak Etanol Daun dan Kulit Batang Bintangur (Calophyllum rigidum miq.) Secara in Vitro In Vitro Antidiabetic Activity of Ethanolic Extracts of Bintangur (Calophyllum rigidum Miq.) Leaf and Stem Bark.* 13(2), 86–93. <https://doi.org/10.22435/jtoi.v13i2.1295>
- Sholikha, M., Primayanti, M. Y., & Fitriana, W. (2019). *Uji Aktivitas Ekstrak Air Daun*

- Singawalang (Petiveria alliacea L.) terhadap Enzim α -Glukosidase. 12(2).*
- Sudiono, J., & Susanto, G. R. (2021). *Antioxidant Content of Palm Fruit (Borassus flabellifer L .) Seed Coat. March.* <https://doi.org/10.26717/BJS TR.2021.34.005540>
- Sugiwati, S., Setiasih, S., & Afifah, E. (2009). Antihyperglycemic Activity of The Mahkota Dewa (*Phaleria macrocarpa* (Scheff.) Boerl.) Leaf Extracts as an Alpha-Glucosidase Inhibitor. *Makara Kesehatan, 13(2)*, 74–78.
- Tambunan, P. (2010). Potensi dan Kebijakan Pengembangan Lontar Untuk Menambah Pendapatan Penduduk (The Potential and Policy for Lontar Development to Increase the People Income). *Jurnal Analisis Kebijakan Kehutanan, 7(1)*, 27–45.
- Voigh, R. (1995). *Buku pelajaran Teknologi Farmasi Edisi ke - 5*. Gadjah Mada University Press.
- Webber, S. (2021). International Diabetes Federation. *Diabetes Research and Clinical Practice, 102(2)*, 147–148. <https://doi.org/10.1016/j.diabres.2013.10.013>
- Wijewardana, R. M. N. A., Nawarathne, S. B., Wickramasinghe, I., Gunawardane, C. R., Wasala, W. M. C. B., & Thilakarathne, B. M. K. S. (2016). Retention of Physicochemical and Antioxidant Properties of Dehydrated Bael (*Aegle Marmelos*) and Palmyra (*Borassus Flabellifer*) Fruit Powders. *Procedia Food Science, 6(Icsusl 2015)*, 170–175. <https://doi.org/10.1016/j.profoo.2016.02.041>
- Williamson, G. (2013). Possible effects of dietary polyphenols on sugar absorption and digestion. *Molecular Nutrition and Food Research, 57(1)*, 48–57. <https://doi.org/10.1002/mnfr.201200511>
- Yoshikawa, M., Xu, F., Morikawa, T., Pongpiriyadacha, Y., Nakamura, S., Asao, Y., Kumahara, A., & Matsuda, H. (2007). Medicinal flowers. XII. New spirostane-type steroid saponins with antidiabetogenic activity from *Borassus flabellifer*. *Chemical and Pharmaceutical Bulletin, 55(2)*, 308–316. <https://doi.org/10.1248/cpb.55.308>