

DAFTAR PUSTAKA

- Agustina, E. (2017). Uji Aktivitas Senyawa Antioksidan dari Ekstrak Daun Tin (Ficus Carica Linn) dengan Pelarut Air, Metanol dan Campuran Metanol-Air. *Klorofil*, 1(1), 38–47.
- Andriani, D., & Murtisiwi, L. (2020). Uji Aktivitas Antioksidan Ekstrak Etanol 70 % Bunga Telang (*Clitoria ternatea L*) dari Daerah Sleman dengan Metode DPPH Antioxidant Activity Test of 70 % Ethanol Extract of Telang Flower (*Clitoria ternatea L*) from Sleman Area with DPPH Method. 1(1), 70–76.
- Anggraito, Y. U., Susanti, R., Iswari, R. S., Yuniastuti, A., Lisdiana, WH, N., Habibah, N. A., & Bintari, S. H. (2018). Metabolit Sekunder Dari Tanaman. In *Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Negeri Semarang*.
- Anggraito, Y. U., Susanti, R., Iswari, R. S., Yuniastuti, A., Lisdiana, WH, N., Habibah, N. A., & Bintari, S. H. (2018). Metabolit Sekunder Dari Tanaman. In *Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Negeri Semarang*.
- Arifin, B., & Ibrahim, S. (2018). Struktur, Bioaktivitas Dan Antioksidan Flavonoid. *Jurnal Zarah*, 6(1), 21–29.
<https://doi.org/10.31629/zarah.v6i1.313>
- Blin, K., Kim, H. U., Medema, M. H., & Weber, T. (2018). Recent development of antiSMASH and other computational approaches to mine secondary metabolite biosynthetic gene clusters. *Briefings in Bioinformatics*, 20(4), 1103–1113. <https://doi.org/10.1093/bib/bbx146>
- Blin, K., Kim, H. U., Medema, M. H., & Weber, T. (2018). Recent development of antiSMASH and other computational approaches to mine secondary metabolite biosynthetic gene clusters. *Briefings in Bioinformatics*, 20(4), 1103–1113. <https://doi.org/10.1093/bib/bbx146>

- Cairns, T., & Meyer, V. (2017). In silico prediction and characterization of secondary metabolite biosynthetic gene clusters in the wheat pathogen *Zymoseptoria tritici*. *BMC Genomics*, *18*(1), 1–16.
<https://doi.org/10.1186/s12864-017-3969-y>
- Castaneda-Ovando, Araceli, Ma.De Lourdes Pacheco-Hernandez, Ma.Elena PaezHernandez, Jose A. Rodriguez, Carlos Andres Galan Vidal. 2009. Chemical Studies Of Anthocyanins: A Review. *J Food Chemistry*, *113*:859–871
- Dai, J., & Mumper, R. J. (2010). Plant phenolics: Extraction, analysis and their antioxidant and anticancer properties. *Molecules*, *15*(10), 7313–7352.
<https://doi.org/10.3390/molecules15107313>
- Dewi, L. R., Laksmiani, N. P. L., Paramita, N. L. P. V., & Wirasuta, I. M. A. G. (2014). Uji Aktivitas Antioksidan Ekstrak Etanol Kulit Ubi Jalar Ungu (*Ipomoea batatas* (L.) Lam) dengan Metode Ferrous Ion Chelating (FIC). *Jurnal Farmasi Udayana*, *3*(1), 14–17.
- Dewi, S. R., Argo, B. D., & Ulya, N. (2018). Kandungan Flavonoid dan Aktivitas Antioksidan Ekstrak *Pleurotus ostreatus*. *Rona Teknik Pertanian*, *11*(1), 1–10. <https://doi.org/10.17969/rtp.v11i1.9571>
- Dusuki, N. J. S., Abu Bakar, M. F., Abu Bakar, F. I., Ismail, N. A., & Azman, M. I. (2020). Proximate composition and antioxidant potential of selected tubers peel. *Food Research*, *4*(1), 121–126.
[https://doi.org/10.26656/fr.2017.4\(1\).178](https://doi.org/10.26656/fr.2017.4(1).178)
- Grant, V. 2003. Select markets for taro, sweet potato and yam. A report for the Rural Industries Research and Development Corporation (RIRDC). Publication No 0 3 /052 RIRDC project No UCQ-13A. Online: <http://www.rirdc.gov.au>.
- Hidayati, N., Rosawanti, P., Yusuf, F., & Hanafi, N. (2017). Kajian Penggunaan Nutrisi Anorganik terhadap Pertumbuhan Kangkung (*Ipomoea reptans* Poir)

- Hidroponik Sistem Wick. *Daun: Jurnal Ilmiah Pertanian Dan Kehutanan*, 4(2), 75–81. <https://doi.org/10.33084/daun.v4i2.81>
- Irianti, T., Mada, U. G., Ugm, S., Mada, U. G., Nuranto, S., Mada, U. G., Kuswandi, K., & Mada, U. G. (2017). *Antioksidan* (Issue October).
- Johari, M. A., dan H. Y. Khong. 2019. Total Phenolic Content and Antioxidant and Antibacterial Activities of *Pereskia bleo*. *Hindawi: Advances in Pharmacological Sciences*. 2019(2019): 1-4. doi:10.1155/2019/7428593
- Julianto, R., Indawan, E., & Paramita, S. (2020). Perbedaan karakter hasil tiga varietas ubi jalar berdasarkan waktu panen. *Jurnal Kultivasi*, 19 (3)(September), 1223–1229.
- Kautsar, santria A. (2021). *MAPPING NATURAL PRODUCT DIVERSITY THROUGH GENOMICS*. Wageningen University. *Thesis*
- Kilmanun, J. C. (2015). Prospek Pengembangan Usahatani Ubijalar Di Kalimantan Barat (Studi Kasus : Desa Rasau Jaya Ii Kecamatan Rasau Jaya Kabupaten Kubu Raya). *Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang Dan Umbi*, 627–632.
- Kumar, R., Bohra, A., Pandey, A. K., Pandey, M. K., & Kumar, A. (2017). Metabolomics for plant improvement: Status and prospects. *Frontiers in Plant Science*, 8(August), 1–27. <https://doi.org/10.3389/fpls.2017.01302>
- Kumar, R., Bohra, A., Pandey, A. K., Pandey, M. K., & Kumar, A. (2017). Metabolomics for plant improvement: Status and prospects. *Frontiers in Plant Science*, 8(August), 1–27. <https://doi.org/10.3389/fpls.2017.01302>
- Lichman, B. R., Zhao, J., Hailes, H. C., & Ward, J. M. (2017). Enzyme catalysed Pictet-Spengler formation of chiral 1,1'-disubstituted- And spiro-tetrahydroisoquinolines. *Nature Communications*, 8, 1–9. <https://doi.org/10.1038/ncomms14883>

- Maesaroh, kiki. Kurnia, dikdik. A. J. Al. (2018). Perbandingan Metode Uji Aktivitas Antioksidan DPPH, FRAP dan FIC Terhadap Asam Askorbat, Asam Galat dan Kuersetin Kiki. *Chimica et Natura Acta*, 6(2), 93–100.
- Milenkovic, D., Deval, C., Dubray, C., Mazur, A., & Morand, C. (2011). Hesperidin displays relevant role in the nutrigenomic effect of orange juice on blood leukocytes in human volunteers: A randomized controlled Cross-Over study. *PLoS ONE*, 6(11). <https://doi.org/10.1371/journal.pone.0026669>
- Nastiti, K., & Kurniawati, D. (2021). Uji Aktivitas Antioksidan Kombinasi Infusa Daun Sirih (Piper Betle L) , Ekstrak Etanolik Tanaman Bundung (Actinuscirpus Grossus) Dan Kulit Jeruk Nipis (Citrus Aurantifolia) Antioxidant Activity Combination Of Piper Betle Leaf Infusion , Ethanollic Ex. *Jurnal Surya Medika, Vol 7 No 1*(p-ISSN: 2460-7266; e-ISSN: 2655-2051), 115–122.
- Nurdjanah, S., & Yuliana, N. (2019). *Teknologi Produksi dan Karakteristik Tepung Ubi Jalar Ungu Termodifikasi*.
- PARIKESIT, A. A., ANUROGO, D., & PUTRANTO, R. A. (2017). Pemanfaatan bioinformatika dalam bidang pertanian dan kesehatan (The utilization of bioinformatics in the field of agriculture and health). *E-Journal Menara Perkebunan*, 85(2). <https://doi.org/10.22302/iribb.jur.mp.v85i2.237>
- Prasetyo, H. A., & Winardi, R. (2020). Antioksidan pada Pembuatan Tepung dan Cake Ubi Jalar Ungu (Ipomoea batatas L .). *Jurnal Agrica Ekstensia*, 14(1), 25–32.
- Purbasari, K., & Sumadji, A. R. (2018). Studi Variasi Ubi Jalar (Ipomoea Batatas L) Berdasarkan Karakter Morfologi di Kabupaten Ngawi. *Florea : Jurnal Biologi Dan Pembelajarannya*, 5(2), 78. <https://doi.org/10.25273/florea.v5i2.3359>

Razzaghi-As, N., J. Garrido, H. Khazraei, F. Borges, dan O. Firuzi. 2013. Antioxidant Properties of Hydroxycinnamic Acids: Structure-Activity Relationships. *Current Medicinal Chemistry*. 20: 123-135.

Riza Marjoni, M., & Devi Novita, A. (2015). Kandungan Total Fenol Dan Aktivitas Antioksidan Ekstrak Air Daun Kersen (*Muntingia calabura* L.) Total Content of Fenol and Antioxidant Activity of The Aqueous Extract of Cherry Leaf (*Muntingia calabura* L.). *Jurnal Kedokteran Yarsi*, 23(3), 187–196.

Roza, I., Evawati, E., Alfia Fadri, R., & Gusmalini, G. (2017). TOTAL FENOL DAN AKTIVITAS ANTIOKSIDAN BUBUK KULIT MANGGIS (*Garcinia mangostana* L.) DARI BUAH SEGAR DENGAN VARIASI LAMA PENYIMPANAN YANG DIOLAH SECARA MEKANIS. *Jurnal Teknologi Pertanian Andalas*, 21(2), 110. <https://doi.org/10.25077/jtpa.21.2.110-116.2017>

Salawu, S. O., Udi, E., Akindahunsi, A. A., Boligon, A. A., & Athayde, M. L. (2015). Antioxidant potential, phenolic profile and nutrient composition of flesh and peels from Nigerian white and purple skinned sweet potato (*Ipomea batatas* L.). *Pelagia Research Library Asian Journal of Plant Science and Research*, 5(5), 14–23. www.pelagiaresearchlibrary.com

Salem, M. A., De Souza, L. P., Serag, A., Fernie, A. R., Farag, M. A., Ezzat, S. M., & Alseekh, S. (2020). Metabolomics in the context of plant natural products research: From sample preparation to metabolite analysis. *Metabolites*, 10(1), 1–30. <https://doi.org/10.3390/metabo10010037>

Salim, S. A., Saputri, F. A., Saptarini, N. M., & Levita, J. (2020). Review Artikel: Kelebihan dan Keterbatasan Pereaksi Folinciocalteu dalam Penentuan Kadar Fenol Total Pada Tanaman. *Farmaka*, 18(1), Hlm. 46-57. <http://jurnal.unpad.ac.id/farmaka/article/view/21909/pdf>

- Sam, S., Malik, A., & Handayani, S. (2016). Penetapan Kadar Fenolik Total dari Ekstrak Etanol Bunga Rosella Berwarna Merah (*Hibiscus sabdariffa* L.). *Jurnal Fitofarmaka Indonesia*, 3(2), 182–187.
- Sánchez-Rangel, J. C., J. Benavides, J. B. Heredia, L. Cisneros-Zevallos, dan D. A. Jacobo-Velázquez. 2013. The Folin–Ciocalteu assay revisited: improvement of its specificity for total phenolic content determination. *Analytical Methods*. 5: 5990–5999. DOI: 10.1039/c3ay41125g
- Sayuti, K.; Rina Yenrina: Antioksidan Alami dan Sintetik; Andalas University Press: Padang, 2015.
- Šeregelj, V., Četković, G., Čanadanović-brunet, J., Šaponjac, V. T., & Vulić, J. (2020). Encapsulation and Degradation Kinetics of Bioactive Compounds from Sweet Potato Peel During Storage. *Food Technology & Biotechnology*, 58(3), 314–324. <https://doi.org/10.17113/ftb.58.03.20.6557>
- Silvia, D., Katharina, K., Hartono, S. A., Anastasia, V., & Susanto, Y. (2016). Pengumpulan Data Base Sumber Antioksidan Alami Alternatif Berbasis Pangan Lokal Di Indonesia. *Surya Octagon Interdisciplinary Journal of Technology*, 1(2), 181–198.
- Stevi G Dungir, Dewa G Katja, and Vanda S Kamu, „Aktivitas Antioksidan Ekstrak Fenolik Dari Kulit Buah Manggis (*Garcinia Mangostana* L .)“, vol(1) (2012).h.19.
- Suprpta, D, Made Jawi, I., Indrayani, W., K Arijana, I. G., & N Subawa, A. A., (2016). Aqueous Extract of Purple Sweet Potato Increased Sod-2, and Sod-3 Expression on Human Umbilical Vein Endothelial Cells in Vitro. *Journal of Biology, Agriculture and Healthcare.*, 6(2), 103–110. www.iiste.org
- Surya, A. (2017). *UJI AKTIVITAS ANTIOKSIDAN PADA UBI JALAR KUNING (Ipomea batatasL) DENGAN METODE DPPH (1,1-Difenil-2-Pikrilhidrazil)*. 73, 2–9.

Suttipanta N, Pattanaik S, Kulshrestha M, Patra B, Singh SK, Yuan L (2011) The transcription factor CrWRKY1 positively regulates the terpenoid indole alkaloid biosynthesis in *Catharanthus roseus*. *Plant Physiol* **157**: 2081–2093

Tepung, P., Dan, P., Dari, T., & Padat, L. (n.d.). *Pemanfaatan tepung, pati dan tepung dari limbah padat pengolahan pati ubi jalar ungu dalam pembuatan roti tawar*. 83–91.

Tripathi P, Rabara R, Rushton P (2014) A systems biology perspective on the role of WRKY transcription factors in drought responses in plants. *Planta* **239**: 255–266

Wang, S., Nie, S., & Zhu, F. (2016). Chemical constituents and health effects of sweet potato. *Food Research International*, 89, 90–116.
<https://doi.org/10.1016/j.foodres.2016.08.032>