

Lampiran 1.


LEMBAR KUESIONER NORDIC BODY MAP

A. DATA KARYAWAN

Nama	:
Jenis Kelamin	:
Umur	:
Bagian/ Pekerjaan	:
Kebiasaan Merokok	:
Kebiasaan Olah Raga	:

B. DATA KELUHAN

Anda diminta untuk menilai apa yang anda rasakan pada bagian tubuh yang ditunjukkan pada gambar dan Pilih (1) Tidak sakit, (2) sedikit sakit, (3) sakit, (4) sangat sakit

N	Jenis Keluhan	A	B	C	D	Gambar Anggota Tubuh
0	Sakit pada leher atas					
1	Sakit pada leher bawah					
2	Sakit pada bahu kiri					
3	Sakit pada bahu kanan					
4	Sakit pada lengan atas kiri					
5	Sakit pada punggung					
6	Sakit pada lengan atas kanan					
7	Sakit pada pinggang					
8	Sakit pada pantat					
9	Sakit pada bagian bawah pantat					
10	Sakit pada siku kiri					
11	Sakit pada siku kanan					
12	Sakit pada lengan kiri bawah					
13	Sakit pada lengan kanan bawah					
14	Sakit pada pergelangan tangan kiri					
15	Sakit pada pergelangan tangan kanan					
16	Sakit pada tangan kiri					
17	Sakit pada tangan kanan					
18	Sakit pada paha kiri					
19	Sakit pada paha kanan					
20	Sakit pada lutut kiri					
21	Sakit pada lutut kanan					
22	Sakit pada betis kiri					
23	Sakit pada betis kanan					
24	Sakit pada pergelangan kaki kiri					
25	Sakit pada pergelangan kaki kanan					
26	Sakit pada kaki kiri					
27	Sakit pada kaki kanan					
	Skor Total:					

Lampiran II

OUT PUT PENELITIAN

A. Uji Normalitas Usia

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Umur	50	100.0%	0	0.0%	50	100.0%

Descriptives

		Statistic	Std. Error
Umur	Mean	40.60	.957
	95% Confidence Interval for Mean	Lower Bound	38.68
		Upper Bound	42.52
	5% Trimmed Mean	40.90	
	Median	40.50	
	Variance	45.837	
	Std. Deviation	6.770	
	Minimum	24	
	Maximum	55	
	Range	31	
	Interquartile Range	7	
	Skewness	-.792	.337
	Kurtosis	1.068	.662

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Umur	.170	50	.001	.913	50	.001

a. Lilliefors Significance Correction

B. Uji Normalitas Lama kerja

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Lama_kerja	50	100.0%	0	0.0%	50	100.0%

Descriptives

		Statistic	Std. Error
Lama_kerja	Mean	7.96	.434
95% Confidence Interval for Mean			
	Lower Bound	7.09	
	Upper Bound	8.83	
5% Trimmed Mean		7.84	
Median		8.00	
Variance		9.427	
Std. Deviation		3.070	
Minimum		3	
Maximum		16	
Range		13	
Interquartile Range		5	
Skewness		.326	.337
Kurtosis		.150	.662

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Lama_kerja	.121	50	.065	.938	50	.011

a. Lilliefors Significance Correction

C. Analisis univariat

tingkat2msds

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	keluhan muskuloskeletal tinggi	37	74.0	74.0	74.0
	keluhan muskuloskeletal rendah	13	26.0	26.0	100.0
	Total	50	100.0	100.0	

umurk * tingkat2msds Crosstabulation

Count

		tingkat2msds		Total
		keluhan muskuloskeletal tinggi	keluhan muskuloskeletal rendah	
umurk				
	0	16	9	25
	1	21	4	25
	Total	37	13	50

lamak * tingkat2msds Crosstabulation

Count

		tingkat2msds		Total
		keluhan muskuloskeletal tinggi	keluhan muskuloskeletal rendah	
lamak				
	.00	26	4	30
	1.00	11	9	20
	Total	37	13	50

Kat_merokok * tingkat2msds Crosstabulation

Count

tingkat2msds | Total

		keluhan muskuloskeletal tinggi	keluhan muskuloskeletal rendah	
Kat_merokok	merokok	27	5	32
	tidak merokok	10	8	18
Total		37	13	50

Kat_olahraga * tingkat2msds Crosstabulation

Count

		tingkat2msds		Total
		keluhan muskuloskeletal tinggi	keluhan muskuloskeletal rendah	
Kat_olahraga	berolahraga 1 kali seminggu	12	7	
	tidak berolahraga 1 kali seminggu	25	6	31
Total		37	13	50