

1. UJI HOMOGENITAS

Independent Samples Test

	Levene's Test for Equality of Variances	t-test for Equality of Means								
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
selisih total kos	Equal variances assumed	.612	.452	2.588	10	.027	8.167	3.156	1.134	15.199
	Equal variances not assumed			2.588	8.197	.032	8.167	3.156	.919	15.414

2. UJI NORMALITAS

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
kossblm kontrol	.183	6	.200*	.960	6	.820
kossblm perlakuan	.251	6	.200*	.869	6	.223

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

3. HYPOTESA 1

Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 kossblm kontrol - kossdh kontrol	-18.500	6.626	2.705	-25.453	-11.547	-6.839	5	.001

4. HYPOTESA 2

Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 kossblmperlakuan - kossdhperlakuan	-10.333	3.983	1.626	-14.514	-6.153	-6.354	5	.001

5. HYPOTESA 3

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
selisihtotalkos	Equal variances assumed	.612	.452	2.588	10	.027	8.167	3.156	1.134	15.199
	Equal variances not assumed			2.588	8.197	.032	8.167	3.156	.919	15.414