

DAFTAR PUSTAKA

- Aboul-Maaty, N.A.-F. and Oraby, H.A.-S. (2019) ‘Extraction of high-quality genomic DNA from different plant orders applying a modified CTAB-based method’, *Bulletin of the National Research Centre*, 43(1). Available at: <https://doi.org/10.1186/s42269-019-0066-1>.
- Agus, R. and Irfandi, D. (2017) Ligasi Gen Rv 1980c Pengkode Protein MPT 64 KE Pgem-T Mycobacterium tuberculosis Sebagai Antigen untuk Immunodiagnostik Tuberkulosis Laten. Available at: <http://journal.unhas.ac.id>.
- Agustiyanti, D. et al. (2022) Ta Cloning Untuk Perbanyakkan Plasmid Rekombinan Penyandi Gen Spike Hexapro Foldon.
- Ahmad, M.A., Tukmechi, A. and Ownagh, A. (2023) ‘Cloning and expression the nisin gene in Lactobacillus plantarum Running title: Cloning and expression of nisin gene’. Available at: <https://doi.org/10.21203/rs.3.rs-3103321/v1>.
- Anam, K. et al. (2021) ‘Analisis Hasil Elektroforesis DNA dengan Image Processing Menggunakan Metode Gaussian Filter’, *IJEIS (Indonesian Journal of Electronics and Instrumentation Systems)*, 11(1), p. 37. Available at: <https://doi.org/10.22146/ijeis.58268>.
- Anggi Restianti (2016) ‘Anggi Restianti, Diana Rachmawati*), Istiyanto Samidjan’, Pengaruh Dosis Fitase Dalam Pakan Buatan Terhadap Pertumbuhan Dan Efisiensi Pemanfaatan Pakan Benih Nila Larasati (*Oreochromis niloticus*) [Preprint].
- Arinanti, M. et al. (2018) ‘Ilmu Gizi Indonesia Potensi senyawa antioksidan alami pada berbagai jenis kacang The potential of natural antioxidant compounds on various types of beans’.
- Atalah, J. et al. (2019) ‘Thermophiles and the applications of their enzymes as new biocatalysts’, *Bioresource Technology*. Elsevier Ltd, pp. 478–488. Available at: <https://doi.org/10.1016/j.biortech.2019.02.008>.
- Baruah, K. et al. (2004) Dietary Phytase: An ideal approach for a cost effective and low-polluting aquafeed, *WorldFish Center Quarterly*.
- Beliveau, , A. et al. (1999) ‘Multiple cloning sites from mammalian expression vectors interfere with gene promoter studies in vitro’, *European Journal of Biochemistry*, 261(2), pp. 585–590. Available at: <https://doi.org/10.1046/j.1432-1327.1999.00362.x>.
- Borah, P. (2011a) Primer designing for PCR. Available at: www.sciencevision.in.
- Borah, P. (2011b) Primer designing for PCR. Available at: www.sciencevision.in.
- Brown (2010) Gene Cloning And Dna Analysis.
- C Rotinsulu, S.H. and Tallei, T.E. (2019a) Transformasi Plasmid Yang

- Mengandung Gen Merb Pada Bakteri Escherichia coli TOP-10.
- C Rotinsulu, S.H. and Tallei, T.E. (2019b) Transformasi Plasmid Yang Mengandung Gen Merb Pada Bakteri Escherichia coli TOP-10.
- C Rotinsulu, S.H. and Tallei, T.E. (2019c) Transformasi Plasmid Yang Mengandung Gen Merb Pada Bakteri Escherichia coli TOP-10.
- Casali and Preston (2003) 'E. coli plasmid vectors: methods and applications', Casali, N. dan Preston [Preprint].
- Chan, J.F.W. et al. (2020) 'Genomic characterization of the 2019 novel human-pathogenic coronavirus isolated from a patient with atypical pneumonia after visiting Wuhan', Emerging Microbes and Infections, 9(1), pp. 221–236. Available at: <https://doi.org/10.1080/22221751.2020.1719902>.
- Chuang, L.Y., Cheng, Y.H. and Yang, C.H. (2013) 'Specific primer design for the polymerase chain reaction', Biotechnology Letters, pp. 1541–1549. Available at: <https://doi.org/10.1007/s10529-013-1249-8>.
- creative and enzymes (2022) 'Phytase - Creative Enzymes', Phytase catalyzes the hydrolysis of phytic acid to inositol and free orthophosphate. Wheat phytase can degrade inositol phosphate-6 and 5 at a pH of 4 and 5. [Preprint].
- Deshpande, S.S. and Damodaran, S. (1989) Effect of Phytate on Solubility, Activity and Conformation of Trypsin and Chymotrypsin.
- Dewanata, P.A. and Mushlih, M. (2021) 'Differences in DNA Purity Test Using UV-Vis Spectrophotometer and Nanodrop Spectrophotometer in Type 2 Diabetes Mellitus Patients', Indonesian Journal of Innovation Studies, 15. Available at: <https://doi.org/10.21070/ijiins.v15i.553>.
- Eling Sasmito, D.K., Kurniawan, R. and Muhammadi, I. (2014a) Karakteristik Primer pada Polymerase Chain Reaction (PCR) untuk Sekuensing DNA: Mini Review, Seminar Nasional Informatika Medis.
- Eling Sasmito, D.K., Kurniawan, R. and Muhammadi, I. (2014b) Karakteristik Primer pada Polymerase Chain Reaction (PCR) untuk Sekuensing DNA: Mini Review, Seminar Nasional Informatika Medis.
- Endang Setiawati (2013) 'Protein Ikan Patin (Pangasius hypophthalmus) ©', I(2).
- Fung, H.B. et al. (2009) 'Rhodotorula mucilaginosa lymphadenitis in an HIV-infected patient', International Journal of Infectious Diseases, 13(1). Available at: <https://doi.org/10.1016/j.ijid.2008.04.006>.
- Garibyan, L. and Avashia, N. (2013) 'Polymerase chain reaction', Journal of Investigative Dermatology, 133(3), pp. 1–4. Available at: <https://doi.org/10.1038/jid.2013.1>.
- Greiner, R. and Farouk, A.E. (2007) 'Purification and characterization of a bacterial phytase whose properties make it exceptionally useful as a feed supplement', Protein Journal, 26(7), pp. 467–474. Available at: <https://doi.org/10.1007/s10930-007-9086-z>.

- Gupta, R.K., Gangoliya, S.S. and Singh, N.K. (2015) ‘Reduction of phytic acid and enhancement of bioavailable micronutrients in food grains’, Journal of Food Science and Technology. Springer, pp. 676–684. Available at: <https://doi.org/10.1007/s13197-013-0978-y>.
- Handoyo, D. and Rudiretna, A. (2000) POLYMERASE CHAIN REACTION (PCR) [General Principles and Implementation of Polymerase Chain Reaction], Unitas.
- Hashim, H.O. and Al-Shuhaim, M.B.S. (2019) ‘Exploring the potential and limitations of PCR-RFLP and PCR-SSCP for SNP detection: A review’, Journal of Applied Biotechnology Reports. Baqiyatallah University of Medical Sciences, pp. 137–144. Available at: <https://doi.org/10.29252/JABR.06.04.02>.
- Indana, K. et al. (2020) ‘Uji Resistensi Antibiotik Ampicillin Pada Bakteri Escherichia Coli Yang Di Isolasi Dari Dari Beberapa Peternakan Di Surabaya Ampicillin Antibiotic Resistance test of Escherichia coli isolated from Several poultry in Surabaya’, 3(1), pp. 37–43.
- Indratmi, D. et al. (2012) Pengembangan Teknologi Produksi Khamir Rhodotorula Sp. Sebagai Agensia Pengendali Hayati Penyakit Antraknosa Pada Cabai, Maret. Available at: <http://ejournal.umm.ac.id/index.php/gamma/issue/view/238/showToc>.
- Indratmi, D. et al. (no date) Pengembangan Teknologi Produksi Khamir Rhodotorula Sp. Sebagai Agensia Pengendali Hayati Penyakit Antraknosa Pada Cabai, Maret. Available at: <http://ejournal.umm.ac.id/index.php/gamma/issue/view/238/showToc>.
- Janatlan, R. et al. (2021) ‘Ilmu Biologi Kondisi optimal untuk aktivitas fitase dari gambut ragiRhodotorula mucilaginosaZML2-31 dan pelepasan fosfat Kondisi Optimal untuk Aktivitas Fitase dari Ragi Epifit Rhodotorula mucilaginosaZML2-31 dan Propertinya untuk Pembebasan Fosfat Sasitorn Jindamorakot’, Kondisi optimal untuk aktivitas fitase dari gambut ragiRhodotorula mucilaginosaZML2-31 [Preprint]. Available at: <https://doi.org/10.14456/tjst.2021.31>.
- Jang, H.-K. et al. (2021) High-purity production and precise editing of DNA base editing ribonucleoproteins, Sci. Adv. Available at: <https://www.science.org>.
- Joseph Sambrook and Michael R Green (2021) ‘Cloning Polymerase Chain Reaction (PCR) Products: Making T Vectors’, National Library of Medicine [Preprint].
- Kartika, S. et al. (2019) Gibson Assembly, Piranti Enzimatis Terbaru Dalam Teknologi Rekombinasi Dna.
- Kenkel, B. (2016) Plasmids 101: Colony PCR. Available at: <https://blog.addgene.org/plasmids-101-colony-pcr>.

- Khalid (2013) A r c h i v e o f S I D, Iranian Journal of Applied Animal Science. Available at: www.SID.ir.
- Lonetti, A. et al. (2016) ‘Single nucleotide polymorphisms as genomic markers for high-throughput pharmacogenomic studies’, in Methods in Molecular Biology. Humana Press Inc., pp. 143–159. Available at: https://doi.org/10.1007/978-1-4939-3136-1_11.
- Makondo, Z.E. (2016) Nontuberculous Mycobacteria Infections in Katavi Rukwa Ecosystems Strengthening Health and Biosecurity in Tanzania by Biodection Capacity Building View project Bovine tuberculosis View project. Available at: <https://www.researchgate.net/publication/263071014>.
- Muarifah, H. et al. (2020) ‘Pemetaan Enzim Restriksi Gen KiSS1 pada Kambing’, Journal of Tropical Animal Research (JTAR) J. Trop. Anim. Res, 1(1), pp. 1–7. Available at: <https://primer3.ut.ee/>.
- Murtianingsih, H. (2017) Isolasi Dna Genom Dan Identifikasi Kekerabatan Genetik Nanas Menggunakan Rapd (Random Amplified Polymorphic Dna) [Dna Genom Isolation And Identification Of Genetic Relationship Pineapple Usingrapd (Random Amplified Polymorphic Dna)]. Available at: <http://jurnal.unmuhjember.ac.id/>.
- Nurjanah, S. et al. (2017) ‘Ketahanan dan Kulturabilitas Cronobacter sakazakii terhadap Stres Kering pada Simulasi Proses Pengeringan Survival of Cronobacter sakazakii on Dry Stress by Dessication Process’, Jurnal Mutu Pangan, 4(2), pp. 92–99.
- Nurjayadi, M. et al. (2013) ‘Kloning Gen Fim-C Salmonella Typhimurium Dengan Vektor Pgem-T Easy Untuk Pengembangan Vaksin Rekombinan Penyakit Typhus Pada Manusia’, 3(2).
- Nuryady, Moh.M. et al. (2020) ‘Desain dan Optimasi Primer Gen Pengkode MRPA Trypanosoma evansi dan Penerapan pada Pembelajaran Biologi Molekuler’, Jurnal Penelitian dan Pengkajian Ilmu Pendidikan: e-Saintika, 4(2), p. 211. Available at: <https://doi.org/10.36312/e-saintika.v4i2.217>.
- Pandey, A. et al. (no date) Review paper Production, purification and properties of microbial phytases.
- Pebranti Pasaribu, A. et al. (2022) Profil Gen Nat2 Pasien dengan Pemberian Obat Anti Tuberkulosis Menggunakan Metode PCR-RFLP. Available at: <https://journal.unhas.ac.id/index.php/jai2>.
- Perdani, A.W. and Utama, Z. (2020) Korelasi Kadar Asam Fitat Dan Protein Terlarut Tepungtempe Kedelai Lokal Kuning (Glycine Max) Dan Hitam (Glycine Soja) Selama Fermentasi.
- Peternakan, J.I. and Saelan, E. (2017) ‘Janhus Journal of Animal Husbandry Science Penambahan Enzim Fitase Dan Vitamin D3 Pada Ransum Ayam Broiler Sebagai Upaya Menekan Polusi Fosfor Pada Lingkungan (The

- Addition of Phytase and Vitamin D3 in Broiler Chicken Ration as an Efforts to Reduce Phosphorus Pollution in Enviroment). Available at: www.journal.uniga.ac.id.
- Pires, E.B.E. et al. (2019) ‘Production of Fungal Phytases from Agroindustrial Byproducts for Pig Diets’, *Scientific Reports*, 9(1). Available at: <https://doi.org/10.1038/s41598-019-45720-z>.
- Pradnyaniti, D.G. and Yowani, S. (2013) Desain Primer secara in silico untuk Amplifikasi Fragmen Gen rpoB *Mycobacterium tuberculosis* dengan Polymerase Chain Reaction (PCR). Available at: <http://www.ncbi.nlm.nih.gov>.
- promega (2015) pGEM ®-T and pGEM ®-T Easy Vector Systems. Available at: www.promega.com.
- Rani, S. et al. (2017) Efficient Genetic Transformation of *Brassica juncea* with Lectin Using Cotyledons Explants, *International Journal of Advanced Biotechnology Research*. Available at: <http://www.ripublication.com>.
- Rofita Wasiati, A. et al. (2019) Optimasi Dan Uji Sensitivitas Primer Polymerase Chain Reaction (Pcr) Gen Rna-Dependent Rna Polymerase (Rdrp) Sars-Cov-2 Asal Indonesia Optimization And Primary Sensitivity Test Of Polymerase Chain Reaction (Pcr) Gen Rna-Dependent Rna polymerase (RdRp) On Indonesian Sars-Cov-2.
- Rofita Wasiati, A. et al. (2020) Optimasi Dan Uji Sensitivitas Primer Polymerase Chain Reaction (Pcr) Gen Rna-Dependent Rna Polymerase (Rdrp) Sars-Cov-2 Asal Indonesia Optimization And Primary Sensitivity Test Of Polymerase Chain Reaction (PCR) GEN RNA-dependent RNA polymerase (RdRp) ON INDONESIAN SARS-CoV-2.
- Saadi, M.I. et al. (2021) Cloning of *Bacillus subtilis* phytase gene construct in *Escherichia coli*. Available at: <http://ijm.tums.ac.ir>.
- Safirah, D. et al. (2016a) Kloning dan Sekuensing Gen Xilanase dengan Produk Gen Berukuran 30 kDa dari *Bacillus halodurans* CM1 pada *Escherichia coli* DH5 α . Available at: <http://www.ncbi.nlm.nih.gov>.
- Safirah, D. et al. (2016b) Kloning dan Sekuensing Gen Xilanase dengan Produk Gen Berukuran 30 kDa dari *Bacillus halodurans* CM1 pada *Escherichia coli* DH5 α . Available at: <http://www.ncbi.nlm.nih.gov>.
- Sajidan, A. et al. (2004) Supplementary Material Molecular and Physiological Characterization of a 3-Phytase from the Soil Bacterium *Klebsiella* spec. ASR1.
- Schlaberg, R. et al. (2017) ‘Viral pathogen detection by metagenomics and pan-viral group polymerase chain reaction in children with pneumonia lacking identifiable etiology’, *Journal of Infectious Diseases*, 215(9), pp. 1407–1415. Available at: <https://doi.org/10.1093/infdis/jix148>.

- Sekse, C. et al. (2012) ‘Growth comparison of several Escherichia coli strains exposed to various concentrations of lactoferrin using linear spline regression’.
- Shirasawa, K., Hirakawa, H. and Isobe, S. (2016) ‘Analytical workflow of double-digest restriction site-associated DNA sequencing based on empirical and in silico optimization in tomato’, *DNA Research*, 23(2), pp. 145–153. Available at: <https://doi.org/10.1093/dnares/dsw004>.
- Singh, A.K. et al. (2015) ‘Label-free, non-invasive light scattering sensor for rapid screening of *Bacillus* colonies’, *Journal of Microbiological Methods*, 109, pp. 56–66. Available at: <https://doi.org/10.1016/j.mimet.2014.12.012>.
- Singh, M. and Ma, X. (2010) Plasmid DNA transformation in *Escherichia Coli*: effect of heat shock temperature, duration, and cold incubation of CaCl₂ treated cells Epigenetics-sickle cell anemia View project postmortem cell recovery View project. Available at: <http://www.ripublication.com/ijbb.htm>.
- Sophian, A. and Syukur, A. (2021) ‘Analysis of Purity and Concentration of Isolated DNA in Making Raw DNA of Rat Species’, *Eruditio : Indonesia Journal of Food and Drug Safety*, 1(2), pp. 1–5. Available at: <https://doi.org/10.54384/eruditio.v1i2.75>.
- Steiner, T. et al. (2007) ‘Distribution of phytase activity, total phosphorus and phytate phosphorus in legume seeds, cereals and cereal by-products as influenced by harvest year and cultivar’, *Animal Feed Science and Technology*, 133(3–4), pp. 320–334. Available at: <https://doi.org/10.1016/j.anifeedsci.2006.04.007>.
- Sun, Q.-Y. et al. (2009) ‘Culture of *Escherichia coli* in SOC medium improves the cloning efficiency of toxic protein genes’, *Analytical Biochemistry*, 394(1), pp. 144–146. Available at: <https://doi.org/10.1016/j.ab.2009.07.023>.
- Trimborn, L., Hoecker, U. and Ponnu, J. (2022) ‘A Simple Quantitative Assay for Measuring β-Galactosidase Activity Using X-Gal in Yeast-Based Interaction Analyses’, *Current Protocols*, 2(5). Available at: <https://doi.org/10.1002/cpz1.421>.
- valensa (2017) Tinjauan Pustaka 2.1 DNA 2.1.1 Definisi DNA.
- W Wisnuwati, C.N. (2018) Kelompok Kompetensi.
- Yang, Q. et al. (2015) ‘Phytic acid enhances biocontrol activity of *Rhodotorula mucilaginosa* against *Penicillium expansum* contamination and patulin production in apples’, *Frontiers in Microbiology*, 6(NOV). Available at: <https://doi.org/10.3389/fmicb.2015.01296>.
- Yanuartono (2016) ‘Fitat dan fitase : dampak pada hewan ternak’. Available at: <http://jiip.ub.ac.id/>.
- Yao, M.Z. et al. (2012) ‘Phytases: Crystal structures, protein engineering and

- potential biotechnological applications', *Journal of Applied Microbiology*, 112(1), pp. 1–14. Available at: <https://doi.org/10.1111/j.1365-2672.2011.05181.x>.
- Ye, J. et al. (2012) Primer-BLAST: A tool to design target-specific primers for polymerase chain reaction. Available at: <http://www.biomedcentral.com/1471-2105/13/134>.
- Yoo, A.Y., Alnaeeli, M. and Park, J.K. (2016) 'Production control and characterization of antibacterial carotenoids from the yeast Rhodotorula mucilaginosa AY-01', *Process Biochemistry*, 51(4), pp. 463–473. Available at: <https://doi.org/10.1016/j.procbio.2016.01.008>.
- Yu, P. and Chen, Y. (2013) 'Purification and characterization of a novel neutral and heat-tolerant phytase from a newly isolated strain *Bacillus nealsonii* ZJ0702', *BMC Biotechnology*, 13. Available at: <https://doi.org/10.1186/1472-6750-13-78>.
- Yu, P., Wang, X.T. and Liu, J.W. (2015a) 'Purification and characterization of a novel cold-adapted phytase from *Rhodotorula mucilaginosa* strain JMUY14 isolated from Antarctic', *Journal of Basic Microbiology*, 55(8), pp. 1029–1039. Available at: <https://doi.org/10.1002/jobm.201400865>.
- Yu, P., Wang, X.T. and Liu, J.W. (2015b) 'Purification and characterization of a novel cold-adapted phytase from *Rhodotorula mucilaginosa* strain JMUY14 isolated from Antarctic', *Journal of Basic Microbiology*, 55(8), pp. 1029–1039. Available at: <https://doi.org/10.1002/jobm.201400865>.
- Zeren, B., Ersoy, F. and Demi Rkan, E. (2018) Gene Cloning Studies of a Novel Phytase from *Bacillus megaterium* EBD 9-1 Strain.