

DAFTAR PUSTAKA

- Abadini, D., & Wuryaningsih, C. E. (2018). Determinan Aktivitas Fisik Orang Dewasa Pekerja Kantoran di Jakarta Tahun 2018. *Jurnal Promosi Kesehatan Indonesia*, 14(1), 15. <https://doi.org/10.14710/jPKI.14.1.15-28>
- Allegri, M., Montella, S., Salici, F., Valente, A., Marchesini, M., Compagnone, C., Baciarello, M., Manferdini, M. E., & Fanelli, G. (2016). *Mechanisms of low back pain: a guide for diagnosis and therapy [version 2 ; referees : 3 approved] Referee Status : 5, 1–11.* <https://doi.org/10.12688/f1000research.8105.1>
- Alomar, R. S., Alshamlan, N. A., Alawashiz, S., Badawood, Y., Ghwoudi, B. A., & Abugad, H. (2021). *Musculoskeletal symptoms and their associated risk factors among Saudi office workers : a cross-sectional study.* 4, 1–9.
- Aras, D. (2018). Pengaruh Pemberian Mc. Kenzie Exercise Terhadap Perubahan Intensitas Nyeri Akibat Low Back Pain Myogenic Pada Dokter Gigi. *Jurnal Ilmiah Kesehatan Sandi Husada*, 6(1), 79–83. <https://doi.org/10.35816/jiskh.v6i1.27>
- Ardahan, M. (2016). *Analyzing musculoskeletal system discomforts and risk factors in computer-using office workers.* 32(6), 1425–1429.
- Azwar, Saifuddin. 2010. Metode Penelitian. Yogyakarta: Pustaka Pelajar.
- Basakci Calik, B., Yagci, N., Oztop, M., & Caglar, D. (2020). Effects of risk factors related to computer use on musculoskeletal pain in office workers. *International Journal of Occupational Safety and Ergonomics*, 0(0), 1–6. <https://doi.org/10.1080/10803548.2020.1765112>
- Bodin, J., Garlantézec, R., Costet, N., Descatha, A., Viel, J. F., & Roquelaure, Y. (2020). Shoulder pain among male industrial workers: Validation of a conceptual model in two independent French working populations. *Applied Ergonomics*, 85. <https://doi.org/10.1016/j.apergo.2020.103075>

- Buck, C., Loyen, A., Foraita, R., Van Cauwenberg, J., De Craemer, M., Donncha, C. Mac, Oppert, J. M., Brug, J., Lien, N., Cardon, G., Pigeot, I., & Chastin, S. (2019). Factors influencing sedentary behaviour: A system based analysis using Bayesian networks within DEDIPAC. *PLoS ONE*, 14(1), 1–18. <https://doi.org/10.1371/journal.pone.0211546>
- Camino Willhuber GO, Piuzzi NS. Straight Leg Raise Test. [Updated 2022 Jun 22]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK539717/>
- Chen, Z., Wu, J., Wang, X., Wu, J., & Ren, Z. (2021). The effects of myofascial release technique for patients with low back pain: A systematic review and meta-analysis. *Complementary Therapies in Medicine*, 59, 102737. <https://doi.org/10.1016/j.ctim.2021.102737>
- Choi, S., Nah, S., Jang, H. D., Moon, J. E., & Han, S. (2021). Association between chronic low back pain and degree of stress: a nationwide cross-sectional study. *Nature Portofolio* 11:14549. <https://doi.org/10.1038/s41598-021-94001-1>
- Cricco, C., Daugenti, A., Angilecchia, D., & Ceron, D. (2021). Differential diagnosis of endometriosis in patient with nonspecific low back pain: A case report. *Journal of Bodywork and Movement Therapies*, 27, 227–232. <https://doi.org/10.1016/j.jbmt.2021.02.019>
- Cooper G. (2015) Clinical Anatomy of the Lumbosacral Spine. In: Non-Operative Treatment of the Lumbar Spine. Springer, Cham. https://doi.org/10.1007/978-3-319-21443-6_1
- Daneshmandi, H., Choobineh, A., Ghaem, H., & Karimi, M. (2017). Adverse Effects of Prolonged Sitting Behavior on the General Health of Office Workers. *Journal of Lifestyle Medicine*, 7(2), 69–75. <https://doi.org/10.15280/jlm.2017.7.2.69>
- Darvishi, E., Khotanlou, H., Khoubi, J., Giahi, O., & Mahdavi, N. (2017).

- Prediction Effects of Personal, Psychosocial, and Occupational Risk Factors on Low Back Pain Severity Using Artificial Neural Networks Approach in Industrial Workers. *Journal of Manipulative and Physiological Therapeutics*, 40(7), 486–493. <https://doi.org/10.1016/j.jmpt.2017.03.012>
- De Rezende, L. F. M., Lopes, M. R., Rey-López, J. P., Matsudo, V. K. R., & Luiz, O. D. C. (2014). Sedentary behavior and health outcomes: An overview of systematic reviews. *PLoS ONE*, 9(8). <https://doi.org/10.1371/journal.pone.0105620>
- Dillon, K., Hiemstra, M., Mitchell, M., Bartmann, N., Rollo, S., Gardiner, P. A., & Prapavessis, H. (2021). Validity of the occupational sitting and physical activity questionnaire (OSPAQ) for home-based office workers during the COVID-19 global pandemic: A secondary analysis. *Applied Ergonomics*, 97(August), 103551. <https://doi.org/10.1016/j.apergo.2021.103551>
- Elias, J. P., & Longen, W. C. (2020). Classification of low back pain into subgroups for diagnostic and therapeutic clarity. *Coluna/ Columna*, 19(1), 34–39. <https://doi.org/10.1590/S1808-185120201901206442>
- Fatoye, F., Gebrye, T., & Odeyemi, I. (2019). Real-world incidence and prevalence of low back pain using routinely collected data. *Rheumatology International*, 39(4), 619–626. <https://doi.org/10.1007/s00296-019-04273-0>
- Gasparyan, A. Y., Ayvazyan, L., Mukanova, U., Yessirkepov, M., & Kitas, G. D. (2019). Scientific hypotheses: Writing, promoting, and predicting implications. *Journal of Korean Medical Science*, 34(45), 2–3. <https://doi.org/10.3346/jkms.2019.34.e300>
- Genin, P. M., Dessenne, P., Finaud, J., Pereira, B., Dutheil, F., Thivel, D., & Duclos, M. (2018). Effect of Work-Related Sedentary Time on Overall Health Profile in Active vs. Inactive Office Workers. *Frontiers in Public Health*, 6(October), 1–8. <https://doi.org/10.3389/fpubh.2018.00279>
- Ghozali, Imam. 2011. “Aplikasi Analisis Multivariante Dengan Program SPSS”.

- Semarang: Badan Penerbit Universitas Diponegoro.
- Guntara, M. aditya yogi. (2016). Pemberian *William's Fleixon Exercise* (WFE) Lebih Baik Daripada *Back Strengthening Exercise* (BSE) dengan Kombinasi Infrared dan Massage Terhadap Penurunan Nyeri Fungsional Kecamatan Kediri Tabanan.
- Hanna, F., Daas, R. N., El-Shareif, T. J., Al-Marridi, H. H., Al-Rojoub, Z. M., & Adegbeye, O. A. (2019). The relationship between sedentary behavior, back pain, and psychosocial correlates among university employees. *Frontiers in Public Health*, 7(APR), 1–7. <https://doi.org/10.3389/fpubh.2019.00080>
- Heridiansyah, J. (2012). Pengaruh Advertising Terhadap Pembentukan Brand Awareness Serta Dampaknya Pada Keputusan Pembelian Produk Kecap Pedas ABC. *Jurnal STIE Semarang*, 4(2), 53–73.
- Holtermann, A., & Stamatakis, E. (2019). Do all daily metabolic equivalent task units (METs) bring the same health benefits? *British Journal of Sports Medicine*, 53(16), 991–992. <https://doi.org/10.1136/bjsports-2017-098693>
- IBM Corp. Released 2019. IBM SPSS Statistics for Windows, Version 26.0. Armonk, NY: IBM Corp
- Iizuka, Y., Iizuka, H., Mieda, T., Tsunoda, D., Sasaki, T., Tajika, T., Yamamoto, A., & Takagishi, K. (2017). Prevalence of chronic nonspecific low back pain and its associated factors among middle-aged and elderly people: An analysis based on data from a musculoskeletal examination in Japan. *Asian Spine Journal*, 11(6), 989–997. <https://doi.org/10.4184/asj.2017.11.6.989>
- Jancey, J., Tye, M., McGann, S., Blackford, K., & Lee, A. H. (2014). Application of the Occupational Sitting and Physical Activity Questionnaire (OSPAQ) to office based workers. *BMC Public Health*, 14(1), 1–6. <https://doi.org/10.1186/1471-2458-14-762>
- Janwantanakul, P., Sihawong, R., Sitthipornvorakul, E., & Paksaichol, A. (2018).

- A Path Analysis of the Effects of Biopsychosocial Factors on the Onset of Nonspecific Low Back Pain in Office Workers. *Journal of Manipulative and Physiological Therapeutics*, 41(5), 405–412.
<https://doi.org/10.1016/j.jmpt.2017.10.012>
- Kementerian Keuangan Republik Indonesia. (2017). Organisasi dan Tata Kerja Instansi Vertikal Direktorat Jenderal Bea dan Cukai. *PMK No. 188/PMK.01/2016, PMK.01(188)*, 1–201.
- Keskin, Y., Ürkmez, B., Öztürk, F., Kepkekci, M., & Aydin, T. (2021). *Correlation Between Sitting Duration and Position and Lumbar Pain among Office Workers*. 61(1), 1–6. <https://doi.org/10.14744/hnhj.2019.04909>
- Kett, A. R., & Sichting, F. (2020). Sedentary behaviour at work increases muscle stiffness of the back: Why roller massage has potential as an active break intervention. *Applied Ergonomics*, 82(May 2019), 102947. <https://doi.org/10.1016/j.apergo.2019.10294>
- Knezevic, N. N., Candido, K. D., Vlaeyen, J. W. S., Van Zundert, J., & Cohen, S. P. (2021). The influence of physical exercise on behavioral habits, kinesiophobia, and disability in people with low back pain: A retrospective cross-sectional study. *The Lancet*, 398(10294), 78–92. [https://doi.org/10.1016/S0140-6736\(21\)00733-9](https://doi.org/10.1016/S0140-6736(21)00733-9)
- Maes, I., Ketels, M., Van Dyck, D., & Clays, E. (2020). The occupational sitting and physical activity questionnaire (OSPAQ): A validation study with accelerometer-assessed measures. *BMC Public Health*, 20(1), 1–10. <https://doi.org/10.1186/s12889-020-09180-9>
- Mahadevan, V. (2018). Anatomy of the vertebral column. *Surgery (United Kingdom)*, 36(7), 327–332. <https://doi.org/10.1016/j.mpsur.2018.05.006>
- Mambu, E. D. (2022). Studi Tentang Faktor Penyebab *Low Back Pain Myogenic* di Rumah Sakit Stella Maris Makassar. 3(2), 98-103. : 10.23917/fisiomu.v3i2.14363

- Mardiyanti, F. (2021). Pengukuran Resiko Kerja dan Keluhan Muskuloskeletal Pada Pekerja. *1*(3), 333–346.
- Nijs, J., Apeldoorn, A., Hallegraeff, H., Clark, J., Smeets, R., Malfliet, A., Girbé, E. L., De Kooning, M., & Ickmans, K. (2015). Low back pain: Guidelines for the clinical classification of predominant neuropathic, nociceptive, or central sensitization pain. *Pain Physician*, *18*(3), E333–E346. <https://doi.org/10.36076/ppj.2015/18/e333>
- Novitasari, D. D., Sadeli, H. A., Soenggono, A., Sofiatin, Y., Sukandar, H., & Roesli, R. M. A. (2016). Prevalence and Characteristics of Low Back Pain among Productive Age Population in Jatinangor. *Althea Medical Journal*, *3*(3), 469–476. <https://doi.org/10.15850/amj.v3n3.863>
- Nygaard, P. P., Skovlund, S. V., Sundstrup, E., & Andersen, L. L. (2020). *Is low-back pain a limiting factor for senior workers with high physical work demands? A cross-sectional study.* *1*, 1–8.
- Park, J. H., Moon, J. H., Kim, H. J., Kong, M. H., & Oh, Y. H. (2020). Sedentary Lifestyle: Overview of Updated Evidence of Potential Health Risks. *Korean Journal of Family Medicine*, *41*(6), 365–373. <https://doi.org/10.4082/KJFM.20.0165>
- Peraturan Menteri Kesehatan Republik Indonesia Nomor 46 Tahun 2016 Tentang Standar Keselamatan dan Kesehatan Kerja Perkantoran.
- Pillai, D., & Haral, P. (2018). *Prevalence of Low Back Pain in Sitting Vs Standing Postures in Working Professionals in the Age Group of 30-60.* *8*(October), 131–137.
- Pirade, A., Skripsi, K., Kedokteran, F., Sam, U., & Manado, R. (2013). Hubungan Posisi dan Lama Duduk Dengan Nyeri Punggung Bawah (NPB) Mekanik Kronik Pada Karyawan Bank *98–104*.
- Rafeemanesh, E., Kashani, F. O., Parvaneh, R., & Ahmadi, F. (2017). A survey on

- low back pain risk factors in steel industry workers in 2015. *Asian Spine Journal*, 11(1), 44–49. <https://doi.org/10.4184/asj.2017.11.1.44>
- RISKESDAS. (2013). Riset Kesehatan Dasar tahun 2013. *Expert Opinion on Investigational Drugs*, 7(5). <https://doi.org/10.1517/13543784.7.5.803>
- Rosenkranz, S. K., Mailey, E. L., Umansky, E., Rosenkranz, R. R., Ablah, E. (2020). *Workplace Sedentary Behavior and Productivity: A Cross-Sectional Study*. DOI: 10.3390/ijerph17186535
- Sahlabadi, A. S. (2020). *Ergonomic Evaluation of Office Staff by Rapid Office Strain Assessment Method and Its Relationship with the Prevalence of Musculoskeletal Disorders*. July. <https://doi.org/10.29252/j.health.11.2.223>
- Sassack B, Carrier JD. Anatomy, Back, Lumbar Spine. [Updated 2021 Aug 8]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2021 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK557616/>
- Silva, B. A. M. da, Gelain, G. M., & Candotti, C. T. (2021). The influence of physical exercise on behavioral habits, kinesiophobia, and disability in people with low back pain: A retrospective cross-sectional study. *Journal of Bodywork and Movement Therapies*, 28, 348–353. <https://doi.org/10.1016/j.jbmt.2021.07.002>
- Shipton, E. A. (2018). Physical Therapy Approaches in the Treatment of Low back Pain. *Pain Ther* 7:127–137. <https://doi.org/10.1007/s40122-018-0105-x>
- Sirajudeen, M. S., & Siddik, S. S. M. (2017). Knowledge of Computer Ergonomics among Computer Science Engineering and Information Technology Students in Karnataka, India. *Asian Journal of Pharmaceutical Research and Health Care*, Vol 9(2), 64-70. DOI: 10.18311/ajprhc/2017/11023
- Siregar, S. (2017). Metode Penelitian Kuantitatif: Dilengkapi Dengan Perbandingan Perhitungan Manual dan SPSS. Jakarta: Penerbit Kencana.
- Ivan Adrian Montolalu and Ridwan Z Sjaaf, (2018), Ergonomic Seating in Offices

- and Recent Trends to Prevent Work-related Musculoskeletal Disorders (WMSDs), A Literature Study in International Conference of Occupational Health and Safety (ICOHS-2017). *KnE Life Sciences*, pages 555–565. DOI 10.18502/cls.v4i5.2584
- Sonne And, M., & Andrews, D. M. (2011). The Rapid Office Strain Assessment (ROSA): Validity of online worker self-assessments and the relationship to worker discomfort. *Occupational Ergonomics*, 10(3), 83–101. <https://doi.org/10.3233/OER-2012-0194>
- Subramanian, S., & Arun, B. (2017). Risk Factor Analysis in Sedentary Office Workers with Low Back Pain. *Journal of Chalmeda Anand Rao Institute of Medical Sciences*, 13(1), 15–18.
- Sugiyono. (2017). Metode Penelitian. Bandung: Alfabeta.
- Sugiyono. (2017). Metode Penelitian Kuantitatif, Kualitatif dan R&D. Bandung: Alfabeta.
- Sujarweni, V. Wiratna. 2014. Metode Penelitian: Lengkap, Praktis, dan Mudah Dipahami. Yogyakarta: Pustaka Baru Press.
- Takekawa, K. S., Gonçalves, J. S., Moriguchi, C. S., Coury, H. J. C. G., & De Sato, T. O. (2015). Can a self-administered questionnaire identify workers with chronic or recurring low back pain? *Industrial Health*, 53(4), 340–345. <https://doi.org/10.2486/indhealth.2014-0241>
- Urda, J. L., Larouere, B., Verba, S. D., & Lynn, J. S. (2017). Comparison of subjective and objective measures of office workers' sedentary time. *Preventive Medicine Reports*, 8(September), 163–168. <https://doi.org/10.1016/j.pmedr.2017.10.004>
- Weatherson, K. A., Wunderlich, K. B., & Faulkner, G. E. (2020). Impact of a low-cost standing desk on reducing workplace sitting (StandUP UBC): A randomised controlled trial. *Applied Ergonomics*, 82(April 2019), 102951.

<https://doi.org/10.1016/j.apergo.2019.102951>

WHO. (2013). *6.24 Low back pain*. 24, 8–10.

Agus Widarjono. 2010. Analisis Statistika Multivariat Terapan. Edisi pertama. Yogyakarta: UPP STIM YKPN

Wipfli, B., Wild, S., Donovan, C., Hanson, G. C., & Thosar, S. S. (2021). Sedentary work and physiological markers of health. *International Journal of Environmental Research and Public Health*, 18(6), 1–12. <https://doi.org/10.3390/ijerph18063230>

Wipfli, B., Wild, S., Hanson, G. C., Shea, S. A., Winters-Stone, K., & Thosar, S. S. (2021). The active workplace study: Protocol for a randomized controlled trial with sedentary workers. *Contemporary Clinical Trials*, 103(February), 106311. <https://doi.org/10.1016/j.cct.2021.106311>

Wu, A., March, L., Zheng, X., Huang, J., Wang, X., Zhao, J., Blyth, F. M., Smith, E., Buchbinder, R., & Hoy, D. (2020). Global low back pain prevalence and years lived with disability from 1990 to 2017: estimates from the Global Burden of Disease Study 2017. *Annals of Translational Medicine*, 8(6), 299–299. <https://doi.org/10.21037/atm.2020.02.175>

Yang, L., Cao, C., Kantor, E. D., Nguyen, L. H., Zheng, X., Park, Y., Giovannucci, E. L., Matthews, C. E., Colditz, G. A., & Cao, Y. (2019). Trends in Sedentary Behavior among the US Population, 2001-2016. *JAMA - Journal of the American Medical Association*, 321(16), 1587–1597. <https://doi.org/10.1001/jama.2019.3636>

Ye, S., Jing, Q., Wei, C., & Lu, J. (2017). Risk factors of non-specific neck pain and low back pain in computer-using office workers in China: A cross-sectional study. *BMJ Open*, 7(4), 9–11. <https://doi.org/10.1136/bmjopen-2016-014914>

Yue, P., Liu, F., & Li, L. (2012). Neck/shoulder pain and low back pain among

school teachers in China, prevalence and risk factors. *BMC Public Health*, 12(1). <https://doi.org/10.1186/1471-2458-12-789>

Zahra, I., Yasya, K., & Simbolon, S. P. (2019). Gambaran Kemampuan Fungsional Low Back Pain Miogenik Buruh Tani padi di Desa Tanjungkulon. *University Research Colloquium*, 2047–9189, 2017–2020.
<http://repository.urecol.org/index.php/proceeding/article/view/760/742>