

DAFTAR PUSTAKA

- Achmad, A., Jawi, I. M., Sugijanto, S., Ratna S, L. P., Iswari, I. S., & Adiartha G, I. P. (2020). Mckenzie neck exercise dan forward head posture exercise dapat menurunkan nyeri leher mekanik pada pengguna smartphone. *Sport and Fitness Journal*, 8(2), 63. <https://doi.org/10.24843/spj.2020.v08.i02.p08>
- Aditi Singh, Preet Sethi, & K.D. Talwar. (2022). Effect of static neck exercises on neck pain for school students attending online classes. *International Journal of Physiology*, 10(3). <https://doi.org/10.37506/ijop.v10i3.3295>
- Ambardini, R. L., & Kushartanti, B. W. (2016). Efektivitas masase topurak untuk reposisi subluksasi bahu. *Proceedings FIK UNY*, 73–82.
- Arikunto, S. (2017). *Pengembangan instrumen penelitian dan penilaian program* (1st ed.). Pustaka Pelajar.
- Bier, J. D., Scholten-Peeters, W. G. M., Staal, J. B., Pool, J., van Tulder, M. W., Beekman, E., Knop, J., Meerhoff, G., & Verhagen, A. P. (2018). Clinical practice guideline for physical therapy assessment and treatment in patients with nonspecific neck pain. *Physical Therapy*, 98(3), 162–171. <https://doi.org/10.1093/ptj/pzx118>
- Cohen, S. P. (2015). Epidemiology, diagnosis, and treatment of neck pain. *Mayo Clinic Proceedings*, 90(2), 284–299. <https://doi.org/10.1016/j.mayocp.2014.09.008>
- Cohen, S. P., & Hooten, W. M. (2017). Advances in the diagnosis and management of neck pain. *BMJ*, j3221. <https://doi.org/10.1136/bmj.j3221>
- Dewi, N. L. R. R., Putra, I. P. Y. P., Primayanti, I. D. A. I. D., & Kinandana, G. P. (2022). Tightness otot upper trapezius dengan kualitas tidur pada pekerja kantor. *Majalah Ilmiah Fisioterapi Indonesia*, 10(2), 107. <https://doi.org/10.24843/MIFI.2022.v10.i02.p09>
- Downie, W. W., Leatham, P. A., Rhind, V. M., Wright, V., Branco, J. A., & Anderson, J. A. (1978). Studies with pain rating scales. *Annals of the Rheumatic Diseases*, 37(4), 378–381. <https://doi.org/10.1136/ard.37.4.378>
- Fischer, M., Menon, A., & Abd-Elseyed, A. (2019). Atlantoaxial Joint Pain. In *Pain* (pp. 725–728). Springer International Publishing. https://doi.org/10.1007/978-3-319-99124-5_155
- Gita Safitri, A., Widjasena, B., & Kurniawan, B. (2017). Analisis penyebab keluhan neck pain pada pekerja di pabrik sepatu dan sandal kulit kurnia di kota semarang (Vol. 5). <http://ejournal-s1.undip.ac.id/index.php/jkm>

- Hanik Mardiyana, U., Hadi Endaryanto, A., Pitaloka Priasmoro, D., & Abdullah, A. (2022). Pengaruh pemberian stretching exercise terhadap tingkat nyeri pada penderita neck pain di rsud jombang. In *Jurnal Keperawatan Muhammadiyah* (Vol. 7, Issue 1).
- Haryatno, P., & Kuntono, H. P. (2016). Pengaruh pemberian tens dan myofascial release terhadap penurunan nyeri leher mekanik. *Interest: Jurnal Ilmu Kesehatan*, 5(2). <https://doi.org/10.37341/interest.v5i2.52>
- Huldani. (2013). *Neck pain (nyeri leher)*.
- Hwang, K., Kim, J. Y., & Lim, J. H. (2017). Anatomy of the platysma muscle. *Journal of Craniofacial Surgery*, 28(2), 539–542. <https://doi.org/10.1097/SCS.0000000000003318>
- Imanurrohmah Lubis, Z., Haya Faramida, N., & Multazam, A. (2023). The difference between the effects of the mckenzie neck exercise and contract-relax stretching on neck function of onion peelers with myofascial pain syndrome. *KnE Medicine*. <https://doi.org/10.18502/kme.v3i3.13485>
- Jaiya, & Sharma, M. (2022). To compare the effect of isometric and dynamic neck exercises on pain, cervical muscle endurance and range of motion in patient with non-specific chronic neck pain. *International Journal of Health Sciences and Research*, 12(8), 27–34. <https://doi.org/10.52403/ijhsr.20220803>
- Jaleha, B., Putu Gede Adiatmika, I., Made Muliarta, I., Tirtayasa, K., & Made Krisna Dinata, I. (2020). Mckenzie neck exercise lebih baik dalam menurunkan disabilitas leher daripada dynamic neck exercise pada penjahit dengan myofascial pain syndrome otot upper trapezius. 8(2), 41–47.
- Jun, D., Zoe, M., Johnston, V., & O’Leary, S. (2017). Physical risk factors for developing non-specific neck pain in office workers: a systematic review and meta-analysis. *International Archives of Occupational and Environmental Health*, 90(5), 373–410. <https://doi.org/10.1007/s00420-017-1205-3>
- Kage, V., Patel, N. Y., & Pai, M. P. (2016). To compare the effects of deep neck flexors strenghtning exercise and mckenzie neck exercise in subjects with forward neck posture: a randomised clinical trial. *International Journal of Physiotherapy and Research*, 4(2), 1451–1458. <https://doi.org/10.16965/ijpr.2016.117>
- Kaka, B., Ogwumike, O. O., Adeniyi, Ade. F., Maharaj, S. S., Ogunlade, S. O., & Bello, B. (2018). Effectiveness of neck stabilisation and dynamic exercises on pain intensity, depression and anxiety among patients with non-specific neck pain: a randomised controlled trial. *Scandinavian Journal of Pain*, 18(2), 321–331. <https://doi.org/10.1515/sjpain-2017-0146>

- Kinski Situmorang, C., Widjasena, B., Wahyuni, I., Peminatan Keselamatan dan Kesehatan Kerja, M., Kesehatan Masyarakat, F., Diponegoro, U., & Keselamatan dan Kesehatan Kerja, B. (2020). Hubungan antara durasi dan postur tubuh penggunaan komputer terhadap keluhan neck pain pada tenaga kependidikan fakultas kesehatan masyarakat universitas diponegoro. 8(5). <http://ejournal3.undip.ac.id/index.php/jkm>
- Kisner, C., & Allen Colby, L. (2007). *Therapeutic exercise foundations and techniques* (5th ed.). F.A. Davis Company.
- Minggar Rasti Dwi Wahyuningsih, K., Sugijanto, & Yolanda Anggita, M. (2017). Efektifitas penambahan manual longitudinal muscle stretching pada cervical stabilization exercise terhadap disabilitas & nyeri leher pada kasus myalgia cervikalis. *Jurnal Fisioterapi*, 17, 45–54.
- Minghelli, B. (2020). Musculoskeletal spine pain in adolescents: Epidemiology of non-specific neck and low back pain and risk factors. *Journal of Orthopaedic Science*, 25(5), 776–780. <https://doi.org/10.1016/j.jos.2019.10.008>
- Muscolino, J. (2017). *Kinesiology the skeletal system and muscle function*. Elsevier, inc.
- Nadhifah, N., Udijono, A., Wuryanto, Moh. A., & Saraswati, L. D. (2021). Gambaran kejadian nyeri leher pada pengguna smartphone (studi di pulau jawa 2020). *Jurnal Kesehatan Masyarakat (Undip)*, 9(4), 548–554.
- Neumann, D. (2017). *Kinesiology of the musculoskeletal system foundations for 53 rehabilitation third edition*. Elsevier Inc.
- Nurhidayanti, O., Hartati, E., & Handayani, P. A. (2021). Pengaruh mckenzie cervical exercise terhadap nyeri leher pekerja home industry tahu. *Journal of Holistic Nursing and Health Science*, 4(1), 34–43. <https://ejournal2.undip.ac.id/index.php/hnhs>
- Pathak, A., Sharma, S., & Jensen, M. P. (2018). The utility and validity of pain intensity rating scales for use in developing countries. *Pain Reports*, 3(5), e672. <https://doi.org/10.1097/PR9.0000000000000672>
- Prasana, G. E. J., Adiputra, I. N., & Dinata, I. M. K. (2018). The comparison of deep neck flexor strengthening exercise with mckenzie neck exercise for neck posture correction on students with forward head posture at sma n 1 semarapura. *Majalah Ilmiah Fisioterapi Indonesia*, 6(1), 23. <https://doi.org/10.24843/MIFI.2018.v06.i01.p09>
- Safiri, S., Kolahi, A.-A., Hoy, D., Buchbinder, R., Mansournia, M. A., Bettampadi, D., Ashrafi-Asgarabad, A., Almasi-Hashiani, A., Smith, E., Sepidarkish, M.,

- Cross, M., Qorbani, M., Moradi-Lakeh, M., Woolf, A. D., March, L., Collins, G., & Ferreira, M. L. (2020). Global, regional, and national burden of neck pain in the general population, 1990-2017: systematic analysis of the Global Burden of Disease Study 2017. *BMJ (Clinical Research Ed.)*, 368, m791. <https://doi.org/10.1136/bmj.m791>
- Siyoto, S., & Sodik, A. (2015). *Dasar metodologi penelitian* (1st ed.). Literasi Media Publishing.
- Sugijanto. (2019). *Kinesiologi dan biomekanik cervical spine*.
- Sugiyono. (2019). *Metode penelitian kuantitatif, kualitatif, dan r&d* (28th ed.). Alfabeta.
- Sun, M., Geng, G., Chen, J., Ma, X., Yan, M., Liu, X., Du, J., Cai, D., Zheng, H., Zhao, L., & Liang, F. (2019). Acupuncture for chronic neck pain with sensitive points: study protocol for a multicentre randomised controlled trial. *BMJ Open*, 9(7), e026904. <https://doi.org/10.1136/bmjopen-2018-026904>
- Suyasa, I. K. (2019). *Penyakit degeneratif cervical* (I. K. Suyasa, Ed.; 1st ed.). Udayana University Press.
- Ulfa Dewi Andreani, M., & Paskarini, I. (2013). Sikap kerja yang berhubungan dengan keluhan subjektif pada penjahit di jalan patua surabaya. *Jurnal Promkes*, 1, 201–208.
- Ulfah, N., Harwanti, S., & Nurcahyo, P. J. (2014). Sikap kerja dan risiko musculoskeletal disorders pada pekerja laundry. *Jurnal Kesehatan Masyarakat Nasional*, 8, 313.
- Wardhani, R. R. (2022). Signifikansi lama kerja dengan keluhan neck pain pada komunitas ojek online. *Jurnal Kesehatan Al-Irsyad*, 15(1).
- Weaker, F. (2012). *Structures of the head and neck*. F.A. Davis Company.
- Winaya, I. M. N., Tianing, N. W., Widnyana, M., & Pramana Putra, I. P. Y. (2019). Perbedaan efektivitas intervensi microwave diathermy dan deep tissue massage lebih efektif daripada microwave diathermy dan mckenzie neck exercise untuk koreksi postur pada penderita forward head posture. *Sport and Fitness Journal*. <https://doi.org/10.24843/spj.2019.v07.i02.p07>
- Yang, J., Yang, M., Lin, Q., Fu, J., & Xi, R. (2022). Effects of isometric training on the treatment of patients with neck pain: A meta-analysis. *Medicine*, 101(39), e30864. <https://doi.org/10.1097/MD.00000000000030864>
- Young, I. A., Dunning, J., Butts, R., Cleland, J. A., & Fernández-de-las-Peñas, C. (2019). Psychometric properties of the Numeric Pain Rating Scale and Neck

Disability Index in patients with cervicogenic headache. *Cephalalgia*, 39(1), 44–51. <https://doi.org/10.1177/0333102418772584>

Young, I. A., Dunning, J., Butts, R., Mourad, F., & Cleland, J. A. (2019). Reliability, construct validity, and responsiveness of the neck disability index and numeric pain rating scale in patients with mechanical neck pain without upper extremity symptoms. *Physiotherapy Theory and Practice*, 35(12), 1328–1335. <https://doi.org/10.1080/09593985.2018.1471763>

Yustianti, Y. T., & Pusparini, P. (2019). Hubungan intensitas pemakaian gawai dengan neck pain pada usia 15-20 tahun. *Jurnal Biomedika Dan Kesehatan*, 2(2), 71–76. <https://doi.org/10.18051/JBiomedKes.2019.v2.71-76>